

RECEIVED



2005 DEC -7 PM 12:25

BellSouth Telecommunications, Inc

333 Commerce Street
Suite 2101
Nashville, TN 37201-3300

guyhicks@bellsouth.com

T.R.A. DOCKET ROOM

Guy M Hicks

General Counsel

615 214 6301

Fax 615 214 7406

December 6, 2005

VIA HAND DELIVERY

Hon Ron Jones
Chairman
Tennessee Regulatory Authority
460 James Robertson Parkway
Nashville, Tennessee 37243-0505

Re. *Approval of the Amendments to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc and ITC^DeltaCom Communications, Inc d/b/a ITC^DeltaCom Communications, Inc d/b/a ITC^DeltaCom d/b/a Grapevine Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*
Docket No. 05-00328

Dear Chairman Jones.

Pursuant to Section 252(e) of the Telecommunications Act of 1996, ITC^DeltaCom Communications, Inc. d/b/a ITC^DeltaCom d/b/a Grapevine and BellSouth Telecommunications, Inc are hereby submitting to the Tennessee Regulatory Authority ("TRA") the original and fourteen copies of the attached Petition for Approval of the Amendments to the Interconnection Agreement dated April 24, 2001. The first Amendment modifies the Notice provision in the Agreement and the second Amendment modifies the term of the Agreement. The parties request that the TRA review and approve the Amendments with respect only to the language that relates to Tennessee.

Thank you for your attention to this matter

Sincerely yours,

Guy M. Hicks

cc ITC^DeltaCom Communications, Inc , d/b/a ITC^DeltaCom d/b/a Grapevine, Regulatory Department

BEFORE THE TENNESSEE REGULATORY AUTHORITY
Nashville, Tennessee

In re: *Approval of the Amendments to the Interconnection Agreement Negotiated by BellSouth Telecommunications, Inc. and ITC^DeltaCom Communications, Inc. Pursuant to Sections 251 and 252 of the Telecommunications Act of 1996*

Docket No. _____

PETITION FOR APPROVAL OF THE
AMENDMENTS TO THE INTERCONNECTION AGREEMENT
NEGOTIATED BETWEEN BELL SOUTH TELECOMMUNICATIONS, INC.
AND ITC^DELTACOM D/B/A GRAPEVINE
PURSUANT TO THE TELECOMMUNICATIONS ACT OF 1996

COME NOW, ITC^DeltaCom ("ITC^DeltaCom") and BellSouth Telecommunications, Inc., ("BellSouth"), and file this request for approval of the Amendments to the Interconnection Agreement dated April 24, 2001 (the "Amendments") negotiated between the two companies pursuant to Sections 251 and 252 of the Telecommunications Act of 1996, (the "Act"). In support of their request, ITC^DeltaCom and BellSouth state the following:

1. ITC^DeltaCom and BellSouth entered into good faith negotiations pursuant to the Act to negotiate an interconnection agreement to replace the existing interconnection agreement dated April 24, 2001 which expired June 30, 2003 ("Expired Interconnection Agreement").

2. ITC^DeltaCom and BellSouth are currently involved in an arbitration proceeding before the Tennessee Regulatory Authority.

3. The parties have recently negotiated two Amendments to the Expired Agreement. The first Amendment modifies the Notice provision of the Agreement and

the second Amendment modifies the term of the Agreement. Copies of the Amendments are attached hereto and incorporated herein by reference.

4 Pursuant to Section 252(e) of the Telecommunications Act of 1996, ITC^DeltaCom and BellSouth are submitting their Amendments to the TRA for its consideration and approval. The Amendments provide that either or both of the parties are authorized to submit the Amendments to the TRA for approval.

5. In accordance with Section 252(e) of the Act, the TRA is charged with approving or rejecting the negotiated Amendments between BellSouth and ITC^DeltaCom within 90 days of its submission. The Act provides that the TRA may only reject such an agreement if it finds that the agreement or any portion of the agreement discriminates against a telecommunications carrier not a party to the agreement or the implementation of the agreement or any portion of the agreement is not consistent with the public interest, convenience and necessity.

This 6th day of Dec, 2005

Respectfully submitted,

BELLSOUTH TELECOMMUNICATIONS, INC

By 

Guy M Hicks

333 Commerce Street, Suite 2101

Nashville, Tennessee 37201-3300

(615) 214-6301

Attorney for BellSouth

CERTIFICATE OF SERVICE

I, Guy M Hicks, hereby certify that I have served a copy of the foregoing Petition for Approval of the Amendments to the Interconnection Agreement on the following via United States Mail on the 6th day of Dec, 2005

ITC^DeltaCom Communications, Inc
d/b/a ITC^DeltaCom d/b/a Grapevine
Regulatory Department
7037 Old Madison Pike, Suite 400
Huntsville, AL 35802


Guy M Hicks

**Amendment to the Agreement
Between
ITC^DeltaCom Communications, Inc. d/b/a ITC^DeltaCom d/b/a Grapevine
and
BellSouth Telecommunications, Inc.
Dated August 9, 2004**

Pursuant to this Amendment, (the "Amendment"), ITC^DeltaCom Communications, Inc d/b/a ITC^DeltaCom d/b/a Grapevine ("ITC^DeltaCom"), and BellSouth Telecommunications, Inc ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated August 9, 2004, ("Agreement") to be effective on date of last signature

WHEREAS, BellSouth and ITC DeltaCom entered into the Agreement on August 9, 2004, and,

WHEREAS, The Parties desire to change the Notices address in the General Terms and Conditions,

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows

- 1 The Parties agree to delete Section 21 3 of the GTC's notices address from the notices amendment dated April 14, 2005 and replace with the following addresses as set forth below

BellSouth Telecommunications, Inc.

BellSouth Local Contract Manager
600 North 19th Street, 8th floor
Birmingham, AL 35203

and

ICS Attorney
Suite 4300
675 West Peachtree Street
Atlanta, GA 30375

**ITC^DeltaCom Communications, Inc.
d/b/a ITC^DeltaCom d/b/a Grapevine**

Regulatory Department
7037 Old Madison Pike, Suite 400
Huntsville, AL 35806
PH (256)-382-3843
FAX (256)-382-3936

- 2 All of the other provisions of the Agreement, dated August 9, 2004, shall remain in full force and effect

- 3 Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below

BellSouth Telecommunications, Inc.

By Kristen E. Shore

Name Kristen E Shore

Title Director

Date 10/28/05

**ITC^DeltaCom Communications, Inc.
d/b/a ITC^DeltaCom d/b/a Grapevine**

By [Signature]

Name Gregory Watts

Title Vice President

Date October 25, 2005

**Amendment to the Agreement
Between
ITC^DeltaCom Communications, Inc. d/b/a ITC^DeltaCom d/b/a Grapevine
and
BellSouth Telecommunications, Inc.
Dated August 9, 2004**

Pursuant to this Amendment, (the "Amendment"), ITC^DeltaCom Communications, Inc. d/b/a ITC^DeltaCom d/b/a Grapevine, ("ITC^DeltaCom"), and BellSouth Telecommunications, Inc. ("BellSouth"), hereinafter referred to collectively as the "Parties," hereby agree to amend that certain Interconnection Agreement between the Parties dated August 9, 2004 ("Agreement") to be effective fifteen (15) days after the date of last signature ("Effective Date")

WHEREAS, BellSouth and ITC^DeltaCom entered into the Agreement on August 9, 2004, and,

WHEREAS, BellSouth and ITC^DeltaCom desire to amend the Agreement to modify provisions pursuant to the Federal Communications Commission's (FCC) Order on Remand (Triennial Review Remand Order), WC Docket No. 04-313, released February 4, 2005 and effective March 11, 2005,

WHEREAS, the Parties desire to amend the Agreement to reflect other changes as agreed upon by the parties,

WHEREAS, BellSouth and ITC^DeltaCom desire to amend their existing Agreement to change the term to a month-to-month agreement pending the Georgia PSC's order in the generic change of law case in Georgia (Docket No. 19341-U) ("Georgia Generic Case)

NOW THEREFORE, in consideration of the mutual provisions contained herein and other good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the Parties hereby covenant and agree as follows

- 1 The Parties agree to delete Attachment 2, Network Elements and Other Services, in its entirety and replace with Attachment 2 reflected as Exhibit 1, attached hereto and by reference incorporated into this Amendment
- 2 The Parties agree to add Section 13 to Attachment 3 as follows

13 BASIC 911 AND E911 INTERCONNECTION

13.1 Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911

13.2 Basic 911 Interconnection BellSouth will provide to ITC^DeltaCom a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if

known, the E911 conversion date for each municipality and, for network routing purposes, a ten (10) digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911 ITC^DeltaCom will be required to arrange to accept 911 calls from its End Users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate ten (10) digit directory number as stated on the list provided by BellSouth ITC^DeltaCom will be required to route that call to the appropriate PSAP When a municipality converts to E911 service, ITC^DeltaCom will be required to begin using E911 procedures

- 13 3 E911 Interconnection ITC^DeltaCom shall install a minimum of two (2) dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1 544 Mb/s) interface (DS1 facility) The configuration shall use CAMA-type signaling with MF pulsing or SS7/ISUP signaling either of which shall deliver ANI with the voice portion of the call If SS7/ISUP connectivity is used, ITC^DeltaCom shall follow the procedures as set forth in Appendix A of the CLEC Users Guide to E911 for Facility Based Providers that is located on the BellSouth Interconnection Web site If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention ITC^DeltaCom will be required to provide BellSouth daily updates to the E911 database ITC^DeltaCom will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth If the E911 tandem trunks are not available, ITC^DeltaCom will be required to route the call to a designated seven (7) digit or ten (10) digit local number residing in the appropriate PSAP This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party ITC^DeltaCom shall be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its End Users
- 13 4 Trunks and facilities for 911 Interconnection may be ordered by ITC^DeltaCom from BellSouth pursuant to the terms and conditions set forth in this Attachment
- 13 5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers that is located on the BellSouth Interconnection Services Web site

3 The Parties agree to add SS7 Network Interconnection to Section 14 of Attachment 3 as follows

14 SS7 Network Interconnection

14 1 1 Definition

SS7 Network Interconnection is the interconnection of ITC^DeltaCom local Signaling Transfer Point Switches (STP) and ITC^DeltaCom switching systems with BellSouth STPs. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases (DBs), ITC^DeltaCom switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.

14 1 2 Technical Requirements

14 1 2 1 SS7 Network Interconnection shall provide connectivity to all components of the BellSouth SS7 network. These include

14 1 2 1 1 BellSouth switching systems,

14 1 2 1 2 BellSouth DBs, and

14 1 2 1 3 Other third-party switching systems

14 1 2 2 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service, as specified in ANSI T1 112. In particular, this includes Global Title Translation (GTT) and SCCP Management procedures, as specified in T1 112 4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is an ITC^DeltaCom switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of ITC^DeltaCom local STPs, and shall not include SCCP Subsystem Management of the destination.

14 1 2 3 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part (ISDNUP), as specified in ANSI T1 113.

14 1 2 4 SS7 Network Interconnection shall provide all functions of the TCAP, as specified in ANSI T1 114.

14 1 2 5 If and when Internetwork MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT) become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection shall provide these functions of the OMAP.

- 14 1 2 6 SS7 Network Interconnection shall be equal to or better than the following performance requirements
- 14 1 2 6 1 MTP Performance, as specified in ANSI T1 111 6,
- 14 1 2 6 2 SCCP Performance, as specified in ANSI T1 112 5, and
- 14 1 2 6 3 ISDNUP Performance, as specified in ANSI T1 113 5
- 14 1 3 Interface Requirements
- 14 1 3 1 BellSouth shall offer the following SS7 Network Interconnection options to connect ITC^DeltaCom or ITC^DeltaCom-designated local or tandem switching systems or STPs to the BellSouth SS7 network
- 14 1 3 1 1 A-link interface from ITC^DeltaCom switching systems, and
- 14 1 3 1 2 B-link interface from ITC^DeltaCom STPs
- 14 1 3 2 BellSouth shall provide SS7 Signaling Interconnection to ITC^DeltaCom pursuant to Section 4 9 of Attachment 3
- 14 1 3 3 BellSouth CO shall provide intraoffice diversity between the SPOIs and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP BellSouth and ITC^DeltaCom will work jointly to establish mutually acceptable SPOI
- 14 1 3 4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP These protocol interfaces shall conform to the following specifications
- 14 1 3 4 1 Bellcore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP),
- 14 1 3 4 2 Bellcore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service,
- 14 1 3 4 3 Bellcore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services, and
- 14 1 3 4 4 Bellcore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP)
- 14 1 3 5 BellSouth shall set message screening parameters to block accept messages from ITC^DeltaCom switching systems destined to any signaling point in the BellSouth SS7 network with which the ITC^DeltaCom switching system has a legitimate signaling relation

- 14 1 4 SS7 Network Interconnection shall be equal to or better than all of the requirements for SS7 Network Interconnection set forth in the following technical references
- 14 1 4 1 ANSI T1 110-1992 American National Standard Telecommunications - Signaling System Number 7 (SS7) - General Information,
- 14 1 4 2 ANSI T1 111-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP),
- 14 1 4 3 ANSI T1 111A-1994 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Message Transfer Part (MTP) Supplement,
- 14 1 4 4 ANSI T1 112-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Signaling Connection Control Part (SCCP),
- 14 1 4 5 ANSI T1 113-1995 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Integrated Services Digital Network (ISDN) User Part,
- 14 1 4 6 ANSI T1 114-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Transaction Capabilities Application Part (TCAP),
- 14 1 4 7 ANSI T1 115-1990 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Monitoring and Measurements for Networks,
- 14 1 4 8 ANSI T1 116-1990 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Operations, Maintenance and Administration Part (OMAP),
- 14 1 4 9 ANSI T1 118-1992 American National Standard for Telecommunications - Signaling System Number 7 (SS7) - Intermediate Signaling Network Identification (ISNI),
- 14 1 4 10 BellCore GR-905-CORE, Common Channel Signaling Network Interface Specification (CCSNIS) Supporting Network Interconnection, Message Transfer Part (MTP), and Integrated Services Digital Network User Part (ISDNUP),
- 14 1 4 11 BellCore GR-954-CORE, CCS Network Interface Specification (CCSNIS) Supporting Line Information Database (LIDB) Service,
- 14 1 4 12 BellCore GR-1428-CORE, CCS Network Interface Specification (CCSNIS) Supporting Toll Free Service,

- 14 1 4 13 BellCore GR-1429-CORE, CCS Network Interface Specification (CCSNIS) Supporting Call Management Services, and,
- 14 1 4 14 BellCore GR-1432-CORE, CCS Network Interface Specification (CCSNIS) Supporting Signaling Connection Control Part (SCCP) and Transaction Capabilities Application Part (TCAP)
- 14 2 Rates The Parties shall institute a "bill and keep" compensation plan under which neither Party will charge the other Party recurring and nonrecurring charges as set forth in Exhibit A for CCS7 signaling messages associated with Local Traffic. The portion of CCS7 signaling messages utilized for Local Traffic, which are subject to bill and keep in accordance with this section, shall be determined based upon the application of the applicable signaling factors set forth in BellSouth's Jurisdictional Factors Reporting Guide. The remaining portion of the CCS7 signaling messages, signaling ports, and signaling links, i.e. the portion associated with interstate calls and with intrastate non-local calls, shall be billed in accordance with the applicable BellSouth intrastate Access Services Tariff and BellSouth's FCC No. 1 Tariff for switched access services.
- 4 The Parties agree to add the rates for SS7 Interconnection to Exhibit A of Attachment 3, attached hereto as Exhibit 1 and by reference incorporated into this Amendment.
- 5 The Parties agree to add the following Section to Attachment 6 for Order Modification Charge, as follows:
 - 7 If ITC^DeltaCom modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by ITC^DeltaCom in accordance with FCC No. 1 Tariff, Section 5.
- 6 The Parties agree to delete and replace General Terms and Conditions, Section 2-Term of the Agreement with the following:
 - 2 **Term of the Agreement**
 - 2 1 This Agreement shall remain in effect on a month by month basis until such time as the Parties execute an amendment to incorporate the Georgia PSC's order in the Georgia Generic Case.
 - 7 All of the other provisions of the Agreement, dated August 9, 2004, shall remain in full force and effect.
 - 8 Either or both of the Parties are authorized to submit this Amendment to the respective state regulatory authorities for approval subject to Section 252(e) of the Federal Telecommunications Act of 1996.

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below

BellSouth Telecommunications, Inc.

By

Kristen E Shore

Name Kristen E Shore

Title Director

Date

10/28/05

**ITC^DeltaCom Communications, Inc. d/b/a
ITC^DeltaCom d/b/a Grapevine**

By

Jerry Watts

Name Jerry Watts

Title Vice President

Date

October 28, 2005

Attachment 2

TABLE OF CONTENTS

1	Introduction.....	3
2	Loops.....	8
3	Line Splitting.....	31
4	Local Switching	33
5	Unbundled Network Element Combinations	42
6	Dedicated Transport and Dark Fiber Transport	50
7	Call Related Databases and Signaling	60
8	Automatic Location Identification/Data Management System	69
	Rates	Exhibit A
	Rates.....	Exhibit B
	BellSouth/ITC^DeltaCom points of interconnection.....	Exhibit C
	Non-impaired wire center list.....	Exhibit D

ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

1 Introduction

- 1 1 This Attachment sets forth rates, terms and conditions for unbundled network elements (Network Elements) and combinations of Network Elements (Combinations) that BellSouth offers to ITC^DeltaCom for ITC^DeltaCom's provision of Telecommunications Services in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to ITC^DeltaCom (Other Services). Additionally, the provision of a particular Network Element or Other Service may require ITC^DeltaCom to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1 2 The rates for each Network Element, Combinations and Other Services are set forth in Exhibits A and B. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party. If ITC^DeltaCom purchases service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply. A one-month minimum billing period shall apply to all Network Elements, Combinations and Other Services.
- 1 3 ITC^DeltaCom may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R. § 51.309.
- 1 4 The Parties shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1 5 ITC^DeltaCom shall not obtain a Network Element for the exclusive provision of mobile wireless services or interexchange services.
- 1 6 Conversion of Wholesale Services to Network Elements or Network Elements to Wholesale Services. Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent Network Element or Combination that is available to ITC^DeltaCom pursuant to Section 251 of the Act and under this Agreement or convert a Network Element or Combination that is available to ITC^DeltaCom pursuant to Section 251 of the Act and under this Agreement to an equivalent wholesale service or group of wholesale services offered by BellSouth (collectively "Conversion"). BellSouth shall charge the applicable nonrecurring switch-as-is rates for Conversions to specific Network Elements or Combinations found in Exhibit A. BellSouth shall also charge the same nonrecurring switch-as-is rates when converting from Network Elements or Combinations. Any rate change resulting from the Conversion will be effective as of the next billing cycle following

BellSouth's receipt of a complete and accurate Conversion request from ITC^DeltaCom. A Conversion shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between ITC^DeltaCom and BellSouth. Any change from a wholesale service/group of wholesale services to a Network Element/Combination, or from a Network Element/Combination to a wholesale service/group of wholesale services, that requires a physical rearrangement will not be considered to be a Conversion for purposes of this Agreement. BellSouth will not require physical rearrangements if the Conversion can be completed through record changes only. Orders for Conversions will be handled in accordance with the guidelines set forth in the Ordering Guidelines and Processes and CLEC Information Packages as referenced in Sections 1.13.1 and 1.13.2 below.

- 1.7 Except to the extent expressly provided otherwise in this Attachment, ITC^DeltaCom may not maintain unbundled network elements or combinations of unbundled network elements, that are no longer offered pursuant to this Agreement (collectively "Arrangements"). In the event BellSouth determines that ITC^DeltaCom has in place any Arrangements after the Effective Date of this Agreement, BellSouth will provide ITC^DeltaCom with thirty (30) days written notice to disconnect or convert such Arrangements. If ITC^DeltaCom fails to submit orders to disconnect or convert such Arrangements within such thirty (30) day period, BellSouth will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 1.7 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs. The applicable recurring tariff charge shall apply to each circuit as of the Effective Date of this Agreement.
- 1.8 The Parties agree that for purposes of this Agreement, the list attached hereto as Exhibit D designates those wire centers that meet the FCC's established criteria for non-impairment as of March 10, 2005 and constitutes BellSouth's list of non-impaired wire centers where certain high capacity (DS1 and above) Loops and high capacity Dedicated Transport are no longer available as Network Elements. This list of non-impaired wire centers shall be subject to modification and/or the addition of wire centers without amendment provided the changes are compliant with the FCC's non-impairment criteria. Notification of such modification and/or addition of wire centers shall be via BellSouth's web site. Upon the Effective Date of this Agreement, ITC^DeltaCom will not place any new orders for high capacity Dedicated Transport or high capacity Loops in those wire centers listed in Exhibit D as modified from time to time as provided for above. In all other wire centers, prior to submitting an order pursuant to this Agreement for high capacity Dedicated Transport or high capacity Loops, ITC^DeltaCom shall undertake a reasonably diligent inquiry to determine whether ITC^DeltaCom is entitled to

unbundled access to such Network Elements in accordance with the terms of this Agreement. By submitting any such order, ITC^DeltaCom self-certifies that to the best of ITC^DeltaCom's knowledge, the high capacity Dedicated Transport or high capacity Loop requested is available as a Network Element pursuant to this Agreement. Upon receiving such order, BellSouth shall process the request in reliance upon ITC^DeltaCom's self-certification. To the extent BellSouth believes that such request does not comply with the terms of this Agreement, BellSouth shall seek dispute resolution in accordance with the General Terms and Conditions of this Agreement. In the event such dispute is resolved in BellSouth's favor, BellSouth shall bill ITC^DeltaCom the difference between the rates for such circuits pursuant to this Agreement and the applicable nonrecurring and recurring charges for the equivalent tariffed service from the date of installation to the date the circuit is transitioned to the equivalent tariffed service. Within thirty (30) days following a decision finding in BellSouth's favor, ITC^DeltaCom shall submit a spreadsheet identifying those non-compliant circuits to be transitioned to tariffed services or disconnected.

1 8 1

In the event that (1) BellSouth designated a wire center as non-impaired as set forth in Exhibit D or as set forth in a subsequent notification via BellSouth's web site, (2) as a result of such designation, ITC^DeltaCom converted high capacity Dedicated Transport or high capacity Loops to other services or ordered new services as services other than high capacity Dedicated Transport or high capacity Loop UNEs subsequent to March 10, 2005, (3) ITC^DeltaCom otherwise would have been entitled to high capacity Dedicated Transport or high capacity Loops in such wire center at the time such alternative services were provisioned, and (4) BellSouth acknowledges, or a state or federal regulatory body with authority determines, that, at the time BellSouth designated such wire center as non-impaired, such wire center did not meet the FCC's non-impairment criteria, then upon request of ITC^DeltaCom made no later than 60 days after BellSouth acknowledges or the state or federal regulatory body issues an order making such a finding, BellSouth shall transition to high capacity Dedicated Transport or high capacity Loops, as appropriate, any alternative services in such wire center that were established after such wire center was designated as non-impaired. In such instances, BellSouth shall refund to ITC^DeltaCom the difference between the rate paid by ITC^DeltaCom for such services and the applicable rates set forth herein for high capacity Dedicated Transport or high capacity Loops, including but not limited to any charges associated with the Conversion (as defined in Section 1.6 above) from high capacity Dedicated Transport or high capacity Loops to other wholesale services, if applicable, for the period from the later of June 1, 2005, or the date the circuit became a wholesale service to the date the circuit is transitioned to high capacity Dedicated Transport or high capacity Loop as described in this Section. Similarly, in the event that ITC^DeltaCom has placed orders for high capacity Dedicated Transport or high capacity Loops on or after March 11, 2005, and ITC^DeltaCom acknowledges, or a state or federal regulatory body with authority determines, that the wire center(s) in or between

which such high capacity Dedicated Transport or high capacity Loops were ordered are non-impaired with respect to such high capacity Dedicated Transport or high capacity Loops, then no later than 60 days after such acknowledgement or finding, ITC^DeltaCom shall transition such high capacity Dedicated Transport or high capacity Loops to alternative wholesale services. In such instances, ITC^DeltaCom shall compensate BellSouth for the difference between the recurring and non-recurring rates paid by ITC^DeltaCom for the high capacity Dedicated Transport or high capacity Loops and the applicable BellSouth tariff rate to which ITC^DeltaCom would have been entitled if ITC^DeltaCom had purchased such circuits from BellSouth's tariffs, including but not limited to any charges associated with converting such high capacity Dedicated Transport or high capacity Loops to wholesale services. To the extent ITC^DeltaCom is eligible for a discount pursuant to the tariff, and ITC^DeltaCom commits to a discount-eligible volume and/or term plan pursuant to the tariff when ordering such services, the true up will be to the discounted tariff rate. The amount owed will be calculated from June 1, 2005 or the date the circuit was ordered, whichever is later.

- 1 9 ITC^DeltaCom may utilize Network Elements and Other Services to provide services in accordance with this Agreement, as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1 10 BellSouth will perform Routine Network Modifications (RNM) in accordance with FCC 47 C F R § 51.319 (a)(7) and (e)(4) for Loops and Dedicated Transport provided under this Attachment. If BellSouth has anticipated such RNM and performs them during normal operations and has recovered the costs for performing such modifications through the rates set forth in Exhibit A, then BellSouth shall perform such RNM at no additional charge. RNM shall be performed within the intervals established for the Network Element and subject to the performance measurements and associated remedies set forth in Attachment 9 of this Agreement to the extent such RNM were anticipated in the setting of such intervals. If BellSouth has not anticipated a requested network modification as being a RNM and has not recovered the costs of such RNM in the rates set forth in Exhibit A, then such request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request and, upon receipt of payment from ITC^DeltaCom, BellSouth shall perform the RNM.
- 1 11 Commingling of Services
- 1 11 1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Combination, to one or more Telecommunications Services or facilities that ITC^DeltaCom has obtained at wholesale from BellSouth, or the combining of a Network Element or Combination with one or more such wholesale Telecommunications Services or facilities. ITC^DeltaCom must comply

with all rates, terms or conditions applicable to such wholesale Telecommunications Services or facilities

- 1 11 2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a Combination on the grounds that one or more of the elements (1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth, or (2) shares part of BellSouth's network with access services or inputs for mobile wireless services and/or interexchange services
- 1 11 3 Unless otherwise agreed to by the Parties, the Network Element portion of a commingled circuit will be billed at the rates set forth in Exhibit A and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates or rates set forth in a separate agreement between the Parties
- 1 11 4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same agreement or tariff as the higher bandwidth circuit Central Office Channel Interfaces (COCI) will be billed from the same agreement or tariff as the lower bandwidth circuit
- 1 11 5 Notwithstanding any other provision of this Agreement, BellSouth shall not be obligated to commingle or combine Network Elements or Combinations with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act
- 1 12 Terms and conditions for Service Date Advancement Charges, will apply in accordance with Attachment 6 and are incorporated herein by this reference The charges shall be as set forth in Exhibit A
- 1 13 Ordering Guidelines and Processes
- 1 13 1 For information regarding Ordering Guidelines and Processes for various Network Elements, Combinations and Other Services, ITC^DeltaCom should refer to the "Guides" section of the BellSouth Interconnection Web site
- 1 13 2 Additional information may also be found in the individual CLEC Information Packages located at the "CLEC UNE Products" on BellSouth's Interconnection Web site at www.interconnection.bellsouth.com/guides/html/unes.html
- 1 13 3 The provisioning of Network Elements, Combinations and Other Services to ITC^DeltaCom's Collocation Space will require cross-connections within the central office to connect the Network Element, Combinations or Other Services to the demarcation point associated with ITC^DeltaCom's Collocation Space These cross-connects are separate components that are not considered a part of the

Network Element, Combinations or Other Services and, thus, have a separate charge pursuant to this Agreement

1 13 4 Testing/Trouble Reporting

1 13 4 1 ITC^DeltaCom will be responsible for testing and isolating troubles on Network Elements ITC^DeltaCom must test and isolate trouble to the BellSouth network before reporting the trouble to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center Upon request from BellSouth at the time of the trouble report, ITC^DeltaCom will be required to provide the results of the ITC^DeltaCom test which indicate a problem on the BellSouth network

1 13 4 2 Once ITC^DeltaCom has isolated a trouble to the BellSouth network, and has issued a trouble report to BellSouth, BellSouth will take the actions necessary to repair the Network Element when trouble is found BellSouth will repair its network facilities to its wholesale customers in the same time frames that BellSouth repairs similar services to its retail End Users

1 13 4 3 If ITC^DeltaCom reports a trouble on a BellSouth Network Element and no trouble is found in BellSouth's network, BellSouth will charge ITC^DeltaCom a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Network Element's working status BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No 1 Tariff, Section 13 3 1

1 13 4 4 In the event BellSouth must dispatch to the End User's location more than once due to incorrect or incomplete information provided by ITC^DeltaCom (e g , incomplete address, incorrect contact name/number, etc), BellSouth will bill ITC^DeltaCom for each additional dispatch required to repair the Network Element due to the incorrect/incomplete information provided BellSouth will assess the applicable Maintenance of Service rates from BellSouth's FCC No 1 Tariff, Section 13 3 1

2 Loops

2 1 General The local loop Network Element is defined as a transmission facility that BellSouth provides pursuant to this Attachment between a distribution frame (or its equivalent) in BellSouth's central office and the loop demarcation point at an End User premises (Loop) Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local Loops The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access

Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by BellSouth ITC^DeltaCom shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop

- 2 1 1 The Loop does not include any packet switched features, functions or capabilities
- 2 1 2 Fiber to the Home (FTTH) loops are local loops consisting entirely of fiber optic cable, whether dark or lit, serving an End User's premises or, in the case of predominantly residential multiple dwelling units (MDUs), a fiber optic cable, whether dark or lit, that extends to the MDU minimum point of entry (MPOE) Fiber to the Curb (FTTC) loops are local loops consisting of fiber optic cable connecting to a copper distribution plant that is not more than five hundred (500) feet from the End User's premises or, in the case of predominantly residential MDUs, not more than five hundred (500) feet from the MDU's MPOE The fiber optic cable in a FTTC loop must connect to a copper distribution plant at a serving area interface from which every other copper distribution subloop also is not more than five hundred (500) feet from the respective End User's premises
 - 2 1 2 1 In new build (Greenfield) areas, where BellSouth has only deployed FTTH/FTTC facilities, BellSouth is under no obligation to provide Loops FTTH facilities include fiber loops deployed to the MPOE of a MDU that is predominantly residential regardless of the ownership of the inside wiring from the MPOE to each End User in the MDU
 - 2 1 2 2 In FTTH/FTTC overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to ITC^DeltaCom on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements In these cases, BellSouth will offer a sixty-four (64) kilobits per second (kbps) voice grade channel over its FTTH/FTTC facilities
 - 2 1 2 3 Furthermore, in FTTH/FTTC overbuild areas where BellSouth has not yet retired copper facilities, BellSouth is not obligated to ensure that such copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by ITC^DeltaCom If a request is received by BellSouth for a copper Loop, and the copper facilities have not yet been retired, BellSouth will restore the copper Loop to serviceable condition if technically feasible In these instances of Loop orders in an FTTH/FTTC overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will be handled on a project basis by which the Parties will negotiate the applicable provisioning interval
- 2 1 3 A hybrid Loop is a local Loop, composed of both fiber optic cable, usually in the feeder plant, and copper twisted wire or cable, usually in the distribution plant

BellSouth shall provide ITC^DeltaCom with nondiscriminatory access to the time division multiplexing features, functions and capabilities of such hybrid Loop, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's premises

2 1 4 Transition for DS1 and DS3 Loops

2 1 4 1 For purposes of this Section 2, the Transition Period for the Embedded Base of DS1 and DS3 Loops and for the Excess DS1 and DS3 Loops (defined in 2 1 4 3) is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006

2 1 4 2 For purposes of this Section 2, Embedded Base means DS1 and DS3 Loops that were in service for ITC^DeltaCom as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 2 1 4 5 1 or 2 1 4 5 2 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base

2 1 4 3 Excess DS1 and DS3 Loops are those ITC^DeltaCom DS1 and DS3 Loops in service as of March 10, 2005, in excess of the caps set forth in Sections 2 3 6 2 and 2 3 12 below, respectively. Subsequent disconnects or loss of End Users shall be removed from Excess DS1 and DS3 Loops

2 1 4 4 For purposes of this Section 2, a Business Line is defined in 47 C F R § 51.5

2 1 4 5 Notwithstanding anything to the contrary in this Agreement, and except as set forth in Section 2 1 4 12 below, BellSouth shall make available DS1 and DS3 Loops as described in this Section 2 1 4 only for ITC^DeltaCom's Embedded Base during the Transition Period

2 1 4 5 1 DS1 Loops at any location within the service area of a wire center containing 60,000 or more Business Lines and four (4) or more fiber-based collocators

2 1 4 5 2 DS3 Loops at any location within the service area of a wire center containing 38,000 or more Business Lines and four (4) or more fiber-based collocators

2 1 4 6 A list of wire centers meeting the criteria set forth in Sections 2 1 4 5 1 and 2 1 4 5 2 above as of March 10, 2005 (Initial Wire Center List), is attached as Exhibit D to this Attachment or as modified by subsequent notification via BellSouth's web site

2 1 4 7 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for ITC^DeltaCom's Embedded Base of DS1 and DS3 Loops and ITC^DeltaCom's Excess DS1 and DS3 Loops described in this Section 2 1 4 shall be as set forth in Exhibit B. On or after December 1, 2005, BellSouth shall bill to

ITC^DeltaCom the amount owed for the Embedded Base of DS1 and DS3 Loops and Excess DS1 and DS3 Loops for the period from March 11, 2005 to the Effective Date, and ITC^DeltaCom shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement

- 2 1 4 8 The Transition Period shall apply only to (1) ITC^DeltaCom's Embedded Base and (2) ITC^DeltaCom's Excess DS1 and DS3 Loops. ITC^DeltaCom shall not add new DS1 or DS3 loops as described in this Section 2 1 4 for those wire centers that are designated as non-impaired
- 2 1 4 9 Once a wire center exceeds both of the thresholds set forth in Section 2 1 4 5 1 above, no future DS1 Loop unbundling will be required in that wire center
- 2 1 4 10 Once a wire center exceeds both of the thresholds set forth in Section 2 1 4 5 2 above, no future DS3 Loop unbundling will be required in that wire center
- 2 1 4 11 No later than December 9, 2005 ITC^DeltaCom shall submit spreadsheet(s) identifying all of the Embedded Base of circuits and Excess DS1 and DS3 Loops to be either disconnected or converted to other BellSouth services pursuant to Section 1 6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base and Excess DS1 and DS3 Loops. For circuits for which DeltaCom requests Conversion to tariffed wholesale services, BellSouth will not complete the Conversion until March 11, 2006, or later, and BellSouth will continue to bill ITC^DeltaCom at the transitional rates set forth in 2 1 4 7 until the circuit is converted to the tariffed wholesale service, which will occur on March 11, 2006, or later
- 2 1 4 11 1 If ITC^DeltaCom fails to submit the spreadsheet(s) specified in Section 2 1 4 11 above for all of its Embedded Base and Excess DS1 and DS3 Loops on or before February 10, 2006, BellSouth will identify ITC^DeltaCom's remaining Embedded Base and Excess DS1 and DS3 Loops, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2 1 4 11 1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs
- 2 1 4 11 2 For Embedded Base circuits and Excess DS1 and DS3 Loops converted pursuant to Section 2 1 4 11 above or transitioned pursuant to Section 2 1 4 11 1 above, the applicable recurring tariff charge shall apply to each circuit as of the date each circuit is converted or transitioned, as applicable
- 2 1 4 12 Modifications and Updates to the Wire Center List and Subsequent Transition Periods

- 2 1 4 12 1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 2 1 4 5 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a carrier notification letter (CNL) Each such list of additional wire centers shall be considered a "Subsequent Wire Center List"
- 2 1 4 12 2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to unbundle DS1 and/or DS3 Loops, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1 8 above
- 2 1 4 12 3 For purposes of Section 2 1 4 12 above, BellSouth shall make available DS1 and DS3 Loops that were in service for ITC^DeltaCom in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period)
- 2 1 4 12 4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base
- 2 1 4 12 5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period
- 2 1 4 12 6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List, ITC^DeltaCom shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base
- 2 1 4 12 6 1 If ITC^DeltaCom fails to submit the spreadsheet(s) specified in Section 2 1 4 12 6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ITC^DeltaCom's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s) Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs
- 2 1 4 12 6 2 For Subsequent Embedded Base circuits converted pursuant to Section 2 1 4 12 6 above or transitioned pursuant to Section 2 1 4 12 6 1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is

converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period

- 2 1 5 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at BellSouth's Web site. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2 1 6 The Loop shall be provided to ITC^DeltaCom in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2 1 7 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2 1 8 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If ITC^DeltaCom wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g., UVL-SL1, UVL-SL2, and UCL-ND), ITC^DeltaCom may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 2 1 8 1 For voice grade Loop orders (or orders for Loops intended to provide voice grade services), ITC^DeltaCom shall have dial-tone available for that Loop forty-eight (48) hours prior to the Loop order completion due date.
- 2 1 9 Order Coordination (OC) and Order Coordination-Time Specific (OC-TS)
- 2 1 9 1 OC allows BellSouth and ITC^DeltaCom to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to ITC^DeltaCom's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2 1 9 2 OC-TS allows ITC^DeltaCom to order a specific time for OC to take place. BellSouth will make commercially reasonable efforts to accommodate ITC^DeltaCom's specific conversion time request. However, BellSouth reserves

the right to negotiate with ITC^DeltaCom a conversion time based on load and appointment control when necessary This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge ITC^DeltaCom may specify a time between 9 00 a m and 4 00 p m (location time) Monday through Friday (excluding holidays) If ITC^DeltaCom specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in BellSouth's intrastate Access Services Tariff, Section E13 2, for each state The OC-TS charges for an order due on the same day at the same location will be applied on a per LSR basis

2 1 10

	Order Coordination (OC)	Order Coordination – Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non-Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non-Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, ITC^DeltaCom must order and will be billed for both OC and OC-TS if requesting OC-TS

2 1 11 CLEC to CLEC Conversions for Unbundled Loops

2 1 11 1 The CLEC to CLEC conversion process for Loops may be used by ITC^DeltaCom when converting an existing Loop from another CLEC for the same End User. The Loop type being converted must be included in ITC^DeltaCom's Agreement before requesting a conversion.

2 1 11 2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.

2 1 11 3 The Loops converted to ITC^DeltaCom pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Agreement for the specific Loop type.

2 1 12 Bulk Migration

2 1 12 1 BellSouth will make available to ITC^DeltaCom a Bulk Migration process pursuant to which ITC^DeltaCom may request to migrate port/loop combinations, provisioned pursuant to a separate agreement between the parties, to Loops (UNE-L). The Bulk Migration process may be used if such loop/port combinations are (1) associated with two (2) or more Existing Account Telephone Numbers (EATNs), and (2) located in the same Central Office. The terms and conditions for use of the Bulk Migration process are described in the BellSouth CLEC Information Package. The CLEC Information Package is located on BellSouth's Interconnection Web site at www.interconnection.bellsouth.com/guides/html/unec.html. The rates for the Bulk Migration process shall be the nonrecurring rates as set forth in Exhibit A. Additionally, OSS charges will also apply. Except as otherwise set forth herein, Loops connected to Integrated Digital Loop Carrier (IDLC) systems will be migrated pursuant to Section 2.6 below.

2 1 12 2 Should ITC^DeltaCom request migration for two (2) or more EATNs containing fifteen (15) or more circuits, ITC^DeltaCom must use the Bulk Migration process referenced in 2 1 11 1 above.

2 2 Unbundled Voice Loops (UVLs)

2 2 1 BellSouth shall make available the following UVLs

- 2 2 1 1 2-wire Analog Voice Grade Loop – SL1 (Non-Designed),
- 2 2 1 2 2-wire Analog Voice Grade Loop – SL2 (Designed), or
- 2 2 1 3 4-wire Analog Voice Grade Loop (Designed)
- 2 2 2 UVL may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that ITC^DeltaCom will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two (2) different service levels - Service Level One (SL1) and Service Level Two (SL2)
- 2 2 3 Unbundled Voice Loop - SL1 (UVL-SL1) Loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by ITC^DeltaCom, however, OC is always required on UCLs that involve the reuse of facilities that are currently providing service. ITC^DeltaCom may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.
- 2 2 4 For an additional charge BellSouth will make available Loop Testing so that ITC^DeltaCom may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A.
- 2 2 5 Unbundled Voice Loop – SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to ITC^DeltaCom. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow ITC^DeltaCom to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

2 3 Unbundled Digital Loops

2 3 1 BellSouth will offer UDLs. UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.

2 3 2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:

2 3 2 1 2-wire Unbundled ISDN Digital Loop,

2 3 2 2 2-wire Unbundled ADSL Compatible Loop,

2 3 2 3 2-wire Unbundled HDSL Compatible Loop,

2 3 2 4 4-wire Unbundled HDSL Compatible Loop,

2 3 2 5 4-wire Unbundled DS1 Digital Loop,

2 3 2 6 4-wire Unbundled Digital Loop/DS0 – 64 kbps, 56 kbps and below,

2 3 2 7 DS3 Loop, or

2 3 2 8 STS-1 Loop

2 3 3 2-wire Unbundled ISDN Digital Loops. These will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. ITC/DeltaCom will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.

2 3 4 2-wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.

2 3 5 2-wire or 4-wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.

2 3 6 4-wire Unbundled DS1 Digital Loop.

- 2 3 6 1 This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-wire DS1 Network Interface at the End User's location. For purposes of this Agreement, including the transition of DS1 and DS3 Loops described in Section 2 1 4 above, DS1 Loops include 2-wire and 4-wire copper Loops capable of providing high-bit rate digital subscriber line services, such as 2-wire and 4-wire HDSL Compatible Loops.
- 2 3 6 2 BellSouth shall not provide more than ten (10) unbundled DS1 Loops to ITC^DeltaCom at any single building in which DS1 Loops are available as unbundled Loops.
- 2 3 7 4-wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as sixty-four (64)kbps, fifty-six (56)kbps, nineteen (19)kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2 3 8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of forty-four point seven thirty-six (44 736) megabits per second (Mbps) that is dedicated to the use of the ordering CLEC. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.
- 2 3 9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1 5 mapping that is dedicated for the use of the ordering customer. It is a two (2)-point digital transmission path which provides for simultaneous two (2)-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of fifty-one point eighty-four (51 84) Mbps. It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2 3 10 Both DS3 Loop and STS-1 Loop require a SI in order to ascertain availability.
- 2 3 11 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one (1) mile applies. BellSouth's TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.

- 2 3 12 ITC^DeltaCom may obtain a maximum of a single Unbundled DS3 Loop to any single building in which DS3 Loops are available as Unbundled Loops
- 2 4 Unbundled Copper Loops (UCL)
- 2 4 1 BellSouth shall make available UCLs The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e g , filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service The UCL will be offered in two (2) types - Designed and Non-Designed
- 2 4 2 Unbundled Copper Loop – Designed (UCL-D)
- 2 4 2 1 The UCL-D will be provisioned as a dry copper twisted pair (2-wire or 4-wire) Loop that is unencumbered by any intervening equipment (e g , filters, load coils, range extenders, digital loop carrier, or repeaters)
- 2 4 2 2 A UCL-D will be eighteen thousand (18,000) feet or less in length and is provisioned according to Resistance Design parameters, may have up to six thousand (6,000) feet of bridged tap and will have up to thirteen hundred (1300) Ohms of resistance
- 2 4 2 3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR OC is a chargeable option for a UCL-D, however, OC is always required on UCLs where a reuse of existing facilities has been requested by ITC^DeltaCom
- 2 4 2 4 These Loops are not intended to support any particular services and may be utilized by ITC^DeltaCom to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire
- 2 4 3 Unbundled Copper Loop – Non-Designed (UCL-ND)
- 2 4 3 1 The UCL-ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID) The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to six thousand (6,000) feet of bridged tap between the End User's premises and the serving wire center The UCL-ND typically will be thirteen hundred (1300) Ohms resistance and in most cases will not exceed eighteen thousand (18,000) feet in length, although the UCL-ND will not have a specific length limitation For Loops less than eighteen thousand (18,000) feet and with less than thirteen hundred (1300) Ohms resistance, the

Loop will provide a voice grade transmission channel suitable for loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2 4 3 2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, ITC^DeltaCom can request LMU for which additional charges would apply.
- 2 4 3 3 For an additional charge, BellSouth also will make available Loop Testing so that ITC^DeltaCom may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A.
- 2 4 3 4 UCL-ND Loops are not intended to support any particular service and may be utilized by ITC^DeltaCom to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2 4 3 5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2 4 3 6 ITC^DeltaCom may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.
- 2 5 Unbundled Loop Modifications (Line Conditioning)
- 2 5 1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Subloop that may diminish the capability of the Loop or Subloop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth's TR 73600 Unbundled Local Loop Technical Specification.
- 2 5 2 BellSouth will remove load coils only on copper Loops and Subloops that are less than eighteen thousand (18,000) feet in length.

- 2 5 3 For any copper loop being ordered by ITC^DeltaCom which has over six thousand (6,000) feet of combined bridged tap will be modified, upon request from ITC^DeltaCom, so that the loop will have a maximum of six thousand (6,000) feet of bridged tap. This modification will be performed at no additional charge to ITC^DeltaCom. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper Loop that will result in a combined total of bridged tap between two thousand five hundred (2,500) and six thousand (6,000) feet will be performed at the rates set forth in Exhibit A.
- 2 5 4 ITC^DeltaCom may request removal of any unnecessary and non-excessive bridged tap (bridged tap between zero (0) and two thousand five hundred (2,500) feet which serves no network design purpose), at rates pursuant to BellSouth's SC Process as mutually agreed to by the Parties.
- 2 5 5 Rates for ULM are as set forth in Exhibit A.
- 2 5 6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2 5 7 If ITC^DeltaCom requests ULM on a reserved facility for a new Loop order, BellSouth may perform a pair change and provision a different Loop facility in lieu of the reserved facility with ULM if feasible. The Loop provisioned will meet or exceed specifications of the requested Loop facility as modified. ITC^DeltaCom will not be charged for ULM if a different Loop is provisioned. For Loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the Loop provisioned.
- 2 5 8 ITC^DeltaCom shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that ITC^DeltaCom desires BellSouth to condition.
- 2 5 9 When requesting ULM for a Loop that BellSouth has previously provisioned for ITC^DeltaCom, ITC^DeltaCom will submit a SI to BellSouth. If a spare Loop facility that meets the Loop modification specifications requested by ITC^DeltaCom is available at the location for which the ULM was requested, ITC^DeltaCom will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, ITC^DeltaCom will not be charged for ULM but will only be charged the service order charges for submitting an order.
- 2 6 Loop Provisioning Involving IDLC
- 2 6 1 Where ITC^DeltaCom has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a

suitable alternate facility available, BellSouth will make such alternative facilities available to ITC^DeltaCom. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for ITC^DeltaCom (e.g., hairpinning)

- 1 Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises
- 2 Roll the circuit(s) from the IDLC to an existing DLC that is not integrated
- 3 If capacity exists, provide "side-door" porting through the switch
- 4 If capacity exists, provide "Digital Access Cross-Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch)

2 6 2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.

2 6 3 If no alternate facility is available, and upon request from ITC^DeltaCom, and if agreed to by both Parties, BellSouth may utilize its SC process to determine the additional costs required to provision facilities. ITC^DeltaCom will then have the option of paying the one-time SC rates to place the Loop.

2 7 Network Interface Device

2 7 1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross-connect device used for that purpose. The NID is a single line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two (2) independent chambers or divisions that separate the service provider's network from the End User's premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.

2 7 2 BellSouth shall permit ITC^DeltaCom to connect ITC^DeltaCom's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

2 7 3 Access to NID

2 7 3 1 ITC^DeltaCom may access the End User's premises wiring by any of the following means and ITC^DeltaCom shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID.

- 2 7 3 1 1 BellSouth shall allow ITC^DeltaCom to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises,
- 2 7 3 1 2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the End User premises wiring from the other Party's NID and connect such wiring to that Party's own NID,
- 2 7 3 1 3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a cross-connect or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures, or
- 2 7 3 1 4 ITC^DeltaCom may request BellSouth to make other rearrangements to the End User premises wiring terminations or terminal enclosure on a time and materials cost basis
- 2 7 3 2 In no case shall either Party remove or disconnect the other Party's loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be ITC^DeltaCom's responsibility to ensure there is no safety hazard, and ITC^DeltaCom will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's loop has been disconnected from the NID, to reconnect the disconnected loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected loop must be appropriately cleared, capped and stored
- 2 7 3 3 ITC^DeltaCom shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors
- 2 7 3 4 ITC^DeltaCom shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures
- 2 7 3 5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with ITC^DeltaCom to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question

2 7 4 Technical Requirements

2 7 4 1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground

2 7 4 2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross-connect to ITC^DeltaCom's NID

2 7 4 3 Existing BellSouth NIDs will be operational and provided in "as is" condition ITC^DeltaCom may request BellSouth to do additional work to the NID on a time and material basis. When ITC^DeltaCom deploys its own local loops in a multiple-line termination device, ITC^DeltaCom shall specify the quantity of NID connections that it requires within such device

2 8 Subloop Elements

2 8 1 Where facilities permit, BellSouth shall offer access to its Unbundled Subloop (USL) elements as specified herein

2 8 2 Unbundled Subloop Distribution (USLD)

2 8 2 1 The USLD facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The USLD media is a copper twisted pair that can be provisioned as a 2-wire or 4-wire facility. BellSouth will make available the following subloop distribution offerings where facilities exist

USLD – Voice Grade (USLD-VG)

Unbundled Copper Subloop (UCSL)

USLD – Intrabuilding Network Cable (USLD-INC (aka riser cable))

2 8 2 2 USLD-VG is a copper subloop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils

2 8 2 3 UCSL is a copper facility eighteen thousand (18,000) feet or less in length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box

2 8 2 3 1 If ITC^DeltaCom requests a UCSL and it is not available, ITC^DeltaCom may request the copper Subloop facility be modified pursuant to the ULM process to

remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.

- 2 8 2 4 USLD-INC is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross-connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2 8 2 4 1 Upon request for USLD-INC from ITC^DeltaCom, BellSouth will install a cross-connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in twenty five (25) pair increments for ITC^DeltaCom's use on this cross-connect panel. ITC^DeltaCom will be responsible for connecting its facilities to the twenty five (25) pair cross-connect block(s).
- 2 8 2 5 For access to Voice Grade USLD and UCSL, ITC^DeltaCom shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in Attachment 4. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. ITC^DeltaCom's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2 8 2 6 Through the SI process, BellSouth will determine whether access to USLs at the location requested by ITC^DeltaCom is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet ITC^DeltaCom's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/products/html/unes.html.
- 2 8 2 7 The site set-up must be completed before ITC^DeltaCom can order Subloop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice ITC^DeltaCom's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2 8 2 8 Once the site set-up is complete, ITC^DeltaCom will request Subloop pairs through submission of a LSR form to the LCSC. OC is required with USL pair provisioning when ITC^DeltaCom requests reuse of an existing facility, and the OC charge shall be billed in addition to the USL pair rate. For expedite requests by ITC^DeltaCom for Subloop pairs, expedite charges will apply for intervals less than five (5) days.

- 2 8 2 9 USLs will be provided in accordance with BellSouth's TR 73600 Unbundled Local Loop Technical Specifications
- 2 8 3 Unbundled Network Terminating Wire (UNTW)
- 2 8 3 1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers
- 2 8 3 2 This element will be provided in MDUs and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises
- 2 8 3 3 Requirements
- 2 8 3 3 1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet
- 2 8 3 3 2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party
- 2 8 3 3 3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, and ITC^DeltaCom does own or control such wiring, ITC^DeltaCom will install UNTW Access Terminals for BellSouth under the same terms and conditions as BellSouth provides UNTW Access Terminals to ITC^DeltaCom
- 2 8 3 3 4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate ITC^DeltaCom for each pair activated commensurate to the price specified in ITC^DeltaCom's Agreement
- 2 8 3 3 5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The

Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.

- 2 8 3 3 6 Access Terminal installation intervals will be established on an individual case basis.
- 2 8 3 3 7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or within thirty (30) days after completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.
- 2 8 3 3 8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2 8 3 3 9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2 8 3 3 10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten percent (10%) of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.

- 2 8 3 3 11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.
- 2 8 4 Dark Fiber Loop
- 2 8 4 1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for ITC^DeltaCom to utilize Dark Fiber Loops.
- 2 8 4 2 Transition for Dark Fiber Loop
- 2 8 4 2 1 For purposes of this Section 2 8 4, the Transition Period for Dark Fiber Loops is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
- 2 8 4 2 2 For purposes of this Section 2 8 4, Embedded Base means Dark Fiber Loops that were in service for ITC^DeltaCom as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 2 8 4 3 During the Transition Period only, BellSouth shall make available for the Embedded Base Dark Fiber Loops for ITC^DeltaCom at the terms and conditions set forth in this Attachment.
- 2 8 4 4 Notwithstanding the Effective Date of this Agreement, the rates for ITC^DeltaCom's Embedded Base of Dark Fiber Loops during the Transition Period shall be as set forth in Exhibit A. On or after December 1, 2005, BellSouth shall bill to ITC^DeltaCom the amount owed for the Embedded Base of Dark Fiber Loops for the period from March 11, 2005 to the Effective Date, and ITC^DeltaCom shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 2 8 4 5 The Transition Period shall apply only to ITC^DeltaCom's Embedded Base and ITC^DeltaCom shall not add new Dark Fiber Loops pursuant to this Agreement.
- 2 8 4 6 Effective September 11, 2006, Dark Fiber Loops will no longer be made available pursuant to this Agreement.

- 2 8 4 7 No later than June 10, 2006 ITC^DeltaCom shall submit spreadsheet(s) identifying all of the Embedded Base of circuits to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1 6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
- 2 8 4 7 1 If ITC^DeltaCom fails to submit the spreadsheet(s) specified in Section 2 8 4 7 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify ITC^DeltaCom's remaining Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 2 8 4 7 1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 2 8 4 7 2 For Embedded Base circuits converted pursuant to Section 2 8 4 7 above or transitioned pursuant to Section 2 8 4 7 1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 2 9 Loop Makeup
- 2 9 1 Description of Service
- 2 9 1 1 BellSouth shall make available to ITC^DeltaCom LMU information with respect to Loops that are required to be unbundled under this Agreement so that ITC^DeltaCom can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment ITC^DeltaCom intends to install and the services ITC^DeltaCom wishes to provide. LMU is a preordering transaction, distinct from ITC^DeltaCom ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2 9 1 2 BellSouth will provide ITC^DeltaCom LMU information consisting of the composition of the Loop material (copper/fiber), the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pair-gain devices, the Loop length, the wire gauge and electrical parameters.
- 2 9 1 3 BellSouth's LMU information is provided to ITC^DeltaCom as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.

- 2 9 1 4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a LOA from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2 9 1 5 ITC^DeltaCom may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by ITC^DeltaCom and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said Loop. The specific Loop type (e.g., ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee ITC^DeltaCom's ability to provide advanced data services over the ordered Loop type. Furthermore, the LMU information for Loops other than copper-only Loops (e.g., ADSL, UCL-ND, etc.) that support xDSL services, is subject to change at any time due to modifications and/or upgrades to BellSouth's network. Except as set forth in Section 2 9 1 6 below, copper-only Loops will not be subject to change due to modification and/or upgrades to BellSouth's network and will remain on copper facilities until the Loop is disconnected by ITC^DeltaCom or the End User, or until BellSouth retires the copper facilities via the FCC's and any applicable Commission's requirements. ITC^DeltaCom is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.
- 2 9 1 6 If BellSouth retires its copper facilities using 47 C.F.R. § 51.325(a) requirements, or is required by a governmental agency or regulatory body to move or replace copper facilities as a maintenance procedure, BellSouth will notify ITC^DeltaCom, according to the applicable network disclosure requirements. It will be ITC^DeltaCom's responsibility to move any service it may provide over such facilities to alternative facilities. If ITC^DeltaCom fails to move the service to alternative facilities by the date in the network disclosure notice, BellSouth may terminate the service to complete the network change.
- 2 9 2 Submitting LMUSI
- 2 9 2 1 ITC^DeltaCom may obtain LMU information and reserve facilities by submitting a mechanized LMU query or a manual LMUSI according to the terms and conditions as described in the LMU CLEC Information Package, incorporated herein by reference as it may be amended from time to time. The CLEC Information Package is located at the "CLEC UNE Product" on the BellSouth

Interconnection Web site

www.interconnection.bellsouth.com/guides/html/unes.html After obtaining the Loop information from the mechanized LMU process, if ITC^DeltaCom needs further Loop information in order to determine Loop service capability, ITC^DeltaCom may initiate a separate Manual SI for a separate nonrecurring charge as set forth in Exhibit A

- 2 9 2 2 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. ITC^DeltaCom will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, ITC^DeltaCom does not reserve facilities upon an initial LMUSI, ITC^DeltaCom's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A.
- 2 9 2 3 Where ITC^DeltaCom has reserved multiple Loop facilities on a single reservation, ITC^DeltaCom may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to ITC^DeltaCom, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by ITC^DeltaCom.
- 2 9 2 4 Charges for preordering manual LMUSI or mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

3 Line Splitting

- 3 1 Line splitting shall mean that a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3 2 Line Splitting – UNE-L In the event ITC^DeltaCom provides its own switching or obtains switching from a third party, ITC^DeltaCom may engage in line splitting arrangements with another CLEC using a splitter, provided by ITC^DeltaCom, in a Collocation Space at the central office where the loop terminates into a distribution frame or its equivalent.
- 3 3 Line Splitting – Loop and UNE Port (UNE-P)
- 3 3 1 To the extent ITC^DeltaCom is purchasing UNE-P pursuant to this Agreement, BellSouth will permit ITC^DeltaCom to replace UNE-P with Line Splitting. The UNE-P arrangement will be converted to a stand-alone Loop, a Network Element switch port, two (2) collocation cross-connects and the high frequency spectrum line activation. The resulting arrangement shall continue to be included in ITC^DeltaCom's Embedded Base as described in Section 5.4.3.2 below.

- 3 3 2 ITC^DeltaCom shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if ITC^DeltaCom will not provide voice and data services
- 3 3 3 Line Splitting arrangements in service pursuant to this Section 3 3 must be disconnected or provisioned pursuant to Section 3 2 above on or before March 10, 2006
- 3 4 Provisioning Line Splitting and Splitter Space – UNE-P
- 3 4 1 The Data LEC, Voice CLEC or BellSouth may provide the splitter When ITC^DeltaCom or its authorized agent owns the splitter, Line Splitting requires the following a non-designed analog Loop from the serving wire center to the NID at the End User's location, a collocation cross-connection connecting the Loop to the collocation space, a second collocation cross-connection from the collocation space connected to a voice port, the high frequency spectrum line activation, and a splitter When BellSouth owns the splitter, Line Splitting requires the following a non-designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross-connection from the collocation space connected to a voice port
- 3 4 2 An unloaded 2-wire copper Loop must serve the End User The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs
- 3 4 3 The foregoing procedures are applicable to migration from a UNE-P arrangement to Line Splitting Service
- 3 5 Provisioning Line Splitting and Splitter Space – UNE-L
- 3 5 1 The Voice CLEC provides the splitter when providing Line Splitting with UNE-L When ITC^DeltaCom owns the splitter, Line Splitting requires the following a loop from NID at the End User's location to the serving wire center and terminating into a distribution frame or its equivalent
- 3 6 CLEC Provided Splitter – Line Splitting – UNE-P and UNE-L
- 3 6 1 To order High Frequency Spectrum on a particular Loop, ITC^DeltaCom must have a DSLAM collocated in the central office that serves the End User of such Loop
- 3 6 2 ITC^DeltaCom may purchase, install and maintain central office POTS splitters in its collocation arrangements ITC^DeltaCom may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum Existing Collocation rules and procedures and the

terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply

3 6 3 Any splitters installed by ITC^DeltaCom in its collocation arrangement shall comply with ANSI T1 413, Annex E, or any future ANSI splitter Standards ITC^DeltaCom may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate

3 7 Maintenance – Line Splitting – UNE-P and UNE-L

3 7 1 BellSouth will be responsible for repairing voice troubles and the troubles with the physical loop between the NID at the End User's premises and the termination point

3 7 2 ITC^DeltaCom shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the other service provider, except to the extent caused by BellSouth's gross negligence or willful misconduct

4 Local Switching

4 1 Notwithstanding anything to the contrary in this Agreement, the services offered pursuant to this Section 4 are limited to DS0 level Local Switching and BellSouth is not required to provide Local Switching pursuant to this Agreement except as set forth in Section 4 2 below

4 1 1 BellSouth shall not be required to unbundle local circuit switching for ITC^DeltaCom for a particular End User when ITC^DeltaCom (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of the following MSAs Atlanta, GA, Miami, FL, Orlando, FL, Ft Lauderdale, FL, Charlotte-Gastonia-Rock Hill, NC, Greensboro-Winston Salem-High Point, NC, Nashville, TN, and New Orleans, LA, or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement To the extent that ITC^DeltaCom is serving any End User as described in (2) of this Section 4 1 1 as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by ITC^DeltaCom or transitioned by ITC^DeltaCom, or BellSouth shall disconnect such Arrangements upon thirty (30) days notice

4 2 Transition for Local Switching

4 2 1 For purposes of this Section 4, the Transition Period for the Embedded Base of Local Switching is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006

- 4 2 2 For the purposes of this Section 4, Embedded Base shall mean Local Switching and any additional elements that are required to be provided in conjunction therewith that were in service for ITC^DeltaCom as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 4 2 3 During the Transition Period only, BellSouth shall make Local Switching available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with Local Switching, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to ITC^DeltaCom's Embedded Base and ITC^DeltaCom shall not place new orders for Local Switching pursuant to this Agreement.
- 4 2 4 Notwithstanding the Effective Date of this Agreement, the rates for ITC^DeltaCom's Embedded Base of Local Switching during the Transition Period shall be as set forth in Exhibit A. BellSouth shall bill to ITC^DeltaCom the amount owed for the Embedded Base of Local Switching for the period from March 11, 2005 to the Effective Date, and ITC^DeltaCom shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 4 2 5 ITC^DeltaCom must submit orders, to disconnect or convert all of its Embedded Base of Local Switching to other BellSouth services as Conversions pursuant to Section 1 6 above by December 1, 2005.
- 4 2 5 1 If ITC^DeltaCom fails to submit orders to disconnect or convert all of its Embedded Base of Local Switching as specified in Section 4 2 5 above prior to December 1, 2005, BellSouth will identify ITC^DeltaCom's remaining Embedded Base of Local Switching and will disconnect such Local Switching. Those circuits identified and disconnected by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement.
- 4 2 6 Effective March 11, 2006, Local Switching will no longer be made available pursuant to this Agreement.
- 4 3 Local Switching Capability, including Tandem Switching Capability
- 4 3 1 Local Switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local Switching includes all vertical features that the switch is capable of providing, including custom calling, custom local area signaling service features, and Centrex, as well as any technically feasible customized routing functions.

- 4 3 2 Unbundled local switching consists of three (3) separate components Unbundled Ports, End Office Switching Functionality, and End Office Interoffice Trunk Ports
- 4 3 3 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to ITC^DeltaCom's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service
- 4 3 4 Provided that ITC^DeltaCom has unbundled Local Switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a ITC^DeltaCom local End User, or originated by a BellSouth local End User and terminated to a ITC^DeltaCom local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i e , calls that are transported by a Party other than BellSouth) For such calls, BellSouth will charge ITC^DeltaCom the Network Elements for the BellSouth facilities utilized Neither Party shall bill the other originating or terminating switched access charges for such calls Intercarrier compensation for local calls between BellSouth and ITC^DeltaCom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site www.interconnection.bellsouth.com/products/docs
- 4 3 5 Where ITC^DeltaCom has unbundled Local Switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a ITC^DeltaCom End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's GSST For such local calls, BellSouth will charge ITC^DeltaCom the Network Elements for the BellSouth facilities utilized Intercarrier compensation for local calls between BellSouth and ITC^DeltaCom shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's Interconnection Web site at www.interconnection.bellsouth.com/products/docs
- 4 3 6 For any calls that originate and terminate through switched access arrangements (i e , calls that are transported by a party other than BellSouth), BellSouth shall bill ITC^DeltaCom the Network Elements for the BellSouth facilities utilized Each Party may bill the toll provider originating or terminating switched access charges as appropriate
- 4 3 7 Unbundled Ports may or may not include individual features Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates

- 4 3 8 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR Process as set forth in Attachment 11
- 4 3 9 BellSouth will provide to ITC^DeltaCom selective routing of calls to a requested Operator System platform pursuant to this Agreement Any other routing requests by ITC^DeltaCom will be made pursuant to the BFR/NBR Process as set forth in Attachment 11
- 4 3 10 BellSouth shall perform routine testing (e g , Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule
- 4 3 11 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities All traffic shall be restricted in a nondiscriminatory manner
- 4 3 12 BellSouth shall perform manual call trace and permit customer originated call trace BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS) These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references
- 4 3 13 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors BellSouth shall offer to ITC^DeltaCom all Advanced Intelligent Network (AIN) triggers in connection with its Service Creation Environment and Service Management System (SCE/SMS) offering
- 4 3 14 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by ITC^DeltaCom
- 4 3 15 BellSouth shall provide the following Local Switching interfaces
- 4 3 15 1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e g , for calling number, calling name and message waiting lamp),
- 4 3 15 2 Coin phone signaling,
- 4 3 15 3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements,
- 4 3 15 4 2-wire analog interface to PBX,
- 4 3 15 5 4-wire analog interface to PBX, and

4 3 15 6 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers

4 3 16 ITC^DeltaCom shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 ALI Database

4 3 17 ITC^DeltaCom will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the ITC^DeltaCom's End Users

4 4 Common (Shared) Transport

4 4 1 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.

4 4 2 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing Local Switching to ITC^DeltaCom.

4 4 3 Technical Requirements of Common (Shared) Transport

4 4 3 1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.

4 4 3 2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.

4 4 3 3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

4 5 Tandem Switching

4 5 1 The Tandem Switching capability Network Element is defined as
(i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross-connect panel and switch trunk card, (ii) the basic switch trunk function of connecting trunks to trunks, and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end

office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features

4 5 2 Where ITC^DeltaCom utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, ICO or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Local Call Flows set forth on BellSouth's Interconnection Web site www.interconnection.bellsouth.com/products/docs, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

4 5 3 Technical Requirements

4 5 3 1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:

4 5 3 1 1 Tandem Switching shall provide signaling to establish a tandem connection,

4 5 3 1 2 Tandem Switching will provide screening as jointly agreed to by ITC^DeltaCom and BellSouth,

4 5 3 1 3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability,

4 5 3 1 4 Where applicable, Tandem Switching shall provide access to Toll Free number database,

4 5 3 1 5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911, and

4 5 3 1 6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.

- 4 5 3 2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to ITC^DeltaCom.
- 4 5 3 3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4 5 3 4 Tandem Switching shall process originating toll free traffic received from ITC^DeltaCom's local switch.
- 4 5 3 5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4 5 4 Upon ITC^DeltaCom's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for ITC^DeltaCom's traffic overflowing from direct end office high usage trunk groups.
- 4 6 Remote Call Forwarding (URCF)
- 4 6 1 As an option, BellSouth shall make available to ITC^DeltaCom an unbundled port with Remote Call Forwarding capability. URCF service combines the functionality of unbundled Local Switching, Tandem Switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. ITC^DeltaCom must ensure that the following conditions are satisfied:
- 4 6 1 1 the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User),
- 4 6 1 2 the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service,
- 4 6 1 3 the URCF service will not be utilized to forward calls to another URCF or similar service, and
- 4 6 1 4 the forward-to number (service) is not a public safety number (e.g., 911, fire or police number).
- 4 6 2 In addition to the charge for the URCF service port, BellSouth shall charge ITC^DeltaCom the rates set forth in Exhibit A for unbundled Local Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

4 7 AIN Selective Carrier Routing for OS, DA and Repair Centers

4 7 1 Where BellSouth provides Local Switching to ITC^DeltaCom, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of ITC^DeltaCom. AIN SCR will provide ITC^DeltaCom with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.

4 7 2 ITC^DeltaCom shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.

4 7 3 AIN SCR is not available in DMS 10 switches.

4 7 4 Where AIN SCR is utilized by ITC^DeltaCom, the routing of ITC^DeltaCom's End User calls shall be pursuant to information provided by ITC^DeltaCom and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.

4 7 5 Upon ordering AIN SCR Regional Service, ITC^DeltaCom shall remit to BellSouth the nonrecurring Regional Service Order charge set forth in Exhibit A. There shall be a nonrecurring End Office Establishment Charge as set forth in Exhibit A, per office, due at the addition of each central office where AIN SCR will be utilized. For each ITC^DeltaCom End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A. ITC^DeltaCom shall pay the AIN SCR Per Query Charge set forth in Exhibit A.

4 7 6 This nonrecurring Regional Service Order charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed required forms including Regional SCR Order Request-Form A, Central Office AIN SCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) days to respond to ITC^DeltaCom's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to ITC^DeltaCom, BellSouth considers that the delivery schedule of this service commences. The remaining half of the nonrecurring Regional Service Order payment must be paid when at least ninety percent (90%) of the Central Offices listed on the original order have been turned up for the service.

4 7 7 The nonrecurring End Office Establishment charge will be billed to ITC^DeltaCom following BellSouth's normal monthly billing cycle for this type of order.

- 4 7 8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End Office Establishment charges will be billed to ITC^DeltaCom following BellSouth's normal monthly billing cycle for this type of order.
- 4 7 9 Additionally, the AIN SCR Per Query Charge will be billed to ITC^DeltaCom following the normal billing cycle for per query charges.
- 4 7 10 All other network components needed, (i.e., unbundled switching, unbundled local transport, etc.) will be billed per contracted rates.
- 4 8 Selective Call Routing Using Line Class Codes (SCR-LCC)
- 4 8 1 Where ITC^DeltaCom has purchased unbundled Local Switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route ITC^DeltaCom's End User calls to that provider through Selective Call Routing.
- 4 8 2 SCR-LCC provides the capability for ITC^DeltaCom to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if capacity is available in the requested BellSouth end office switches.
- 4 8 3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 4 8 4 Where available, ITC^DeltaCom specific and unique LCCs are programmed in each BellSouth end office switch where ITC^DeltaCom intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify ITC^DeltaCom's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and ITC^DeltaCom intends to provide ITC^DeltaCom-branded OCP/DA to its End Users in these multiple rate areas.
- 4 8 5 SCR-LCC supporting Custom Branding and Self Branding require ITC^DeltaCom to order dedicated trunking from each BellSouth end office identified by ITC^DeltaCom, either to the BellSouth TOPS for Custom Branding or to the ITC^DeltaCom Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth's FCC No. 1 Tariff.

4 8 6 Unbranding - Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by ITC^DeltaCom to the BellSouth TOPS

4 8 7 The rates for SCR-LCC are as set forth in Exhibit A. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

5 Unbundled Network Element Combinations

5 1 For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by ITC^DeltaCom are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by ITC^DeltaCom are not already combined by BellSouth in the location requested by ITC^DeltaCom but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by ITC^DeltaCom are not elements that BellSouth combines for its use in its network.

5 1 1 Except as otherwise set forth in this Agreement, upon request, BellSouth shall perform the functions necessary to combine Network Elements that BellSouth is required to provide under this Agreement in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such Combination is technically feasible and will not undermine the ability of other carriers to obtain access to Network Elements or to interconnect with BellSouth's network.

5 1 2 To the extent ITC^DeltaCom requests a Combination for which BellSouth does not have methods and procedures in place to provide such Combination, rates and/or methods or procedures for such Combination will be developed pursuant to the BFR process.

5 2 Rates

5 2 1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A shall be the rates associated with such Combinations. Where a Currently Combined Combination is not specifically set forth in Exhibit A, the rate for such

Currently Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B in addition to the applicable nonrecurring switch-as-is charge set forth in Exhibit A

5 2 2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A shall be the nonrecurring and recurring charges for those Combinations Where an Ordinarily Combined Combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined Combination shall be the sum of the recurring rates for those individual Network Elements as set forth in Exhibit A and/or Exhibit B and nonrecurring rates for those individual Network Elements as set forth in Exhibit A

5 2 3 The rates for Not Typically Combined Combinations shall be developed pursuant to the BFR process upon request of ITC^DeltaCom

5 3 Enhanced Extended Links (EELs)

5 3 1 EELs are combinations of Loops and Dedicated Transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements BellSouth shall provide ITC^DeltaCom with EELs where the underlying Network Element are available and are required to be provided pursuant to this Agreement and in all instances where the requesting carrier meets the eligibility requirements, if applicable

5 3 2 High-capacity EELs are (1) combinations of Loop and Dedicated Transport, (2) Dedicated Transport commingled with a wholesale loop, or (3) a loop commingled with wholesale transport at the DS1 and/or DS3 level as described in 47 C F R § 51.318(b)

5 3 3 By placing an order for a high-capacity EEL, ITC^DeltaCom thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE BellSouth shall have the right to audit ITC^DeltaCom's high-capacity EELs as specified below

5 3 4 Service Eligibility Criteria

5 3 4 1 High capacity EELs must comply with the following service eligibility requirements ITC^DeltaCom must certify for each high-capacity EEL that all of the following service eligibility criteria are met

5 3 4 1 1 ITC^DeltaCom has received state certification to provide local voice service in the area being served,

- 5.3.4.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.3.4.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.3.4.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.3.4.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;
- 5.3.4.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 C.F.R. § 51.318(c);
- 5.3.4.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which ITC^DeltaCom will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.3.4.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, ITC^DeltaCom will have at least one (1) active DS1 local service interconnection trunk over which ITC^DeltaCom will transmit the calling party's number in connection with calls exchanged over the trunk; and
- 5.3.4.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.3.4.3 BellSouth may, on an annual basis, audit ITC^DeltaCom's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that ITC^DeltaCom failed to comply with the service eligibility criteria, ITC^DeltaCom must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that ITC^DeltaCom did not comply in any material respect with the service eligibility criteria, ITC^DeltaCom shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that ITC^DeltaCom did comply in all material respects with the service eligibility criteria, BellSouth will reimburse ITC^DeltaCom for its reasonable and demonstrable costs associated with the audit. ITC^DeltaCom will maintain appropriate documentation to support its certifications.

- 5.3.4.3.1 Notwithstanding the foregoing, if as of the Effective Date of this Agreement, ITC^DeltaCom has in place high-capacity EELs that do not comply with the Service Eligibility Criteria set forth herein, and that will not be rearranged pursuant to Section 5.3.5 below, ITC^DeltaCom shall identify such EELs and submit orders to either disconnect such EELs or convert such EELs within sixty (60) days of the Effective Date. If as of the Effective Date ITC^DeltaCom has in place high-capacity EELs that do not comply with the Service Eligibility Criteria but that will be rearranged pursuant to Section 5.3.5 below, ITC^DeltaCom shall have 60 days from the placement of such rearrangement orders to rearrange such non-compliant EELs, so long as the orders are placed within 30 days of the date BellSouth makes available to ITC^DeltaCom the process and procedures to place such rearrangement orders. To the extent any non-compliant EELs remain in place after the time periods set forth in this Section, BellSouth shall have the right to take such action as set forth in Section 5.3.4.3 above.
- 5.3.4.4 In the event ITC^DeltaCom converts special access services to UNEs, ITC^DeltaCom shall be subject to the termination liability provisions in the applicable special access tariffs, if any.
- 5.3.5 EEL to DS1 Loop Rearrangements
- 5.3.5.1 ITC^DeltaCom may submit orders to disconnect an EEL circuit, including the Dedicated Transport portion of the EEL, and reconnect the Loop in a collocation space in the End User Serving Wire Center ("EEL to DS1 Rearrangement"). The non-recurring charge (NRC) for each EEL to DS1 Loop Rearrangement shall be \$128 per DS1 Loop per LSR for the initial EEL to DS1 Rearrangement, and \$77 per DS1 Loop per LSR for each additional EEL to DS1 Rearrangement. OSS charges, and EEL Disconnect non-recurring charges, as set forth in Exhibit A hereto, and Cross Connect non-recurring charges, as set forth in Attachment 4 to this Agreement, are applicable in addition to the EEL to DS1 Rearrangement non-recurring charges set forth herein.
- 5.3.5.2 BellSouth shall make available processes and procedures to implement EEL to DS1 Rearrangements by the later of the Effective Date or November 15, 2005. BellSouth will use best efforts to complete such orders within a thirty (30) day interval, depending upon workload and receipt of correct ordering information from ITC^DeltaCom via spreadsheets. BellSouth shall provide project management support for EEL to DS1 Rearrangements.
- 5.3.6 Commingled EELs
- 5.3.6.1 Notwithstanding anything in this Agreement to the contrary, ITC^DeltaCom may, at its option, purchase high-capacity commingled EELs terminating to the 25

identified BellSouth/ITC^DeltaCom points of interconnection on ITC^DeltaCom's network, as forth in Exhibit C to this Attachment ("Existing POIs"). The final portion of the EEL circuit that terminates in the Existing POI must be a BellSouth special access circuit and cannot be purchased as Dedicated Transport pursuant to this Agreement.

5.3.6.2 BellSouth is not required to locate switching equipment at the Existing POIs, and to the extent that BellSouth does not locate switching equipment at an Existing POI, BellSouth shall not provide Dedicated Transport as a Network Element to such existing POI. No other carrier shall have access to the Existing POIs to obtain Network Elements or commingled EELs.

5.3.6.3 BellSouth may place equipment at the Existing POIs, or may maintain at such Existing POIs equipment previously placed consistent with Attachment 3 of this Agreement. BellSouth shall not be responsible to ITC^DeltaCom for any collocation or other charges for any such equipment placed at the Existing POIs.

5.4 UNE-P

5.4.1 DS0 Local Switching, as defined in Section 4 above, in combination with a Loop and Common (Shared) Transport as defined in Section 4.4 above (UNE-P) provides local exchange service for the origination or termination of calls. UNE-P supports the same local calling and feature requirements as described in the Local Switching section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.

5.4.2 Notwithstanding anything to the contrary in this Agreement, BellSouth is not required to provide UNE-P pursuant to this Agreement except as set forth in this Section 5.4.

5.4.3 Transition Period for UNE-P

5.4.3.1 For purposes of this Section 5.4, the Transition Period for UNE-P is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

5.4.3.2 For the purposes of this Section 5.4, Embedded Base shall mean UNE-P and any additional elements that are required to be provided in conjunction therewith that were in service for ITC^DeltaCom as of March 10, 2005. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

5.4.3.3 During the Transition Period only, BellSouth shall make UNE-P available for the Embedded Base, in addition to all elements that are required to be provided in conjunction with UNE-P, at the rates, terms and conditions set forth in this Attachment. The Transition Period shall apply only to ITC^DeltaCom's

Embedded Base and ITC^DeltaCom shall not place new orders for UNE-P pursuant to this Agreement.

- 5.4.3.4 Notwithstanding the Effective Date of this Agreement, the rates for ITC^DeltaCom's Embedded Base of UNE-P during the Transition Period shall be as set forth in Exhibit A. BellSouth shall bill to ITC^DeltaCom the amount owed for the Embedded Base of UNE-P for the period from March 11, 2005 to the Effective Date, and ITC^DeltaCom shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 5.4.3.5 ITC^DeltaCom will provide to BellSouth via spreadsheet, no later than December 1, 2005, information regarding any remaining conversions of UNE-P to UNE-L, including but not limited to identification of UNE-P lines remaining, the time frame within which such lines are to be converted, whether the remaining lines will be disconnected or converted to alternative BellSouth services, as identified by ITC^DeltaCom in the spreadsheet. To the extent ITC^DeltaCom intends to convert UNE-P lines to UNE-L, ITC^DeltaCom will utilize the Bulk Migration process set forth in Section 2.1.12.1.
- 5.4.3.5.1 If ITC^DeltaCom fails to submit such spreadsheet as identified in Section 5.4.3.5 by December 1, 2005, BellSouth will identify ITC^DeltaCom's remaining Embedded Base of UNE-P and will transition such UNE-P to resold BellSouth telecommunication services, as set forth in Attachment 1, unless otherwise mutually agreed upon by the Parties. Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of such BellSouth services as set forth in BellSouth's tariffs. The applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or March 11, 2006.
- 5.4.3.5.2 In the states of Georgia, and Louisiana, to the extent any UNE-P lines in ITC^DeltaCom's Embedded Base of UNE-P carry Digital Subscriber Line (DSL) service provided in whole or in part by BellSouth, either as a wholesale service pursuant to BellSouth's FCC tariff for DSL transport or as the BellSouth FastAccess® Internet access service offered on a retail basis, the Parties agree that such lines shall be converted to resold services on or before March 11, 2006. ITC^DeltaCom will identify via the spreadsheet described in Section 5.4.3.5 above those UNE-P lines carrying DSL service, and the Parties will work cooperatively to ensure that all such lines are converted to resold services before March 11, 2006. To the extent such lines are not converted by March 11, 2006, the ITC^DeltaCom End User is subject to losing its DSL service provided over the UNE-P line.
- 5.4.3.5.3 Effective March 11, 2006, UNE-P will no longer be made available pursuant to this Agreement.

- 5.4.3.5.4 BellSouth shall make 911 updates in the BellSouth 911 database for ITC^DeltaCom's UNE-P. BellSouth will not bill ITC^DeltaCom for 911 surcharges. ITC^DeltaCom is responsible for paying all 911 surcharges to the applicable governmental agency.
- 5.5 Intercarrier Compensation
- 5.5.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by ITC^DeltaCom utilizing Local Switching shall apply as follows:
- 5.5.2 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge ITC^DeltaCom for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge ITC^DeltaCom for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.1 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, ITC^DeltaCom is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If ITC^DeltaCom does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by ITC^DeltaCom, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.1.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to ITC^DeltaCom for each such call; or
- 5.5.3.1.2 pay such charges as billed by the third party carrier and ITC^DeltaCom will reimburse the full amount of such charges within thirty (30) days of BellSouth's request for reimbursement.
- 5.5.3.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to ITC^DeltaCom utilizing Local Switching shall apply as follows:
- 5.5.3.2.1 For calls originated by a BellSouth End User or by an End User served by resold BellSouth services, BellSouth shall not charge ITC^DeltaCom for End Office Switching at the terminating end office for use of the network component; therefore, ITC^DeltaCom shall not charge BellSouth intercarrier compensation or any other charges for termination of such calls.

- 5.5.3.2.2 For calls originated by a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall not charge ITC^DeltaCom for End Office Switching at the terminating end office for use of the network component; therefore, ITC^DeltaCom shall not charge the originating CLEC or BellSouth intercarrier compensation or any other charges for termination of such calls.
- 5.5.3.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and independent companies,utilizing their own switches to serve their End Users, ITC^DeltaCom is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. ITC^DeltaCom may bill the third parties according to such agreements and shall not bill BellSouth for the exchange of traffic through BellSouth's network.
- 5.5.3.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by ITC^DeltaCom utilizing Local Switching where ITC^DeltaCom uses BellSouth's CIC for its End User's LPIC:
- 5.5.3.3.1 For calls terminating to a BellSouth End User or to an End User served by BellSouth resold services, BellSouth shall charge ITC^DeltaCom for End Office Switching as set forth in Exhibit A at the terminating end office.
- 5.5.3.3.2 For calls terminating to a CLEC where such CLEC is utilizing a BellSouth switch port or port/loop combination to provide service to its End User, BellSouth shall charge ITC^DeltaCom for End Office Switching as set forth in Exhibit A at the terminating end office. BellSouth will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that BellSouth is charged termination charges by the CLEC, BellSouth may pay such charges and ITC^DeltaCom will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and independent companies, utilizing their own switches to serve their End Users, ITC^DeltaCom is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through BellSouth's network. If ITC^DeltaCom does not have such an agreement with a third party carrier and BellSouth is charged termination charges by a third party terminating a call originated by ITC^DeltaCom, or if such third party carrier bills BellSouth for terminating such calls, despite the existence of such an agreement, then BellSouth may, at its option:
- 5.5.3.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to ITC^DeltaCom for each such call; or

- 5.5.3.3.3.2 pay such charges as billed by the third party carrier and ITC^DeltaCom will reimburse BellSouth the full amount of such charges within thirty (30) days following BellSouth's request for reimbursement.
- 5.5.3.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to ITC^DeltaCom utilizing Local Switching where the originating carrier uses BellSouth's CIC for its End User's LPIC:
- 5.5.3.4.1 For calls originated by a BellSouth End User or by an End User served by BellSouth resold service, BellSouth shall charge ITC^DeltaCom for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. ITC^DeltaCom may charge BellSouth for intercarrier compensation at the End Office Switching as set forth in Exhibit A for such calls. ITC^DeltaCom shall not charge originating or terminating switched access rates to BellSouth for termination of such calls.
- 5.5.3.5 For calls originated by or terminating to interexchange carriers through a switched access arrangement, ITC^DeltaCom may bill the interexchange carrier in accordance with ITC^DeltaCom's tariff and will not bill BellSouth any charges for such call. ITC^DeltaCom shall pay BellSouth applicable charges for the use of BellSouth's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

6 Dedicated Transport and Dark Fiber Transport

- 6.1 Dedicated Transport. Dedicated Transport is defined as BellSouth's transmission facilities between wire centers or switches owned by BellSouth, or between wire centers or switches owned by BellSouth and switches owned by ITC^DeltaCom, including but not limited to DS1, DS3 and OCn level services, as well as dark fiber, dedicated to ITC^DeltaCom. BellSouth shall not be required to provide access to OCn level Dedicated Transport under any circumstances pursuant to this Agreement. In addition, except as set forth in Section 6.2 below, BellSouth shall not be required to provide to ITC^DeltaCom unbundled access to interoffice transmission facilities that do not connect a pair of wire centers or switches owned by BellSouth ("Entrance Facilities").
- 6.2 Transition for DS1 and DS3 Dedicated Transport Including DS1 and DS3 Entrance Facilities
- 6.2.1 For purposes of this Section 6.2, the Transition Period for the Embedded Base of DS1 and DS3 Dedicated Transport, Embedded Base Entrance Facilities and for Excess DS1 and DS3 Dedicated Transport, is the twelve (12) month period beginning March 11, 2005 and ending March 10, 2006.

- 6.2.2 For purposes of this Section 6.2, Embedded Base means DS1 and DS3 Dedicated Transport that were in service for ITC^DeltaCom as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.
- 6.2.3 For purposes of this Section 6, Embedded Base Entrance Facilities means Entrance Facilities that were in service for ITC^DeltaCom as of March 10, 2005. Subsequent disconnects or loss of customers shall be removed from the Embedded Base.
- 6.2.4 For purposes of this Section 6, Excess DS1 and DS3 Dedicated Transport means those ITC^DeltaCom DS1 and DS3 Dedicated Transport facilities in service as of March 10, 2005, in excess of the caps set forth in Section 6.6 below. Subsequent disconnects and loss of End Users shall be removed from Excess DS1 and DS3 Loops.
- 6.2.5 For purposes of this Section 6.2, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.2.6 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dedicated Transport as described in this Section 6.2 only for ITC^DeltaCom's Embedded Base during the Transition Period:
- 6.2.6.1 DS1 Dedicated Transport where both wire centers at the end points of the route contain 38,000 or more Business Lines or four (4) or more fiber-based collocators.
- 6.2.6.2 DS3 Dedicated Transport where both wire centers at the end points of the route contain 24,000 or more Business Lines or three (3) or more fiber-based collocators.
- 6.2.6.3 A list of wire centers meeting the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above as of March 10, 2005, is set forth as Exhibit D hereto or as modified by a subsequent notification via BellSouth's web site (Initial Wire Center List).
- 6.2.6.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Entrance Facilities only for ITC^DeltaCom's Embedded Base Entrance Facilities and only during the Transition Period.
- 6.2.6.5 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for ITC^DeltaCom's Embedded Base of DS1 and DS3 Dedicated Transport and for ITC^DeltaCom's Excess DS1 and DS3 Dedicated Transport, as described in this Section 6.2, shall be as set forth in Exhibit B, and the rates for ITC^DeltaCom's Embedded Base Entrance Facilities as described in this Section 6.2 shall be as set forth in Exhibit A. On or after December 1, 2005, BellSouth shall bill to ITC^DeltaCom the amount owed for the Embedded Base of DS1 and

DS3 Dedicated Transport, Excess DS1 and DS3 Dedicated Transport, and Embedded Base Entrance Facilities for the period from March 11, 2005 to the Effective Date, and ITC^DeltaCom shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.

- 6.2.6.6 The Transition Period shall apply only to (1) ITC^DeltaCom's Embedded Base and Embedded Base Entrance Facilities; and (2) ITC^DeltaCom's Excess DS1 and DS3 Dedicated Transport. ITC^DeltaCom shall not add new Entrance Facilities pursuant to this Agreement. Further, ITC^DeltaCom shall not add new DS1 or DS3 Dedicated Transport as described in this Section 6.2 pursuant to this Agreement, except pursuant to the self-certification process as set forth in Section 1.8 above and as set forth in Section 6.2.6.10 below.
- 6.2.6.7 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.1 above, no future DS1 Dedicated Transport unbundling will be required in that wire center.
- 6.2.6.8 Once a wire center exceeds either of the thresholds set forth in Section 6.2.6.2 above, no future DS3 Dedicated Transport will be required in that wire center.
- 6.2.6.9 No later than December 9, 2005 ITC^DeltaCom shall submit spreadsheet(s) identifying all of the Embedded Base of circuits, Embedded Base Entrance Facilities, and Excess DS1 and DS3 Dedicated Transport to be either disconnected or converted pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport. For circuits for which ITC^DeltaCom requests Conversion to tariffed wholesale services, BellSouth will not complete the Conversion until March 11, 2006, or later, and BellSouth will continue to bill ITC^DeltaCom at the transitional rates set forth in Section 6.2.6.5 until the circuit is converted to the tariffed wholesale service, which will occur on March 11, 2006, or later.
- 6.2.6.9.1 If ITC^DeltaCom fails to submit the spreadsheet(s) specified in Section 6.2.6.9 above for all of its Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport by February 10, 2006, BellSouth will identify ITC^DeltaCom's remaining Embedded Base, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.2.6.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.2.6.9.2 For Embedded Base circuits, Embedded Base Entrance Facilities and Excess DS1 and DS3 Dedicated Transport converted pursuant to Section 6.2.6.9 above or

transitioned pursuant to Section 6.2.6.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the date each circuit is converted or transitioned, as applicable.

6.2.6.10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods

- 6.2.6.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Sections 6.2.6.1 or 6.2.6.2 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in CNL. Each such list of additional wire centers shall be considered a Subsequent Wire Center List.
- 6.2.6.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide DS1 and DS3 Dedicated Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 6.2.6.10.3 For purposes of Section 6.2.6.10 above, BellSouth shall make available DS1 and DS3 Dedicated Transport that was in service for ITC^DeltaCom in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.2.6.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.2.6.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.2.6.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ITC^DeltaCom shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.
- 6.2.6.10.6.1 If ITC^DeltaCom fails to submit the spreadsheet(s) specified in Section 6.2.6.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ITC^DeltaCom's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges

for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 6.2.6.10.7 For Subsequent Embedded Base circuits converted pursuant to Section 6.2.6.10.6 above or transitioned pursuant to Section 6.2.6.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 6.3 BellSouth shall:
 - 6.3.1 Provide ITC^DeltaCom exclusive use of Dedicated Transport to a particular customer or carrier;
 - 6.3.2 Provide all technically feasible features, functions, and capabilities of Dedicated Transport as outlined within the technical requirements of this section;
 - 6.3.3 Permit, to the extent technically feasible, ITC^DeltaCom to connect Dedicated Transport to equipment designated by ITC^DeltaCom, including but not limited to, ITC^DeltaCom's collocated facilities; and
 - 6.3.4 Permit, to the extent technically feasible, ITC^DeltaCom to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.4 BellSouth shall offer Dedicated Transport:
 - 6.4.1 As capacity on a shared facility; and
 - 6.4.2 As a circuit (i.e., DS0, DS1, DS3, STS-1) dedicated to ITC^DeltaCom.
- 6.5 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.6 ITC^DeltaCom may obtain a maximum of (10) unbundled DS1 Dedicated Transport circuits, or their equivalent, on each route where DS3 Dedicated Transport is not available as a Network Element. ITC^DeltaCom may obtain a maximum of twelve (12) unbundled DS3 Dedicated Transport circuits, or their equivalent, on each route where DS3 Dedicated Transport is available as a Network Element. A route is defined as a transmission path between one (1) of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one (1) or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.

6.7 Technical Requirements

- 6.7.1 BellSouth shall offer DS0 equivalent interface transmission rates for DS0 or voice grade Dedicated Transport. For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.7.2 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.7.2.1 DS0 Equivalent;
- 6.7.2.2 DS1;
- 6.7.2.3 DS3;
- 6.7.2.4 STS-1; and
- 6.7.2.5 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.7.3 BellSouth shall design Dedicated Transport according to its network infrastructure. ITC^DeltaCom shall specify the termination points for Dedicated Transport.
- 6.7.4 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references and BellSouth Technical References;
- 6.7.4.1 Telcordia TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.7.4.2 BellSouth's TR 73501 LightGate®Service Interface and Performance Specifications, Issue D, June 1995.
- 6.7.4.3 BellSouth's TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

6.8 Unbundled Channelization (Multiplexing)

- 6.8.1 To the extent ITC^DeltaCom is purchasing DS1 or DS3 or STS-1 Dedicated Transport pursuant to this Agreement, Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) Network Elements to be multiplexed or

channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross-connect system at the discretion of BellSouth. Once UC has been installed, ITC^DeltaCom may request channel activation on a channelized facility and BellSouth shall connect the requested facilities via COCIs. The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.

- 6.8.2 BellSouth shall make available the following channelization systems and interfaces:
 - 6.8.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following COCI are available: Voice Grade, Digital Data and ISDN.
 - 6.8.2.2 DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
 - 6.8.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.8.3 Technical Requirements. In order to assure proper operation with BellSouth provided central office multiplexing functionality, ITC^DeltaCom's channelization equipment must adhere strictly to form and protocol standards. ITC^DeltaCom must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.9 Dark Fiber Transport. Dark Fiber Transport is defined as Dedicated Transport that consists of unactivated optical interoffice transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics. Except as set forth in Section 6.9.1 below, BellSouth shall not be required to provide access to Dark Fiber Transport Entrance Facilities pursuant to this Agreement.
 - 6.9.1 Transition for Dark Fiber Transport and Dark Fiber Transport Entrance Facilities
 - 6.9.1.1 For purposes of this Section 6.9, the Transition Period for the Embedded Base of Dark Fiber Transport is the eighteen (18) month period beginning March 11, 2005 and ending September 10, 2006.
 - 6.9.1.2 For purposes of this Section 6.9, Embedded Base means Dark Fiber Transport that was in service for ITC^DeltaCom as of March 10, 2005 in those wire centers that, as of such date, met the criteria set forth in 6.9.1.4.1 below. Subsequent disconnects or loss of End Users shall be removed from the Embedded Base.

- 6.9.1.3 For purposes of this Section 6.9, a Business Line is as defined in 47 C.F.R. § 51.5.
- 6.9.1.4 Notwithstanding anything to the contrary in this Agreement, BellSouth shall make available Dark Fiber Transport as described in this Section 6.9 only for ITC^DeltaCom's Embedded Base during the Transition Period:
 - 6.9.1.4.1 Dark Fiber Transport where both wire centers at the end points of the route contain twenty-four thousand (24,000) or more Business Lines or three (3) or more fiber-based collocators.
- 6.9.1.5 A list of wire centers meeting the criteria set forth in Section 6.9.1.4 above as of March 10, 2005, Initial Wire Center List is set forth in Exhibit D hereto or as modified by a subsequent notification via BellSouth's web site.
- 6.9.1.6 Notwithstanding the Effective Date of this Agreement, during the Transition Period, the rates for ITC^DeltaCom's Embedded Base of Dark Fiber Transport as described in Section 6.9.1.2 above shall be as set forth in Exhibit B and the rates for ITC^DeltaCom's Embedded Base of Dark Fiber Transport Entrance Facilities as described in Section 6.9.1 above shall be as set forth in Exhibit A. On or after December 1, 2005, BellSouth shall bill to ITC^DeltaCom the amount owed for the Embedded Base of Dark Fiber Transport and the Embedded Base of Dark Fiber Transport Entrance Facilities for the period from March 11, 2005 to the Effective Date, and ITC^DeltaCom shall pay such amount according to payment processes set forth in Attachment 7 of this Agreement.
- 6.9.1.7 The Transition Period shall apply only to ITC^DeltaCom's Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities. ITC^DeltaCom shall not add new Dark Fiber Transport as described in this Section 6.9 except pursuant to the self-certification process as set forth in Section 1.8 above and as set forth in Section 6.9.1.10 below. Further, ITC^DeltaCom shall not add new Dark Fiber Entrance Facilities pursuant to this Agreement.
- 6.9.1.8 Once a wire center exceeds either of the thresholds set forth in this Section 6.9.1.4 above, no future Dark Fiber Transport unbundling will be required in that wire center.
- 6.9.1.9 No later than June 10, 2006 ITC^DeltaCom shall submit spreadsheet(s) identifying all of the Embedded Base of Dark Fiber Transport and Dark Fiber Entrance Facilities to be either disconnected or converted to other BellSouth services as Conversions pursuant to Section 1.6 above. The Parties shall negotiate a project schedule for the Conversion of the Embedded Base.
 - 6.9.1.9.1 If ITC^DeltaCom fails to submit the spreadsheet(s) specified in Section 6.9.1.9 above for all of its Embedded Base prior to June 10, 2006, BellSouth will identify ITC^DeltaCom's remaining Embedded Base, if any, and will transition such

circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth pursuant to this Section 6.9.1.9.1 shall be subject to all applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.

- 6.9.1.9.2 For Embedded Base circuits converted pursuant to Section 6.9.1.9 above or transitioned pursuant to Section 6.9.1.9.1 above, the applicable recurring tariff charge shall apply to each circuit as of the earlier of the date each circuit is converted or transitioned, as applicable, or September 11, 2006.
- 6.9.1.10 Modifications and Updates to the Wire Center List and Subsequent Transition Periods
- 6.9.1.10.1 In the event BellSouth identifies additional wire centers that meet the criteria set forth in Section 6.9.1.4.1 above, but that were not included in the Initial Wire Center List, BellSouth shall include such additional wire centers in a CNL. Each such list of additional wire centers shall be considered a "Subsequent Wire Center List".
- 6.9.1.10.2 Effective ten (10) business days after the date of a BellSouth CNL providing a Subsequent Wire Center List, BellSouth shall not be required to provide unbundled access to Dark Fiber Transport, as applicable, in such additional wire center(s), except pursuant to the self-certification process as set forth in Section 1.8 above.
- 6.9.1.10.3 For purposes of Section 6.9.1.10, BellSouth shall make available Dark Fiber Transport that was in service for ITC^DeltaCom in a wire center on the Subsequent Wire Center List as of the tenth (10th) business day after the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Embedded Base) until ninety (90) days after the tenth (10th) business day from the date of BellSouth's CNL identifying the Subsequent Wire Center List (Subsequent Transition Period).
- 6.9.1.10.4 Subsequent disconnects or loss of End Users shall be removed from the Subsequent Embedded Base.
- 6.9.1.10.5 The rates set forth in Exhibit B shall apply to the Subsequent Embedded Base during the Subsequent Transition Period.
- 6.9.1.10.6 No later than forty (40) days from BellSouth's CNL identifying the Subsequent Wire Center List ITC^DeltaCom shall submit a spreadsheet(s) identifying the Subsequent Embedded Base of circuits to be disconnected or converted to other BellSouth services. The Parties shall negotiate a project schedule for the Conversion of the Subsequent Embedded Base.

- 6.9.1.10.6.1 If ITC^DeltaCom fails to submit the spreadsheet(s) specified in Section 6.9.1.10.6 above for all of its Subsequent Embedded Base within forty (40) days after the date of BellSouth's CNL identifying the Subsequent Wire Center List, BellSouth will identify ITC^DeltaCom's remaining Subsequent Embedded Base, if any, and will transition such circuits to the equivalent tariffed BellSouth service(s). Those circuits identified and transitioned by BellSouth shall be subject to the applicable disconnect charges as set forth in this Agreement and the full nonrecurring charges for installation of the equivalent tariffed BellSouth service as set forth in BellSouth's tariffs.
- 6.9.1.10.6.2 For Subsequent Embedded Base circuits converted pursuant to Section 6.9.1.10.6 above or transitioned pursuant to Section 6.9.1.10.6.1 above, the applicable recurring tariff charges shall apply as of the earlier of the date each circuit is converted or transitioned, as applicable, or the first day after the end of the Subsequent Transition Period.
- 6.10 Rearrangements
- 6.10.1 A request to move a working ITC^DeltaCom CFA to another ITC^DeltaCom CFA, where both CFAs terminate in the same BellSouth Central Office (Change in CFA), shall not constitute the establishment of new service. The applicable rates set forth in Exhibit A.
- 6.10.2 Requests to re-terminate one end of a facility that is not a Change in CFA constitute the establishment of new service and require disconnection of existing service and the applicable rates set forth in Exhibit A shall apply.
- 6.10.3 Upon request of ITC^DeltaCom, BellSouth shall project manage the Change in CFA or re-termination of a facility as described in Sections 6.10.1 and 6.10.2 above and ITC^DeltaCom may request OC-TS for such orders.
- 6.10.4 BellSouth shall accept a LOA between ITC^DeltaCom and another carrier that will allow ITC^DeltaCom to connect a facility, or Combination that includes Dedicated Transport to the other carrier's collocation space or to another carrier's CFA associated with higher bandwidth transport.
- 6.10.5 To the extent ITC^DeltaCom elects to rearrange a BellSouth multiplexer purchased pursuant to this Agreement to a BellSouth special access multiplexer terminating to an ITC^DeltaCom collocation space, BellSouth will charge the applicable DS3 multiplexing and circuit charges (e.g., the multiplexer installation charge and DS3 cross connect charge) as set forth in the BellSouth FCC tariff. For circuits purchased pursuant to this Agreement that may be attached to the multiplexer being rearranged, charges shall be assessed pursuant to this Agreement where no physical rearrangement of such circuits is required. Where a physical

rearrangement of such circuits is required, charges shall be pursuant to BellSouth's FCC tariff, Section 23.5.2.17, Reconfiguration Charges – Nonrecurring.

7 Call Related Databases and Signaling

7.1 Call Related Databases are the databases other than OSS, that are used in signaling networks, for billing and collection, or the transmission, routing or other provision of a Telecommunications Service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to call related databases and signaling including but not limited to, BellSouth Switched Access 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, STP, SS7 AIN Access, Service Control Point(SCP\Databases, Local Number Portability (LNP) Databases and Calling Name (CNAM) Database Service pursuant to this Agreement where BellSouth is required to provide and is providing Local Switching or UNE-P to ITC^DeltaCom pursuant to this Agreement.

7.2 BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service

7.2.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At ITC^DeltaCom's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by ITC^DeltaCom.

7.2.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of SS7 protocol.

7.3 LIDB

7.3.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, ITC^DeltaCom must purchase appropriate signaling links pursuant to Section 7.4 below. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the

interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

7.3.2 Technical Requirements

- 7.3.2.1 BellSouth will offer to ITC^DeltaCom any additional capabilities that are developed for LIDB during the life of this Agreement.
- 7.3.2.2 BellSouth shall process ITC^DeltaCom's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to ITC^DeltaCom what additional functions (if any) are performed by LIDB in the BellSouth network.
- 7.3.2.3 Within two (2) weeks after a request by ITC^DeltaCom, BellSouth shall provide ITC^DeltaCom with a list of the customer data items, which ITC^DeltaCom would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 7.3.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 7.3.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 7.3.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 7.3.2.7 All additions, updates and deletions of ITC^DeltaCom data to the LIDB shall be solely at the direction of ITC^DeltaCom. Such direction from ITC^DeltaCom will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 7.3.2.8 BellSouth shall provide priority updates to LIDB for ITC^DeltaCom data upon ITC^DeltaCom's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one (1) hour of notice from the established BellSouth contact.
- 7.3.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of ITC^DeltaCom customer records will be missing from LIDB, as measured by ITC^DeltaCom audits. BellSouth will audit ITC^DeltaCom records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated ITC^DeltaCom contact person to resolve the

status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to ITC^DeltaCom within one (1) business day of audit. Once reconciled records are received back from ITC^DeltaCom, BellSouth will update LIDB the same business day if less than five hundred (500) records are received before 1:00 p.m. Central Time. If more than five hundred (500) records are received, BellSouth will contact ITC^DeltaCom to negotiate a time frame for the updates, not to exceed three (3) business days.

- 7.3.2.10 BellSouth shall perform backup and recovery of all of ITC^DeltaCom's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.
- 7.3.2.11 BellSouth shall provide ITC^DeltaCom with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between ITC^DeltaCom and BellSouth.
- 7.3.2.12 BellSouth shall prevent any access to or use of ITC^DeltaCom data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by ITC^DeltaCom in writing.
- 7.3.2.13 BellSouth shall provide ITC^DeltaCom performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by ITC^DeltaCom at least at parity with BellSouth Customer Data. BellSouth shall obtain from ITC^DeltaCom the screening information associated with LIDB Data Screening of ITC^DeltaCom data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to ITC^DeltaCom under the BFR/NBR Process as set forth in Attachment 11.
- 7.3.2.14 BellSouth shall accept queries to LIDB associated with ITC^DeltaCom customer records and shall return responses in accordance with industry standards.
- 7.3.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 7.3.2.16 BellSouth shall provide processing time at the LIDB within one (1) second for ninety-nine percent (99%) of all messages under normal conditions as defined in industry standards.

7.3.3 Interface Requirements

7.3.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.

7.3.3.2 The interface to LIDB shall be in accordance with the technical references contained within.

7.3.3.3 The CCS interface to LIDB shall be the standard interface described herein.

7.3.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.

7.3.3.5 The application of the LIDB rates contained in Exhibit A will be based on a Percent CLEC LIDB Usage (PCLU) factor. ITC^DeltaCom shall provide BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. ITC^DeltaCom shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide.

7.4 Signaling. BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the terms and conditions set forth in Attachment 3 and at the rates set forth in Exhibit A. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, STPs and SCPs. Signaling functionality will be available with both A-link and B-link connectivity.

7.4.1 Signaling Link Transport. Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between ITC^DeltaCom designated SPOI that provide appropriate physical diversity.

7.4.1.1 Technical Requirements

7.4.1.1.1 Signaling Link Transport shall consist of full duplex mode fifty-six (56) kbps transmission paths and shall perform in the following two (2) ways:

7.4.1.1.1.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home STP switch pair; and

- 7.4.1.1.1.2 As a “B-link” Signaling Link Transport is a connection between two (2) STP switch pairs in different company networks (e.g., between two (2) STP switch pairs for two (2) CLECs).
- 7.4.1.2 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
 - 7.4.1.2.1 An A-link layer shall consist of two (2) links; and
 - 7.4.1.2.2 A B-link layer shall consist of four (4) links.
- 7.4.1.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:
 - 7.4.1.3.1 No single failure of facilities or equipment causes the failure of both links in an A-link layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
 - 7.4.1.3.2 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three (3) separate physical paths end-to-end).
- 7.4.2 Interface Requirements. There shall be a DS1 (1.544 Mbps) interface at ITC^DeltaCom’s designated SPOIs. Each fifty-six (56) kbps transmission path shall appear as a DS0 channel within the DS1 interface.
- 7.4.3 STP. An STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
 - 7.4.3.1 Technical Requirements
 - 7.4.3.1.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth SCPs/Databases connected to BellSouth SS7 network. STPs also provide access to third party local or tandem switching and third party provided STPs.
 - 7.4.3.1.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part (ISDNUP) or Transaction Capabilities Application Part (TCAP) user

data that constitutes the content of the message. Rates for ISDNUP and TCAP messages are as set forth in Exhibit A.

7.4.3.1.3 If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a ITC^DeltaCom local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between ITC^DeltaCom local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.

7.4.3.1.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a ITC^DeltaCom or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a ITC^DeltaCom database, then ITC^DeltaCom agrees to provide BellSouth with the Destination Point Code for ITC^DeltaCom database.

7.4.3.1.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).

7.4.3.1.6 Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a ITC^DeltaCom or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

7.4.4 SS7

7.4.4.1 When technically feasible and upon request by ITC^DeltaCom, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with ITC^DeltaCom's SS7 network to exchange TCAP queries and responses with a ITC^DeltaCom SCP.

- 7.4.4.2 SS7 AIN Access shall provide ITC^DeltaCom SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and ITC^DeltaCom SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the ITC^DeltaCom SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.
- 7.4.4.3 Interface Requirements
- 7.4.4.3.1 BellSouth shall provide the following STP options to connect ITC^DeltaCom or ITC^DeltaCom-designated Local Switching systems to the BellSouth SS7 network:
- 7.4.4.3.1.1 An A-link interface from ITC^DeltaCom Local Switching systems; and
- 7.4.4.3.1.2 A B-link interface from ITC^DeltaCom local STPs.
- 7.4.4.3.2 Each type of interface shall be provided by one (1) or more layers of signaling links.
- 7.4.4.3.3 The SPOI for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 7.4.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 7.4.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 7.4.4.4 Message Screening
- 7.4.4.4.1 BellSouth shall set message screening parameters so as to accept valid messages from ITC^DeltaCom local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the ITC^DeltaCom switching system has a valid signaling relationship.
- 7.4.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from ITC^DeltaCom local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the ITC^DeltaCom switching system has a valid signaling relationship.

7.4.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from ITC^DeltaCom from any signaling point or network interconnected through BellSouth's SS7 network where the ITC^DeltaCom SCP has a valid signaling relationship.

7.4.5 SCP/Databases

7.4.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: LNP, LIDB, Toll Free Number Database, ALI/DMS, and CNAM Database. BellSouth also provides access to SCE/SMS application databases and DA.

7.4.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7 network. SMS provides operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

7.4.5.3 Technical Requirements for SCPs/Databases

7.4.5.3.1 BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.

7.4.5.3.2 BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g., SS7, ISDN and X.25).

7.4.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

7.5 LNP Database. The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

7.6 CNAM Database Service

7.6.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides ITC^DeltaCom the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.

7.6.2 ITC^DeltaCom shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than

sixty (60) days prior to ITC^DeltaCom's access to BellSouth's CNAM Database Services and shall be addressed to ITC^DeltaCom's Local Contract Manager.

- 7.6.2.1 ITC^DeltaCom's End Users' names and numbers related to UNE-P Services and shall be stored in the BellSouth CNAM database, and shall be available, on a per query basis only, to all entities that launch queries to the BellSouth CNAM database. BellSouth, at its sole discretion, may opt to interconnect with and query other calling name databases. In the event BellSouth does not query a third party calling name database that stores the calling party's information, BellSouth cannot deliver the calling party's information to a called End User. In addition, BellSouth cannot deliver the calling party's information where the calling party subscribes to any service that would block or otherwise cause the information to be unavailable.
- 7.6.2.2 For each ITC^DeltaCom End User that subscribes to a switch based vertical feature providing calling name information to that End User for calls received, BellSouth will launch a query on a per call basis to the BellSouth CNAM database, or, subject to Section 7.6.2.1 above, to a third party calling name database, to provide calling name information, if available, to ITC^DeltaCom's End User. ITC^DeltaCom shall pay the rates set forth in Exhibit A, on a per query basis, for each query to the BellSouth CNAM database made on behalf of an ITC^DeltaCom End User that subscribes to the appropriate vertical features that support Caller ID or a variation thereof. In addition, ITC^DeltaCom shall reimburse BellSouth for any charges BellSouth pays to third party calling name database providers for queries launched to such database providers for the benefit of ITC^DeltaCom's End Users.
- 7.6.3 BellSouth shall bill for CNAM queries the rate set forth in Exhibit A. In the event BellSouth is unable to bill per query, BellSouth shall bill ITC^DeltaCom at the applicable rates set forth in Exhibit A based on a surrogate of two hundred and fifty-six (256) database queries per month per ITC^DeltaCom's End Users with the Caller ID feature.
- 7.7 SCE/SMS AIN Access
- 7.7.1 BellSouth's SCE/SMS AIN Access shall provide ITC^DeltaCom the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP.
- 7.7.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to ITC^DeltaCom. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application.

- 7.7.3 BellSouth SCP shall partition and protect ITC^DeltaCom service logic and data from unauthorized access.
- 7.7.4 When ITC^DeltaCom selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable ITC^DeltaCom to use BellSouth's SCE/SMS AIN Access to create and administer applications.
- 7.7.5 ITC^DeltaCom access will be provided via remote data connection (e.g., dial-in, ISDN).
- 7.7.6 BellSouth shall allow ITC^DeltaCom to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth.

8 Automatic Location Identification/Data Management System

8.1 911 and E911 Databases

- 8.1.1 BellSouth shall provide ITC^DeltaCom with nondiscriminatory access to 911 and E911 databases on an unbundled basis, in accordance with 47 C.F.R. § 51.319 (f).
- 8.1.2 The ALI/DMS database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. ITC^DeltaCom will be required to provide the BellSouth 911 database vendor daily service order updates to E911 database in accordance with Section 8.2.1 below.

8.2 Technical Requirements

- 8.2.1 BellSouth's 911 database vendor shall provide ITC^DeltaCom the capability of providing updates to the ALI/DMS database through a specified electronic interface. ITC^DeltaCom shall contact BellSouth's 911 database vendor directly to request interface. ITC^DeltaCom shall provide updates directly to BellSouth's 911 database vendor on a daily basis. Updates shall be the responsibility of ITC^DeltaCom and BellSouth shall not be liable for the transactions between ITC^DeltaCom and BellSouth's 911 database vendor.
- 8.2.2 It is ITC^DeltaCom's responsibility to retrieve and confirm statistical data and to correct errors obtained from BellSouth's 911 database vendor on a daily basis. All errors will be assigned a unique error code and the description of the error and the corrective action is described in the CLEC Users Guide for Facility Based Providers that is found on the BellSouth Interconnection Web site.

- 8.2.3 ITC^DeltaCom shall conform to the BellSouth standards as described in the CLEC Users Guide to E911 for Facilities Based Providers that is located on the BellSouth's Interconnection Web site: www.interconnection.bellsouth.com/guides.
- 8.2.4 Stranded Unlocks are defined as End User records in BellSouth's ALI/DMS database that have not been migrated for over ninety (90) days to ITC^DeltaCom, as a new provider of local service to the End User. Stranded Unlocks are those End User records that have been "unlocked" by the previous local exchange carrier that provided service to the End User and are open for ITC^DeltaCom to assume responsibility for such records.
- 8.2.5 Based upon End User record ownership information available in the NPAC database, BellSouth shall provide a Stranded Unlock annual report to ITC^DeltaCom that reflects all Stranded Unlocks that remain in the ALI/DMS database for over ninety (90) days. ITC^DeltaCom shall review the Stranded Unlock report, identify its End User records and request to either delete such records or migrate the records to ITC^DeltaCom within two (2) months following the date of the Stranded Unlock report provided by BellSouth. ITC^DeltaCom shall reimburse BellSouth for any charges BellSouth's database vendor imposes on BellSouth for the deletion of ITC^DeltaCom's records.
- 8.3 911 PBX Locate Service®. 911 PBX Locate Service is comprised of a database capability and a separate transport component.
- 8.3.1 Description of Product. The transport component provides a dedicated trunk path from a Private Branch Exchange (PBX) switch to the appropriate BellSouth 911 tandem.
- 8.3.1.1 The database capability allows ITC^DeltaCom to offer an E911 service to its PBX End Users that identifies to the PSAP the physical location of the ITC^DeltaCom PBX 911 End User station telephone number for the 911 call that is placed by the End User.
- 8.3.2 ITC^DeltaCom may order either the database capability or the transport component as desired or ITC^DeltaCom may order both components of the service.
- 8.3.3 911 PBX Locate Database Capability. ITC^DeltaCom's End User or ITC^DeltaCom's End User's database management agent (DMA) must provide the End User PBX station telephone numbers and corresponding address and location data to BellSouth's 911 database vendor. The data will be loaded and maintained in BellSouth's ALI database.

- 8.3.4 Ordering, provisioning, testing and maintenance shall be provided by ITC^DeltaCom pursuant to the 911 PBX Locate Marketing Service Description (MSD) that is located on the BellSouth Interconnection Web site.
- 8.3.5 ITC^DeltaCom's End User, or ITC^DeltaCom's End User DMA must provide ongoing updates to BellSouth's 911 database vendor within a commercially reasonable timeframe of all PBX station telephone number adds, moves and deletions. It will be the responsibility of ITC^DeltaCom to ensure that the End User or DMA maintain the data pertaining to each End User's extension managed by the 911 PBX Locate Service product. ITC^DeltaCom should not submit telephone number updates for specific PBX station telephone numbers that are submitted by ITC^DeltaCom's End User, or ITC^DeltaCom's End User DMA under the terms of 911 PBX Locate product.
- 8.3.5.1 ITC^DeltaCom must provision all PBX station numbers in the same LATA as the E911 tandem.
- 8.3.6 ITC^DeltaCom agrees to release, indemnify, defend and hold harmless BellSouth from any and all loss, claims, demands, suits, or other action, or any liability whatsoever, whether suffered, made, instituted or asserted by ITC^DeltaCom's End User or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by ITC^DeltaCom or others, or for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused, directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, presence, condition, location or use of PBX Locate Service features or by any services which are or may be furnished by BellSouth in connection therewith, including but not limited to the identification of the telephone number, address or name associated with the telephone used by the party or parties accessing 911 services using 911 PBX Locate Service hereunder, except to the extent caused by BellSouth's gross negligence or wilful misconduct. ITC^DeltaCom is responsible for assuring that its authorized End Users comply with the provisions of these terms and that unauthorized persons do not gain access to or use the 911 PBX Locate Service through user names, passwords, or other identifiers assigned to ITC^DeltaCom's End User or DMA pursuant to these terms. Specifically, ITC^DeltaCom's End User or DMA must keep and protect from use by any unauthorized individual identifiers, passwords, and any other security token(s) and devices that are provided for access to this product.
- 8.3.7 ITC^DeltaCom may only use BellSouth PBX Locate Service solely for the purpose of validating and correcting 911 related data for ITC^DeltaCom's End Users' telephone numbers for which it has direct management authority.
- 8.3.8 911 PBX Locate Transport Component. The 911 PBX Locate Service transport component requires ITC^DeltaCom to order a CAMA type dedicated trunk from

ITC^DeltaCom's End User premise to the appropriate BellSouth 911 tandem pursuant to the following provisions.

- 8.3.8.1 Except as otherwise set forth below, a minimum of two (2) End User specific, dedicated 911 trunks are required between the ITC^DeltaCom's End User premise and the BellSouth 911 tandem as described in BellSouth's TR 73576 and in accordance with the 911 PBX Locate Marketing Service Description located on the BellSouth Interconnection Web site. ITC^DeltaCom is responsible for connectivity between the End User's PBX and ITC^DeltaCom's switch or POP location. ITC^DeltaCom will then order 911 trunks from their switch or POP location to the BellSouth 911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital interface (delivered over a ITC^DeltaCom purchased DS1 facility that hands off at a DS1 or higher level digital or optical interface). ITC^DeltaCom is responsible for ensuring that the PBX switch is capable of sending the calling station's Direct Inward Dial (DID) telephone number to the BellSouth 911 tandem in a specified Multi-frequency (MF) Address Signaling Protocol. If the PBX switch supports Primary Rate ISDN (PRI) and the calling stations are DID numbers, then the 911 call can be transmitted using PRI, and there will be no requirement for the PBX Locate Transport component.
- 8.3.9 Ordering and Provisioning. ITC^DeltaCom will submit an Access Service Request (ASR) to BellSouth to order a minimum of two (2) End User specific 911 trunks from its switch or POP location to the BellSouth 911 tandem.
- 8.3.9.1 Testing and maintenance shall be provided by ITC^DeltaCom pursuant to the 911 PBX Locate Marketing Service description that is located on the BellSouth Interconnection Web site.
- 8.3.10 Rates. Rates for the 911 PBX Locate Service database component are set forth in Exhibit A. Trunks and facilities for 911 PBX Locate transport component may be ordered by ITC^DeltaCom pursuant to the terms and conditions set forth in Attachment 3.

Exhibit C

Exhibit C	BellSouth/TTC^DeltaCom Points of interconnection			
IP CLLI	Address	City	State	
CHRLNCRU4MD	401 South College St	Charlotte	NC	422
GNBONCPH9MD	301 South Elm St	Greensboro	NC	424
RLGINCMNAMD	213 N Harrington	Raleigh	NC	426
GNVLSCMCCMD	325 West McBee Av	Greenville	SC	430
FLRNSCTSHMD	224 West Cheves St	Florence	SC	432
CLMASCEANMD	1426 Main Street	Columbia	SC	434
CHTNSCPSXYX	One Charlotte Street	Charleston	SC	436
ATLNGAPKXCX	55 Park Place NE,Suite 360	Atlanta	GA	438
MACNGA013MD	160 State Street	Macon	GA	446
AGSTGADL5MD	301 B 15th Street	Augusta	GA	442
ALBYGADZ1MD	2151 Gillionville Rd	Albany	GA	444
JCVLFLJBH06	421 West Church St	Jacksonville	FL	452
ORLFFL42AMD	8248 Parkline Blvd,Suite 220	Orlando	FL	458
WPBIFLJA1MD	1475 Centrepark Blvd,STE300	W. Palm Beach	FL	460
NSVMTN30AMD	101 Raines Ave	Nashville	TN	470
CHTHTNDNH00	1329 Slayton St	Chattanooga	TN	472
ANTNAL07AMD	410 West 10th St	Anniston	AL	476
BRHMALWDBMD	900 Appalachee St	Birmingham	AL	476
HNVIAL03ZMD	8600 South MemorialPkwy	Huntsville	AL	477
MTGMALLTAMD	10 Tallapoosa St	Montgomery	AL	478
MOBLALNHAMD	25 Battleship Pkwy	Mobile	AL	480
JCSNMSITBMD	308 East Pearl St	Jackson	MS	482
GLPTMS55JMD	2221 17th St	Gulfport	MS	484
SHPTLA12XVX	724 McNeil, 2nd Floor STE 200	Shreveport	LA	486
NWORLA90AMD	12928 Chef Menteur Hwy	New Orleans	LA	490

Exhibit D

Wire Center List

Exhibit 1
 Attach 2-TRRO Amendment
 Exhibit D-Wire Centers

State	Wire Center	Total Business Lines	Number of FB Collocators if 3 or Greater	December 2004 Data with FBC count as of Oct 14			
				Interoffice Transport		High Capacity Loops	
				Tier 1	Tier 2	No Impairment for DS3	No Impairment for DS1
AL	BRHMALMT	39,078	-	X			
AL	HNVIALMT	26,690	-		X		
AL	MOBLALAZ	20,101	5	X			
AL	MTGMALDA	32,752	-		X		
AL	MTGMALMT	27,528	-		X		
FL	BCRTFLBT	26,601	-		X		
FL	BCRTFLMA	40,746	5	X		X	
FL	COCOFLMA	18,097	4	X			
FL	DRBHFLMA	24,695	1		X		
FL	DYBHFLMA	32,282	7	X			
FL	FTLDFLCY	31,487	4	X			
FL	FTLDFLJA	29,209	5	X			
FL	FTLDFLMR	55,881	8	X		X	
FL	FTLDFLQA	23,008	5	X			
FL	FTLDFLPL	29,469	5	X			
FL	GSVLFLMA	55,681	4	X		X	
FL	HLWDFLPE	37,415	4	X			
FL	HLWDFLWH	34,022	-		X		
FL	JCVLFLCL	42,452	6	X		X	
FL	JCVLFLSJ	24,088	3		X		
FL	JCVLFLSM	17,820	5	X			
FL	MIAMFLAE	41,912	5	X		X	
FL	MIAMFLBR	24,482	-		X		
FL	MIAMFLCA	22,645	3		X		
FL	MIAMFLGR	68,580	11	X		X	X
FL	MIAMFLHL	43,021	5	X		X	
FL	MIAMFLPB	24,380	4	X			
FL	MIAMFLPL	86,923	5	X		X	X
FL	MIAMFLRR	24,740	3		X		
FL	MIAMFLSO	23,802	3		X		
FL	MIAMFLWM	23,310	4	X			
FL	MLBRFLMA	32,547	4	X			
FL	MNDRFLLO	20,180	3		X		
FL	NDADFLGG	18,239	5	X			
FL	ORLDFLAP	31,234	3		X		
FL	ORLDFLCL	20,828	5	X			
FL	ORLDFLMA	57,966	10	X		X	
FL	ORLDFLPC	45,792	6	X		X	
FL	ORLDFLPH	33,148	4	X			
FL	ORLDFLSA	26,126	8	X			
FL	PMBHFLFE	25,909	4	X			
FL	PMBHFLMA	33,993	4	X			
FL	PNSCFLBL	28,685	4	X			
FL	PNSCFLFP	30,863	-		X		
FL	PRRNFLMA	37,969	3		X		

Exhibit 1
Attach 2-TRRO Amendment
Exhibit D-Wire Centers

FL	STRTFLMA	25,577	-		X		
FL	WPBHFLAN	33,521	4	X			
FL	WPBHFLGA	24,885	-		X		
FL	WPBHFLGR	26,527	3		X		
FL	WPBHFLHH	36,053	3		X		
FL	WPBHFLLE	13,622	3		X		
GA	AGSTGAMT	22,316	3		X		
GA	ALBYGAMA	29,095	-		X		
GA	ALPRGAMA	74,317	7	X		X	X
GA	ATHNGAMA	28,311	-		X		
GA	ATLNGABU	57,064	7	X		X	
GA	ATLNGACS	94,988	9	X		X	X
GA	ATLNGAEP	34,260	4	X			
GA	ATLNGAPP	71,905	7	X		X	X
GA	ATLNGASS	33,797	3		X		
GA	ATLNGATH	33,131	3		X		
GA	CHMBGAMA	30,860	-		X		
GA	CLMBGAMT	36,081	-		X		
GA	CMNGGAMA	24,408	-		X		
GA	DLTHGAHS	39,907	-	X			
GA	DNWDGAMA	47,862	7	X		X	
GA	LLBNGAMA	27,481	-		X		
GA	LRVLGAOS	32,076	-		X		
GA	MACNGAMT	24,148	-		X		
GA	MRTTGAMA	89,220	4	X		X	X
GA	NRCRGAMA	78,131	8	X		X	X
GA	RSWLGAMA	41,390	3	X			
GA	SMYRGAMA	29,316	5	X			
GA	SMYRGAPF	52,246	8	X		X	
GA	SVNHGABS	28,626	3		X		
GA	TUKRGAMA	27,383	-		X		
KY	LSVLKYAP	49,159	4	X		X	
KY	LSVLKYBR	16,989	3		X		
LA	BTRGLAGW	39,525	-	X			
LA	BTRGLAMA	39,089	4	X		X	
LA	LFYTLAMA	46,825	-	X			
LA	MONRLAMA	37,785	-		X		
LA	NWORLAMA	71,146	6	X		X	X
LA	NWORLAMT	31,726	-		X		
LA	SHPTLAMA	29,790	4	X			
MS	HTBGMSMA	12,829	3		X		
MS	JCSNMSCP	40,109	3	X			
NC	BURLNCDA	18,608	3		X		
NC	CARYNCCE	27,888	4	X			
NC	CHRLNCBO	24,980	8	X			
NC	CHRLNCCA	85,131	9	X		X	X
NC	CHRLNCDE	17,354	3		X		
NC	CHRLNCLP	9,811	4	X			
NC	CHRLNCRE	11,507	6	X			
NC	CHRLNCSH	13,484	5	X			
NC	CHRLNCUN	14,570	4	X			
NC	CPHLNCRO	41,802	4	X		X	

Exhibit 1
Attach 2-TRRO Amendment
Exhibit D-Wire Centers

NC	GNBONCAS	34,302	6	X			
NC	GNBONCEU	48,789	6	X		X	
NC	RLGHNCGL	26,809	5	X			
NC	RLGHNCHO	29,561	8	X			
NC	RLGHNCMO	75,174	7	X		X	X
NC	SLBRNCMA	11,462	3		X		
NC	WLMGNCWI	24,794	-		X		
NC	WNSLNCFI	33,021	3		X		
SC	CHTNSCDT	24,703	5	X			
SC	CHTNSCNO	24,107	-		X		
SC	CLMASCSA	13,939	3		X		
SC	CLMASCSN	48,403	5	X		X	
SC	GNVLSCDT	45,546	5	X		X	
SC	GNVLSCWR	33,639	-		X		
SC	MNPLSCES	24,061	-		X		
SC	SPBGSCMA	22,796	3		X		
TN	CHTGTNBR	24,314	-		X		
TN	CHTGTNNS	23,166	3		X		
TN	KNVLTNMA	37,284	3		X		
TN	MMPHTNBA	34,364	-		X		
TN	MMPHTNEL	30,973	3		X		
TN	MMPHTNGT	26,311	-		X		
TN	MMPHTNMA	23,520	6	X			
TN	MMPHTNMT	10,289	3		X		
TN	MMPHTNOA	36,686	2		X		
TN	NSVLTNBW	28,974	-		X		
TN	NSVLTNDO	24,914	-		X		
TN	NSVLTNMT	78,781	3	X			
TN	NSVLTNST	24,911	-		X		
TN	NSVLTNUN	19,987	3		X		

Totals

68

59

27

10

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
					Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	OSS Rate(\$)	SOMAN	SOMAN
<p>The "Zone" shown in the sections for stand-alone loops or loops as part of a combination refers to Geographically Deaveraged UNE Zones. To view Geographically Deaveraged UNE Zone Designations by Central Office, refer to internet Website http://www.ata.net</p> <p>OPERATIONS SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"</p>												
<p>NOTE (1) CLEC should contact its contract negotiator if it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges currently contained in this rate exhibit are the BellSouth "regional" service ordering charges. CLE</p>												
<p>NOTE (2) Any element that can be ordered electronically will be billed according to the SOME rate listed in this category. Please refer to BellSouth's Local Ordering Handbook (LOH) to determine if a product can be ordered electronically. For those el</p>												
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOME	3.50	0.00	3.50	0.00				
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only			SOMAN	11.73	0.00	6.13	0.00				
<p>UNE SERVICE DATE ADVANCEMENT CHARGE</p> <p>NOTE: The Expedite charge will be maintained commensurate with BellSouth's FCC No 1 Tariff, Section 5 as applicable</p>												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per Day		UDLSX	SDASP	200.00	200.00						
<p>ORDER MODIFICATION CHARGE</p> <p>Order Modification Charge (OMC)</p> <p>Order Modification Additional Dispatch Charge (OMCAD)</p>												
<p>UNBUNDLED EXCHANGE ACCESS LOOP</p> <p>2-WIRE ANALOG VOICE GRADE LOOP</p>												
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2		UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 1		UEANL	UEASL	10.51	40.02	9.99	5.61	1.72			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 2		UEANL	UEASL	15.85	40.02	9.99	5.61	1.72			
	2-Wire Analog Voice Grade Loop - Service Level 1 - Zone 3		UEANL	UEASL	31.97	40.02	9.99	5.61	1.72			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEANL	URETL		8.92	0.88					
	Loop Testing - Basic 1st Half Hour		UEANL	URET1		25.12	0.00					
	Loop Testing - Basic Additional Half Hour		UEANL	URET1		13.62	0.00					
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL SL1)		UEANL	URET1		13.62	0.00					
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST providing make-up (Engineering Information - E1)		UEANL	UREWO		15.75	8.92					
	Manual Order Coordination for UVL-SL1s (per loop)		UEANL	UEANM		7.30	7.30					
	Bulk Migration Mass market rate, per 2 Wire Voice Loop-SL1		UEANL	UEAMC		18.92	18.92					
	Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice Loop-SL1		UEANL	UREPN		34.13	7.10					
	2-WIRE UNBUNDLED COPPER LOOP - NON-DESIGNED		UEANL	UREPM		18.92	18.92					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 1	1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00			
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2	2	UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00			
	2 Wire Unbundled Copper Loop Non-Designed- Zone 3	3	UEQ	UEQ2X	20.22	44.69	22.40	0.00	0.00			
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEQ	URETL		8.92	0.88					

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l					
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	SOME	SOMAN	SOMAN					
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)		UEQ	USBMC		18.92	18.92									
	Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E1)		UEQ	UEQMU		7.30	7.30									
	Loop Testing - Basic 1st Half Hour		UEQ	URET1		25.12	0.00									
	Loop Testing - Basic Additional Half Hour		UEQ	URETA		13.62	13.62									
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UCL-ND)		UEQ	UREWO		14.25	7.42									
	Bulk Migration Mass market rate, per 2 Wire UCL-ND		UEQ	UREPN		38.33	18.27									
	Bulk Migration Mass market rate Order Coordination, per 2 Wire Voice UCL-ND		UEQ	UREPM		18.92	18.92									
	UNBUNDLED EXCHANGE ACCESS LOOP															
	2-WIRE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 1	1	UEA, NTCVG	UEAL2	11.57	79.85	24.65	18.92	7.87							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 2	2	UEA, NTCVG	UEAL2	16.95	79.85	24.65	18.92	7.87							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/loop or Ground Start Signaling - Zone 3	3	UEA, NTCVG	UEAL2	33.08	79.85	24.65	18.92	7.87							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1	1	UEA, NTCVG	UEAR2	11.57	79.85	24.65	18.92	7.87							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2	2	UEA, NTCVG	UEAR2	16.95	79.85	24.65	18.92	7.87							
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3	3	UEA, NTCVG	UEAR2	33.08	79.85	24.65	18.92	7.87							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA, NTCVG	URES		25.06	3.53									
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA, NTCVG	URES		26.55	5.03									
	CLEC to CLEC Conversion Charge without outside dispatch		UEA, NTCVG	UREWO		87.72	36.36									
	Loop Tagging - Service Level 2 (SL2)		UEA, NTCVG	URETL		11.19	1.10									
	Bulk Migration Mass Market rate, per 2 Wire Voice Loop-SL2		UEA	UREPN		71.87	22.19									
	Bulk Migration Mass Market rate Order Coordination, per 2 Wire Voice Loop-SL2		UEA	UREPM		0.00	0.00									
	4-WIRE ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1	1	UEA, NTCVG	UEAL4	17.80	93.01	28.17	19.52	8.12							
	4-Wire Analog Voice Grade Loop - Zone 2	2	UEA, NTCVG	UEAL4	21.68	93.01	28.17	19.52	8.12							
	4-Wire Analog Voice Grade Loop - Zone 3	3	UEA, NTCVG	UEAL4	30.25	93.01	28.17	19.52	8.12							
	Switch-As-is Conversion rate per UNE Loop, Single LSR, (per DSO)		UEA, NTCVG	URES		25.06	3.53									
	Switch-As-is Conversion rate per UNE Loop, Spreadsheet, (per DSO)		UEA, NTCVG	URES		26.55	5.03									
	CLEC to CLEC Conversion Charge without outside dispatch		UEA, NTCVG	UREWO		87.72	36.36									
	2-WIRE ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1	1	UDN	UUL2X	21.89	180.06	35.25	18.23	6.97							
	2-Wire ISDN Digital Grade Loop - Zone 2	2	UDN	UUL2X	25.27	180.06	35.25	18.23	6.97							
	2-Wire ISDN Digital Grade Loop - Zone 3	3	UDN	UUL2X	40.17	180.06	35.25	18.23	6.97							
	CLEC to CLEC Conversion Charge without outside dispatch		UDN	UREWO		120.98	33.04									
	2-WIRE ASYMMETRIC DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP															
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00							
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2X	20.62	44.69	31.55	0.00	0.00							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 1	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 2	2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00							
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00							
	CLEC to CLEC Conversion Charge without outside dispatch		UAL	UREWO		44.69	29.29									
	2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP															

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh. A						
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st		Incremental Charge - Manual Svc Order vs Electronic- Disc 1st		
						Rec	Nonrecurring First	Add'l	Disconnect First			SOME	SOMAN	SOME	SOMAN	
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP				UREWO	44.69	44.69	31.55	0.00	0.00						
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2		2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	4 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO	44.69	44.69	31.55								
	4-WIRE DS1 DIGITAL LOOP															
	4 Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20						
	4 Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	46.41	211.93	72.49	38.24	7.20						
	4 Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR, (per DS1)				URES		25.06	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS1)				URES		26.55	5.03								
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		100.91	42.97								
	EEL to Designed UNE-L Conversion without outside dispatch, spreadsheet conversion, per Loop						128.00	77.00								
	4-WIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	26.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	38.22	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	26.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	26.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
	Switch-As-Is Conversion rate per UNE Loop, Single LSR (per DS0)				URES		25.06	3.53								
	Switch-As-Is Conversion rate per UNE Loop, Spreadsheet, (per DS0)				URES		26.55	5.03								
	CLEC to CLEC Conversion Charge without outside dispatch				UREWO		101.95	49.66								
	2-WIRE UNBUNDLED COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Intrm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Eth A				
						Rec	Nonrecurring		Nonrecurring Disconnect			OSS Rates(\$)				
							Frst	Adtl				SOME	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3 CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)		3	UCL	UCLPW	22 07	44 69	31 55	0 00	0 00						
	4-WIRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4S	16 65	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	19 22	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	30 55	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 1		1	UCL	UCL4W	16 65	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	19 22	44 69	31 55	0 00	0 00						
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	30 55	44 69	31 55	0 00	0 00						
	CLEC to CLEC conversion Charge without outside dispatch			UCL	UCLMC		18 92	18 92								
	Order Coordination for Unbundled Copper Loops (per loop)			UEA, UDN, UAL, UHL, UDL, NTCVG, NTCUD, USL, NTC01, UEANL	OCOSL		57 79									
LOOP MODIFICATION																
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop			UCL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		0 00	0 00								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM4L		0 00	0 00								
	Unbundled Loop Modification Removal of Bridged Tap Removal, per Unbundled Loop			UEANL, UEPSR, UEPSB	ULMBT		17 91									
SUB-LOOPS																
	Sub-Loop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-Up			UEANL, UEF	USBSA		255 76									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL, UEF	USBSB		7 29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		175 09									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		51 61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRC	3 61	28 46	3 85	2 20	0 01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working and Spare Loop Activation			UEANL	USBRD	7 67	31 07	4 79	2 27	0 01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN2	6 52	28 46	3 85	2 20	0 01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	10 18	28 46	3 85	2 20	0 01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN2	19 51	28 46	3 85	2 20	0 01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	5 93	31 07	4 79	2 27	0 01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	9 71	31 07	4 79	2 27	0 01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18 85	31 07	4 79	2 27	0 01						
	Order Coordination for Unbundled Sub-Loops, per sub loop pair			UEANL	USBMC		18 92	18 92								
	Sub-Loop 2-Wire IntraBuilding Network Cable (INC)			UEANL	USBR2	3 61	28 46	3 85	2 20	0 01						

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOME1	SOMAN	SOMAN	SOMAN	SOMAN
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Sub-Loop 4-Wire IntraBuilding Network Cable (INC)												
			UEANL	USBMC		18 92	18 92						
			UEANL	USBIR4	7 67	31 07	4 79	2 27	0 01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Loop Testing - Basic 1st Half Hour					18 92	18 92						
	Loop Testing - Basic Additional Half Hour					25 12	0 00						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1				13 62	13 62						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2				28 46	3 85	2 20	0 01				
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3				28 46	3 85	2 20	0 01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	1				18 92	18 92						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	2				31 07	4 79	2 27	0 01				
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	3				31 07	4 79	2 27	0 01				
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair												
	Loop lagging Service Level 1, Unbundled Copper Loop, Non-					18 92	18 92						
	Designed and Distribution Subloops					8 92	0 88						
	Loop Testing - Basic 1st Half Hour					25 12	0 00						
	Loop Testing - Basic Additional Half Hour					13 62	13 62						
	Unbundled Sub-Loop Modification												
	Unbundled Sub-Loop Modification - 2-W Copper Dist Load					0 00	0 00						
	Unbundled Sub-loop Modification - 4-W Copper Dist Load					0 00	0 00						
	Unbundled Loop Modification, Removal of Bridge Tap, per												
	Unbundled bop					17 91	17 91						
	Unbundled Network Terminating Wire (UNTW)												
	Unbundled Network Terminating Wire (UNTW) per Pair					0 533	25 12	12 28					
	Network Interface Device (NID) - 1-2 lines						32 86	20 69					
	Network Interface Device (NID) - 1-6 lines						56 03	43 88					
	Network Interface Device Cross Connect - 2 W						2 45	2 45					
	Network Interface Device Cross Connect - 4W						2 45	2 45					
	UNE OTHER, PROVISIONING ONLY - NO RATE												
	Unbundled Contact Name, Provisioning Only - no rate					0 00	0 00						
	Unbundled DS1 Loop - Superframe Format Option - no rate					0 00	0 00						
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate												
	NID - Dispatch and Service Order for NID installation					0 00	0 00						
	UNITY Circuit Establishment, Provisioning Only - No Rate					0 00	0 00						
	HIGH CAPACITY UNBUNDLED LOCAL LOOP												
	NOTE minimum billing period of three months for DS3/STS-1 Local Loop												
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month					10 97							
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month					253 38	1,753 23	131 90	112 91	75 88			
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month					10 97							
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month					305 42	1,753 23	131 90	112 91	75 88			
	LOOP MAKE-UP												
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual)						15 19	15 19					
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual)						19 85	19 85					
	Loop Makeup-With or Without Reservation, per working or spare facility queried (Mechanized)						0 82	0 82					

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	SOMAN	
LINE SPLITTING														
END USER ORDERING-CENTRAL OFFICE BASED														
Line Splitting - per line activation DLEC owned splitter			UEPSRUEPSB	UREOS	0.61									
Line Splitting - per line activation BST owned - physical			UEPSRUEPSB	UREBP		20.10	12.40	7.68	4.30	0.6297				
Line Splitting - per line activation BST owned - virtual			UEPSRUEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30					
UNBUNDLED EXCHANGE ACCESS LOOP														
2-WIRE ANALOG VOICE GRADE LOOP														
UNE Loop Rates for Line Splitting - (In Ga. PSC ordered the line splitting loop USOCs match the lower port-loop combo rates UEPLEX)														
2 Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPSRUEPSB	UEALS	9.56	10.05	7.36	1.37	1.28					
2 Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1		1	UEPSRUEPSB	UEABS	9.56	10.05	7.36	1.37	1.28					
2 Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSRUEPSB	UEALS	14.86	10.05	7.36	1.37	1.28					
2 Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2		2	UEPSRUEPSB	UEABS	14.86	10.05	7.36	1.37	1.28					
2 Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3		3	UEPSRUEPSB	UEALS	31.66	10.05	7.36	1.37	1.28					
2 Wire Voice Grade Loop (SL1) for Line Splitting - Zone 3		3	UEPSRUEPSB	UEABS	31.66	10.05	7.36	1.37	1.28					
PHYSICAL COLLOCATION														
Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSRUEPSB	PEILS	0.0197	0.00	0.00							
VIRTUAL COLLOCATION														
Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSRUEPSB	VEILS	0.0188	0.00	0.00	0.00	0.00					
UNBUNDLED DEDICATED TRANSPORT														
INTEROFFICE CHANNEL - DEDICATED TRANSPORT														
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057									
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00					
Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Rev Bat - Per Mile per month			U1TVX	1L5XX	0.0057									
Interoffice Channel - Dedicated Transport - 2-Wire VG Rev Bat - Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00					
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057									
Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00					
Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0057									
Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00					
Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0057									
Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00					
Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.1154									
Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73					
Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	2.53									
Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81					
Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	2.53									
Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TF5	358.67	320.47	86.32	66.77	52.81					
Local Channel - Dedicated - 2-Wire Voice Grade			ULDVX, UNCVX	ULDV2	8.90									
Local Channel - Dedicated - 2-Wire Voice Grade Rev Bat			ULDVX	ULDR2	8.90									
Local Channel - Dedicated - 4-Wire Voice Grade			ULDVX, UNCVX	ULDV4	10.03									
Local Channel - Dedicated - DS1 Zone 1		1	ULDD1, UNCD1	ULDF1	21.24									
Local Channel - Dedicated - DS1 Zone 2		2	ULDD1, UNCD1	ULDF1	64.75									
Local Channel - Dedicated - DS1 Zone 3		3	ULDD1, UNCD1	ULDF1	189.41									
Local Channel - Dedicated - DS3 - Per Mile per month			ULDD3, UNCD3	1L5NC	1.66									
Local Channel - Dedicated - DS3 - Facility Termination			ULDD3, UNCD3	ULDF3	169.06									
Local Channel - Dedicated - STS-1 - Per Mile per month			ULDS1, UNCSX	1L5NC	1.66									
Local Channel - Dedicated - STS-1 - Facility Termination			ULDS1, UNCSX	ULDFS	177.81									

UNBUNDLED NETWORK ELEMENTS - Georgia															
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Attachment: 2 Exh. A			Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME1	SOME2	SOMAN	SOMAN	SOMAN	SOMAN
	UNBUNDLED DARK FIBER														
	Dark Fiber, Per Four Fiber Strands, Per Route Mile Or Fraction Thereof - Interoffice Transport		UDF, UDFCX	1L5DF	23.29	1,776.53	89.75	73.53	18.70						
DARK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Channel		UDF, UDFCX	1L5DC	46.84										
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop		UDF, UDFCX	1L5DL	46.84										
8XX ACCESS TEN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call				0.0008543										
	8XX Access Ten Digit Screening, w/RL No. Delivery				0.0008543										
	8XX Access Ten Digit Screening, w/POTS No. Delivery				0.0008543										
LINE INFORMATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query				0.0006862										
	LIDB Validation Per Query				0.0266962										
	LIDB Originating Point Code Establishment or Change														
CALLING NAME (CNAM) SERVICE															
	CNAM for DB Owners, Per Query				0.0009924										
	CNAM for Non DB Owners, Per Query				0.0009924										
LNP Query Service															
	LNP Charge Per query				0.0008034										
	LNP Service Establishment Manual					12.49		11.09							
	LNP Service Provisioning with Point Code Establishment					574.87	293.68	251.47	184.91						
SELECTIVE ROUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch					102.19	61.15	12.68	6.34						
AIN SELECTIVE CARRIER ROUTING															
	Regional Service Establishment														
	End Office Establishment					101,311.67	101,311.67	7,833.25	7,833.25						
	Line/Port NRC, per end user					158.92	158.92	1.64	1.64						
	Query NRC, per query				0.0020368	2.06	2.06								
AIN - BELL SOUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup		A1N	CAMSE		41.41	41.41	41.63	41.63						
	AIN SMS Access Service - Port Connection - Dial/Shared Access		A1N	CAMDP		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - Port Connection - ISDN Access		A1N	CAMIP		8.15	8.15	9.16	9.16						
	AIN SMS Access Service - User Identification Codes - Per User ID Code		A1N	CAMAU		35.29	35.29	26.50	26.50						
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement		A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)				0.0038										
	AIN SMS Access Service - Session, Per Minute				1.81										
	AIN SMS Access Service - Company Performed Session, Per Minute				0.8323										
SIGNALING (CCS7)															
	NOTE: "bk" beside a rate indicates that the Parties have agreed to bill and keep for that element.														
	CCS7 Signaling Usage, Per TCAP Message														
	CCS7 Signaling Usage, Per ISUP Message (same as E 3.3)				0.00065276K										
					0.00001326K										
911 PBX LOCATE															
	911 PBX LOCATE DATABASE CAPABILITY														
	Service Establishment per CLEC per End User Account		9PBDC	9PBELU		1,825.00									
	Changes to TN Range or Customer Profile		9PBDC	9PBIN		182.67									
	Per Telephone Number (Monthly)		9PBDC	9PBMM	0.07										
	Charge Company (Service Provider) ID		9PBDC	9PBPC		536.23									
	PBX Locate Service Support per CLEC (Monthly)		9PBDC	9PBUR	176.96										
	Service Order Charge		9PBDC	9PBSC	11.73										
911 PBX LOCATE TRANSPORT COMPONENT															
See AIR 3															
ENHANCED EXTENDED LINK (EELs)															
	NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements														
	NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements														
EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															
	First 2 Wire VG Loop (SL2) in Combination - Zone 1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						

UNBUNDLED NETWORK ELEMENTS - Georgia																			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)					Attachment 2 Exh A									
					Rec	Nonrecurring		Nonrecurring Disconnect		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						First	Addl	First	Addl			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 2	2	UNCVX	UEAL2	18 95	195 94	36 38	18 42	6 86										
	First 2-Wire VG Loop (SL2) in Combination - Zone 3	3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month		UNCIX	1L5XX	0 1154														
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNCIX	U1TF1	34 19	87 76	45 73	43 80	27 97										
	1/0 Channelization System in combination Per Month		UNCIX	MO1	69 75	86 10													
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04										
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1	1	UNCVX	UEAL2	11 57	195 94	36 38	18 42	6 86										
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	2	UNCVX	UEAL2	16 95	195 94	36 38	18 42	6 86										
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	3	UNCVX	UEAL2	33 08	195 94	36 38	18 42	6 86										
	Voice Grade COCI - Per Month		UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04										
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1	1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3	3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1L5XX	0 1154														
	Interoffice Transport - Dedicated - DS1 Facility Termination Per Month		UNCIX	U1TF1	34 19	87 76	45 73	43 80	27 97										
	1/0 Channel System in combination - Per Month		UNCIX	MO1	69 75	86 10													
	Additional 4-Wire Analog Voice Grade Loop in same DS1		UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04										
	Interoffice Transport Combination - Zone 1	1	UNCVX	UEAL4	17 80	195 94	36 38	18 42	6 86										
	Interoffice Transport Combination - Zone 2	2	UNCVX	UEAL4	21 68	195 94	36 38	18 42	6 86										
	Interoffice Transport Combination - Zone 3	3	UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86										
	Additional 4-Wire Analog Voice Grade Loop in same DS1		UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04										
	Interoffice Transport Combination - Zone 3		UNCVX	UEAL4	30 25	195 94	36 38	18 42	6 86										
	Additional Voice Grade COCI in combination - per month		UNCVX	1D1VG	0 4689	27 33	2 90	16 86	1 04										
	EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86										
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86										
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86										
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1L5XX	0 1154														
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month		UNCIX	U1TF1	34 19	87 76	45 73	43 80	27 97										
	1/0 Channel System in combination Per Month		UNCIX	MO1	69 75	86 10													
	OCU DP COCI (data) per month (2 4-64Kbps)		UNCIX	1D1DD	0 9963	27 33	2 90	16 86	1 04										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	UNCDX	UDL56	21 86	195 94	36 38	18 42	6 86										
	Interoffice Transport Combination - Zone 1	2	UNCDX	UDL56	28 36	195 94	36 38	18 42	6 86										
	Interoffice Transport Combination - Zone 2	3	UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86										
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86										
	Interoffice Transport Combination - Zone 3		UNCDX	UDL56	38 22	195 94	36 38	18 42	6 86										
	Additional OCUC DP COCI (data) - in combination per month (2 4-64Kbps)		UNCDX	1D1DD	0 9963	27 33	2 90	16 86	1 04										
	EXTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1	1	UNCDX	UDL64	21 86	195 94	36 38	18 42	6 86										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	2	UNCDX	UDL64	28 36	195 94	36 38	18 42	6 86										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	3	UNCDX	UDL64	38 22	195 94	36 38	18 42	6 86										

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Etn A							
CATEGORY	RATE ELEMENTS	Intrnm	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st		Incremental Charge - Manual Svc Order vs Electronic-1st		Incremental Charge - Manual Svc Order vs Electronic-1st	
						Nonrecurring		Nonrecurring Disconnect				SOMAN	SOMAN	SOMAN	SOMAN		
						First	Add'l	First	Add'l								
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1154											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1												
	10 Channel System in combination Per Month			UNC1X	MG1	34 19	87 76	45 73	43 80	27 97							
	OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNC1X	MG1	69 75	86 10										
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNC1X	1D1DD	0 9963	27 33	2 90	16 86	1 04							
	Interoffice Transport Combination - Zone 1		1	UNC1X	UDL64	21 86	195 94	36 38	18 42	6 86							
	Interoffice Transport Combination - Zone 2		2	UNC1X	UDL64	28 36	195 94	36 38	18 42	6 86							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNC1X	UDL64	38 22	195 94	36 38	18 42	6 86							
	Interoffice Transport Combination - Zone 3		3	UNC1X	UDL64												
	Additional OCU-DP COCI (data) - in combination - per month (2 4-64Kbps)			UNC1X	1D1DD	0 9963	27 33	2 90	16 86	1 04							
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86							
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1154											
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1												
	EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	First DS1 Loop in Combination - Zone 1		1	UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86							
	First DS1 Loop in Combination - Zone 2		2	UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86							
	First DS1 Loop in Combination - Zone 3		3	UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86							
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC1X	1L5XX	2 53											
	Interoffice Transport - Dedicated - DS3 - Facility Termination per month			UNC1X	U1TF3	342 02	325 91	77 07	49 56	32 88							
	3-Channel System in combination per month			UNC1X	MG3	121 90											
	DS1 COCI in combination per month			UNC1X	UC1D1	7 35	27 33	2 90	16 86	1 04							
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86							
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	46 41	209 45	70 44	37 91	6 86							
	Additional DS1 Loop in DS3 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86							
	EXTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/2 WIRE VOICE GRADE INTEROFFICE TRANSPORT																
	2-WireVG Loop in combination - Zone 1		1	UNC1X	UEAL2	11 57	195 94	36 38	18 42	6 86							
	2-WireVG Loop in combination - Zone 2		2	UNC1X	UEAL2	16 95	195 94	36 38	18 42	6 86							
	2-WireVG Loop in combination - Zone 3		3	UNC1X	UEAL2	33 08	195 94	36 38	18 42	6 86							
	Interoffice Transport - 2-wire VG - Dedicated - Per Mile Per Month			UNC1X	1L5XX	0 0057											
	Interoffice Transport - 2-wire VG - Dedicated - Facility Termination per month			UNC1X	U1TV2	12 87	66 53	33 61	43 42	27 60							
	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP/4 WIRE VOICE GRADE INTEROFFICE TRANSPORT																
	4-WireVG Loop in combination - Zone 1		1	UNC1X	UEAL4	17 80	195 94	36 38	18 42	6 86							
	4-WireVG Loop in combination - Zone 2		2	UNC1X	UEAL4	21 68	195 94	36 38	18 42	6 86							
	4-WireVG Loop in combination - Zone 3		3	UNC1X	UEAL4	30 25	195 94	36 38	18 42	6 86							
	Interoffice Transport - 4 wire VG - Dedicated - Per Mile Per Month			UNC1X	1L5XX	0 0057											
	Interoffice Transport - 4 wire VG - Dedicated - Facility Termination per month			UNC1X	U1TV4	10 78	66 53	33 61	43 42	27 60							
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT																
	DS3 Local Loop in combination - per mile per month			UNC1X	1L5ND	10 97											
	DS3 Local Loop in combination - Facility Termination per month			UNC1X	UE3PX	253 36	1 260 47	628 84	41 53	20 76							
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC1X	1L5XX	2 53											
	Interoffice Transport - Dedicated - DS3 combination - Facility Termination per month			UNC1X	U1TF3	342 02	325 91	77 07	49 56	32 88							
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT																
	STS-1 Local Loop in combination - per mile per month			UNC1X	1L5ND	10 97											

UNBUNDLED NETWORK ELEMENTS - Georgia												
CATEGORY	RATE ELEMENTS	Instrum Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
					Nonrecurring	First	Rec	Nonrecurring	First	Disconnect Add'l	SOME	SOME
	STS-1 Local Loop in combination - Facility Termination per month		UNCSX	UDLS1	628.84	41.53	305.42	1,260.47	628.84	20.76		SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - per mile per month		UNCSX	1LSXX			2.53					
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNCSX	UTFS	77.07	49.56	358.67	325.91	77.07	32.88		
EXTENDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE TRANSPORT												
	First 2-Wire ISDN Loop in Combination - Zone 1	1	UNCNX	U1L2X	36.38	18.42	19.82	195.94	36.38	6.86		
	First 2-Wire ISDN Loop in Combination - Zone 2	2	UNCNX	U1L2X	36.38	18.42	26.38	195.94	36.38	6.86		
	First 2-Wire ISDN Loop in Combination - Zone 3	3	UNCNX	U1L2X	36.38	18.42	42.17	195.94	36.38	6.86		
	Interoffice Transport - Dedicated - DS1 combination - per mile per month		UNC1X	1LSXX			0.1154					
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month		UNC1X	U1TF1	45.73	43.80	34.19	87.78	45.73	27.97		
	1/0 Channel System in combination - per month		UNC1X	UC1CA	2.90	16.86	69.75	27.33	2.90	1.04		
	2-wire ISDN COCI (BRITE) - in combination - per month		UNCNX	U1L2X	36.38	18.42	19.82	195.94	36.38	6.86		
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCNX	U1L2X	36.38	18.42	26.38	195.94	36.38	6.86		
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCNX	U1L2X	36.38	18.42						
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCNX	U1L2X	36.38	18.42	42.17	195.94	36.38	6.86		
	Additional 2-wire ISDN COCI (BRITE) - in combination - per month		UNCNX	UC1CA	2.90	16.86	1.66	27.33	2.90	1.04		
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT												
	First DS1 Loop Combination - Zone 1	1	UNC1X	USLXX	70.44	37.91	41.02	209.45	70.44	6.86		
	First DS1 Loop Combination - Zone 2	2	UNC1X	USLXX	70.44	37.91	46.41	209.45	70.44	6.86		
	First DS1 Loop Combination - Zone 3	3	UNC1X	USLXX	70.44	37.91	62.03	209.45	70.44	6.86		
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month		UNC1X	1LSXX			2.53					
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month		UNC1X	U1TF1	77.07	49.56	358.67	325.91	77.07	32.88		
	3/1 Channel System in combination per month		UNC1X	UC1D1	2.90	16.86	121.90	27.33	2.90	1.04		
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 1	1	UNC1X	USLXX	70.44	37.91	41.02	209.45	70.44	6.86		
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 2	2	UNC1X	USLXX	70.44	37.91	46.41	209.45	70.44	6.86		
	Additional DS1 Loop in the same STS-1 Interoffice Transport Combination - Zone 3	3	UNC1X	USLXX	70.44	37.91	62.03	209.45	70.44	6.86		
	DS1 COCI in combination per month		UNC1X	UC1D1	2.90	16.86	7.55	27.33	2.90	1.04		
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFICE TRANSPORT												
	4-wire 56 kbps Local Loop in combination - Zone 1	1	UNC1X	UDL56	36.38	18.42	21.86	195.94	36.38	6.86		
	4-wire 56 kbps Local Loop in combination - Zone 2	2	UNC1X	UDL56	36.38	18.42	26.38	195.94	36.38	6.86		
	4-wire 56 kbps Local Loop in combination - Zone 3	3	UNC1X	UDL56	36.38	18.42	36.22	195.94	36.38	6.86		
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month		UNC1X	1LSXX			0.0057					
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month		UNC1X	U1TF1	33.61	43.42	7.83	66.53	33.61	27.60		
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT												
	4-wire 64 kbps Local Loop in Combination - Zone 1	1	UNC1X	UDL64	36.38	18.42	21.86	195.94	36.38	6.86		
	4-wire 64 kbps Local Loop in Combination - Zone 2	2	UNC1X	UDL64	36.38	18.42	26.38	195.94	36.38	6.86		
	4-wire 64 kbps Local Loop in Combination - Zone 3	3	UNC1X	UDL64	36.38	18.42	36.22	195.94	36.38	6.86		
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month		UNC1X	1LSXX			0.0057					
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		UNC1X	U1TF1	33.61	43.42	7.83	66.53	33.61	27.60		
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 31 MDX												
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	UNC1X	UEAL2	36.38	18.42	11.57	195.94	36.38	6.86		
	First 2-wire VG Loop (SL2) in Combination - Zone 2	2	UNC1X	UEAL2	36.38	18.42	16.95	195.94	36.38	6.86		
	First 2-wire VG Loop (SL2) in Combination - Zone 3	3	UNC1X	UEAL2	36.38	18.42	33.08	195.94	36.38	6.86		
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile		UNC1X	1LSXX			0.1154					

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A			Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	Nonrecurring First	Add'l	Disconnect First	Add'l	SOMECE	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month															
	Per each DS1 Channelization System Per Month		UNCIX	U1TF1	34.19	87.76	45.73	43.80	27.97							
	Per each Voice Grade COCI - Per Month per month		UNCIX	MG1	69.75	86.10										
	3/1 Channel System in combination per month		UNCIX	1D1VG	0.4689	27.33	2.90	16.86	1.04							
	Per each DS1 COCI in combination per month		UNCIX	MG3	121.90											
	Each Additional 2-Wire VG Loop(SL-2) in the same DS1 Interoffice Transport Combination - Zone 1	1	UNCIX	UEAL2	11.57	195.94	36.38	18.42	6.86							
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2	2	UNCIX	UEAL2	16.95	195.94	36.38	18.42	6.86							
	Each Additional 2 Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3	3	UNCIX	UEAL2	33.08	195.94	36.38	18.42	6.86							
	Each Additional Voice Grade COCI in combination - per month		UNCIX	1D1VG	0.4689	27.33	2.90	16.86	1.04							
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1L5XX	0.1154											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	U1TF1	34.19	87.76	45.73	43.80	27.97							
	Each Additional DS1 COCI combination per month		UNCIX	UC1D1	7.35	27.33	2.90	16.86	1.04							
	EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1	1	UNCIX	UEAL4	17.80	195.94	36.38	18.42	6.86							
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2	2	UNCIX	UEAL4	21.68	195.94	36.38	18.42	6.86							
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 3	3	UNCIX	UEAL4	30.25	195.94	36.38	18.42	6.86							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1L5XX	0.1154											
	First Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month		UNCIX	U1TF1	34.19	87.76	45.73	43.80	27.97							
	Per each 1/0 Channel System in combination Per Month		UNCIX	MG1	69.75	86.10										
	Per each Voice Grade COCI in combination - per month		UNCIX	1D1VG	0.4689	27.33	2.90	16.86	1.04							
	3/1 Channel System in combination per month		UNCIX	MG3	121.90											
	Per each DS1 COCI in combination per month		UNCIX	UC1D1	7.35	27.33	2.90	16.86	1.04							
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCIX	UEAL4	17.80	195.94	36.38	18.42	6.86							
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCIX	UEAL4	21.68	195.94	36.38	18.42	6.86							
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3	3	UNCIX	UEAL4	30.25	195.94	36.38	18.42	6.86							
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month		UNCIX	1L5XX	0.1154											
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month		UNCIX	U1TF1	34.19	87.76	45.73	43.80	27.97							
	Additional Voice Grade COCI - in combination - per month		UNCIX	1D1VG	0.4689	27.33	2.90	16.86	1.04							
	EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH 56 Kbps INTEROFFICE TRANSPORT w/ 3/1 MUX															
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 1	1	UNCIX	UDL56	21.86	195.94	36.38	18.42	6.86							
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2	2	UNCIX	UDL56	28.38	195.94	36.38	18.42	6.86							
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3	3	UNCIX	UDL56	38.22	195.94	36.38	18.42	6.86							
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month		UNCIX	1L5XX	0.1154											
	First Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month		UNCIX	U1TF1	34.19	87.76	45.73	43.80	27.97							
	Per each 1/0 Channel System in combination Per Month		UNCIX	MG1	69.75	86.10										
	Per each OC4-DP COCI (data) COCI per month (2.4-64Kbs)		UNCIX	1D1DD	0.9963	27.33	2.90	16.86	1.04							
	3/1 Channel System in combination per month		UNCIX	MG3	121.90											
	Per each DS1 COCI in combination per month		UNCIX	UC1D1	7.35	27.33	2.90	16.86	1.04							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1	1	UNCIX	UDL56	21.86	195.94	36.38	18.42	6.86							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2	2	UNCIX	UDL56	28.38	195.94	36.38	18.42	6.86							

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Eth A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st
						Rec	Nonrecurring	First	Advt				
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL66	38 22	195 94	38 38	18 42	6 86			
	OCU-DP COCI (data) COCI in combination per month (2 4-64Kbps)			UNC1X	UDL66	0 9963	27 33	2 90	16 86	1 04			
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	UDL66	0 1154							
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UDL66	34 19	87 76	45 73	43 80	27 97			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UDL66	7 35	27 33	2 90	16 86	1 04			
	EXTENDED 4-WIRE 64 Kbps DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL66	21 86	195 94	38 38	18 42	6 86			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL66	26 36	195 94	38 38	18 42	6 86			
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL66	38 22	195 94	38 38	18 42	6 86			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	UDL66	0 1154							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	UDL66	34 19	87 76	45 73	43 80	27 97			
	Per each Channel System 1/0 in combination Per Month			UNC1X	UDL66	69 75	86 10						
	Per each OCU-DP COCI (data) in combination - per month (2 4-64Kbps)			UNC1X	UDL66	0 9963	27 33	2 90	16 86	1 04			
	3/1 Channel System in combination per month			UNC1X	UDL66	121 90							
	Per each DS1 COCI in combination per month			UNC1X	UDL66	7 35	27 33	2 90	16 86	1 04			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL66	21 86	195 94	38 38	18 42	6 86			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL66	26 36	195 94	38 38	18 42	6 86			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL66	38 22	195 94	38 38	18 42	6 86			
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2 4-64Kbps)			UNC1X	UDL66	0 9963	27 33	2 90	16 86	1 04			
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	UDL66	0 1154							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	UDL66	34 19	87 76	45 73	43 80	27 97			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UDL66	7 35	27 33	2 90	16 86	1 04			
	EXTENDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX												
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1		1	UNC1X	UDL66	19 82	195 94	38 38	18 42	6 86			
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNC1X	UDL66	26 26	195 94	38 38	18 42	6 86			
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNC1X	UDL66	42 17	195 94	38 38	18 42	6 86			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	UDL66	0 1154							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	UDL66	34 19	87 76	45 73	43 80	27 97			
	Per each Channel System 1/0 in combination - per month			UNC1X	UDL66	69 75	86 10						
	Per each 2-wire ISDN COCI (BRIT) in combination - per month			UNC1X	UDL66	1 66	27 33	2 90	16 86	1 04			
	3/1 Channel System in combination per month			UNC1X	UDL66	121 90							
	Per each DS1 COCI in combination per month			UNC1X	UDL66	7 35	27 33	2 90	16 86	1 04			
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNC1X	UDL66	19 82	195 94	38 38	18 42	6 86			
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNC1X	UDL66	26 26	195 94	38 38	18 42	6 86			
	Additional 2-wire ISDN Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNC1X	UDL66	42 17	195 94	38 38	18 42	6 86			
	Additional 2-wire ISDN COCI (BRIT) in same 1/0 channel system combination - per month			UNC1X	UDL66	1 66	27 33	2 90	16 86	1 04			

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-Dis 1st
						Ree	Nonrecurring First	Add'l	Nonrecurring Disconnect First			SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1154							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7 35	27 33	2 90	18 86	1 04			
EXTENDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX													
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86			
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	USLXX	48 41	209 45	70 44	37 91	6 86			
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86			
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0 1154							
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97			
	3/1 Channel System in combination per month			UNC3X	UC3	121 90							
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7 35	27 33	2 90	18 86	1 04			
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0 1154							
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	34 19	87 76	45 73	43 80	27 97			
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	7 35	27 33	2 90	18 86	1 04			
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 1	1		UNC1X	USLXX	41 02	209 45	70 44	37 91	6 86			
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 2	2		UNC1X	USLXX	48 41	209 45	70 44	37 91	6 86			
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3	3		UNC1X	USLXX	62 03	209 45	70 44	37 91	6 86			
EXTENDED 4-WIRE 56 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	First 4-wire 56 kbps Local Loop in combination - Zone 1	1		UNC1X	UDL56	21 86	195 94	36 38	18 42	6 86			
	First 4-wire 56 kbps Local Loop in combination - Zone 2	2		UNC1X	UDL56	28 36	195 94	36 38	18 42	6 86			
	First 4-wire 56 kbps Local Loop in combination - Zone 3	3		UNC1X	UDL56	38 22	195 94	36 38	18 42	6 86			
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC1X	1L5XX	0 0057							
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC1X	U1TD5	7 83	66 53	33 61	43 42	27 60			
EXTENDED 4-WIRE 64 Kbps DIGITAL EXTENDED LOOP WITH DS0 INTEROFFICE TRANSPORT													
	First 4-wire 64 kbps Local Loop in combination - Zone 1	1		UNC1X	UDL64	21 86	195 94	36 38	18 42	6 86			
	First 4-wire 64 kbps Local Loop in combination - Zone 2	2		UNC1X	UDL64	28 36	195 94	36 38	18 42	6 86			
	First 4-wire 64 kbps Local Loop in combination - Zone 3	3		UNC1X	UDL64	38 22	195 94	36 38	18 42	6 86			
	First 4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNC1X	1L5XX	0 0057							
	First 4-wire 65 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNC1X	U1TD6	7 83	66 53	33 61	43 42	27 60			
ADDITIONAL NETWORK ELEMENTS													
When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply													
When used as a part of a currently combined network elements in All States, the non-recurring charges apply and the Switch As is charge does not.													
Nonrecurring Currently Combined Network Elements "Switch As is" Charge													
Optional Features & Functions													
	Clear Channel Capability Extended Frame Option - per DS1	1		U1TD1	CCDEF		0 00	0 00	0 00	0 00			
	Clear Channel Capability Super Frame Option - per DS1	1		U1TD1	CCOSF		0 00	0 00	0 00	0 00			
	Clear Channel Capability (SFESF) Option - Subsequent Activity - per DS1	1		U1TD1	NRCCC		184 62	23 78	2 03	0 79			
	Cost Parity Option - Subsequent Activity - per DS3	1		U1TD3	NRCCC		218 74	7 66	0 7591	0 00			
	Wholesale to UNE Switch-As-is Conversion Charge			UNC3X	UNC3X		5 70	5 70	6 61	6 61			
	Unbundled Misc Rate Element - SNE SAI, Single Network Element Switch As is Non-recurring Charge, per circuit (LSR)	1		URES1	URES1		40 28	13 51					

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring Flat	Add'l	Nonrecurring Disconnect Flat	Add'l	SOMEc	SOMAN	OSS Rates(\$)	SOMAN
	Unbundled Misc Rate Element, SNE SAI, Single Network Element - Switch As Is Non-recurring Charge per circuit (Spreadsheet)	I	UITVX, UITDX, UITD1, UITD3, UITS1, UDF, UE3	URESP		64.05	25.62						
MULTIPLIER	Interfaces												
	DS1 to DS0 Channel System per month		UNCIX	MQ1	69.75	86.10							
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop		UDL	ID1DD	0.9963	11.98	11.39	6.61	6.61				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UITUD	ID1DD	0.9963	11.98	11.39	6.61	6.61				
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month for a Local Loop		UDN	UCICA	1.66	15.81	11.39	6.61	6.61				
	2 wire ISDN COCI (BRITE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UITUB	UCICA	1.66	15.81	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop		UEA	ID1VG	0.4689	11.98	11.39	6.61	6.61				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation		UITUC	ID1VG	0.4689	11.98	11.39	6.61	6.61				
	DS3 to DS1 Channel System per month		MCQ3	MCQ3	121.90								
	STS-1 to DS1 Channel System per month		UNCX3	MCQ3	121.90								
	DS1 COCI used with Loop per month		UNCX3	MCQ3	121.90								
	DS1 COCI used for connection to a channelized DS1 Local Channel in the same SWC as collocation		USL	UC1DI	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used with Interoffice Channel per month		UITUA	UC1DI	7.35	15.81	11.39	6.61	6.61				
	DS1 COCI used with Interface Channel per month		UITD1	UC1DI	7.35	15.81	11.39	6.61	6.61				
	DS1 Interface Unit (DS1 COCI) used with Local Channel per month		ULDD1	UC1DI	7.35	15.81	11.39	6.61	6.61				
Access to DCS - Customer Reconfiguration (FlexServ)	Customer Reconfiguration Establishment				1.40								
	DS1 DSC Termination with DS0 Switching				19.65	24.90	18.92	15.04	11.95				
	DS1 DSC Termination with DS1 Switching				7.09	18.18	12.20	11.14	8.05				
	DS3 DSC Termination with DS1 Switching				125.62	24.90	18.92	15.04	11.95				
Service Rearrangements													
	NRC - Change in Facility Assignment per circuit Service Rearrangement	I	UITVX, UITDX, UEA, UDL, UITUC, UITUD, UITUB, ULDDX, ULDDX, UNCVX, UNCDX	URETD		269.92	47.10						
	NRC - Change in Facility Assignment per circuit Project Management (added to CFA per circuit if project managed)	I	UITVX, UITDX, UEA, UDL, UITUC, UITUD, UITUB, ULDDX, ULDDX, UNCVX, UNCDX, UNCVX, UNGDX, UNCIX, UNC3X, UITD3, UITS1, UE3, UOLSX, UITVX, UITDX, UITUB	URETB		1.28	1.28						
	Commanding Authorization				0.00	0.00	0.00	0.00	0.00				
Miscellaneous	UNE Multiplexer Reconfiguration Charge per DS1 Circuit					35.00	35.00						
	NRC - Order Coordination Specific Time - Dedicated Transport	I	UNCIX	OCOSR		18.89	18.89						
UNBUNDLED LOCAL EXCHANGE SWITCHING(PORTS)													
The Exchange Switching Port Rates Reflected Here Apply to Embedded Base Switching Ports as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 In Accordance with the TARR													
Exchange Ports													
NOTE Although the Port Rate includes all available features in GA, KY, LA & TN, the desired features will need to be ordered using retail USOCs													
2-WIRE VOICE GRADE LINE PORT RATES (Res)													
Exchange Ports - 2 Wire Analog Line Port			UEPSR	UEPRL	2.09	2.42	2.31	1.37	1.28				
Exchange Ports - 2 Wire Analog Line Port with Caller ID - Res			UEPSR	UEPRC	2.09	2.42	2.31	1.37	1.28				
Exchange Ports - 2-Wire Analog Line Port outcoun only - Res			UEPSR	UEPRO	2.09	2.42	2.31	1.37	1.28				

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Intrnm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					Rec	Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOME C	SOME M	SOME S	SOME S	SOME S
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)		UEPSR		2.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Voice Georgia basic dialing port without Caller ID		UEPSR		2.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res		UEPSR		2.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - outgoing only		UEPSR		2.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Low Usage Line Port without Caller ID		UEPSR		2.09	2.42	2.31	1.37	1.28				
	2-Wire Voice Grade Unbundled Port without Caller ID capability, Georgia		UEPSR		2.09	2.42	2.31	1.37	1.28				
	2-Wire Voice Grade Unbundled Port with Caller ID capability, Georgia		UEPSR		2.09	2.42	2.31	1.37	1.28				
	Subsequent Activity		UEPSR		0.00	0.00	0.00						
FEATURES	At Available Vertical Features		UEPSR		0.775	0.00	0.00						
	2-WIRE VOICE GRADE LINE PORT RATES (BUS)												
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus		UEPSB		2.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller-E484 ID - Bus		UEPSB		2.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability		UEPSB		2.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus		UEPSB		2.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus		UEPSB		2.09	2.42	2.31	1.37	1.28				
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID		UEPSB		2.09	2.42	2.31	1.37	1.28				
	2-Wire voice unbundled Incoming Only Port without Caller ID		UEPSB		2.09	2.42	2.31	1.37	1.28				
	Subsequent Activity		UEPSB		0.00	0.00	0.00						
FEATURES	At Available Vertical Features		UEPSB		0.775	0.00	0.00						
	EXCHANGE PORT RATES (IDD & PBX)												
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		UEPSE		2.09	28.88	13.63	11.48	0.83				
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled 2-Way PBX Usage Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		UEPSP		2.09	28.88	13.63	11.48	0.83				
	Capable Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		UEPSP		2.09	28.88	13.63	11.48	0.83				
	Administrative Calling Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		UEPSP		2.09	28.88	13.63	11.48	0.83				
	Room Calling Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		UEPSP		2.09	28.88	13.63	11.48	0.83				
	Discount Room Calling Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial		UEPSP		2.09	28.88	13.63	11.48	0.83				
	Trunk		UEPSP		2.09	28.88	13.63	11.48	0.83				
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPSP		2.09	28.88	13.63	11.48	0.83				
	Trunk		UEPSP		2.09	28.88	13.63	11.48	0.83				
	Subsequent Activity		UEPSP		0.00	0.00	0.00						
FEATURES	At Available Vertical Features		UEPSP		0.775	0.00	0.00						

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Eth A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					Rec	Nonrecurring First Add'l	Nonrecurring Disconnect First Add'l	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN	SOMECSOMAN
NOTE Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.													
2-WIRE VOICE GRADE LINE PORT RATES (OID)													
	Exchange Ports - 2-Wire DID Port		UEPEX		6.50	122.26	18.65	54.82	3.45				
	Exchange Ports - 2-Wire ISDN Port (See Notes below)		UEPTX, UEPSX		7.09	76.39	51.50	45.67	10.36				
	All Features Offered		UEPTX, UEPSX		0.75	0.00	0.00						
	Exchange Ports - 2-Wire ISDN Port - Channel Profiles		UEPTX, UEPSX		0.00	0.00	0.00						
NOTE Transmission/usage charges associated with POTs circuit switched usage will also apply to circuit switched voice and/or circuit switched data transmission by B-Channels associated with 2-wire ISDN ports. Access to B Channel or D Channel Packet capabilities will be available only through BFR/New Business Request Process. Rates for the packet capabilities will be determined via the Bona Fide Request/New Business Request Process.													
UNBUNDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE													
	Unbundled Remote Call Forwarding Service, Area Calling, Res		UEPVR		2.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, Local Calling, Res		UEPVR		2.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, IntraLATA - Res		UEPVR		2.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, InterLATA - Res		UEPVR		2.09	2.42	2.31	1.37	1.28				
Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVR		2.01	0.31							
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVR		2.01	0.31							
UNBUNDLED REMOTE CALL FORWARDING - BUS													
	Unbundled Remote Call Forwarding Service, Area Calling - Bus		UEPVB		2.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, Local Calling - Bus		UEPVB		2.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		UEPVB		2.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service, InterLATA - Bus		UEPVB		2.09	2.42	2.31	1.37	1.28				
	Unbundled Remote Call Forwarding Service Expanded and Exception Local Calling		UEPVB		2.09	2.42	2.31	1.37	1.28				
Non-Recurring													
	Unbundled Remote Call Forwarding Service - Conversion - Switch as-is		UEPVB		2.01	0.31							
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)		UEPVB		2.01	0.31							
UNBUNDLED LOCAL SWITCHING PORT USAGE													
	End Office Switching (Port Usage)												
	End Office Switching Function, Per MOU				0.0006153								
	End Office Trunk Port - Shared, Per MOU				0.0001226								
	Tandem Switching (Port Usage) (Local or Access Tandem)				0.0000972								
	Tandem Trunk Port - Shared, Per MOU				0.0001557								
	Tandem Switching Function Per MOU (Masked)				0.000017904								
	Tandem Trunk Port - Shared, Per MOU (Masked)				0.00002868								
	Maked Factor 18.42% of the Tandem Rate												
	Common Transport				0.0000027								
	Common Transport - Per Mile, Per MOU				0.0001914								
UNBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES													
>Cost Based Rates are applied where BellSouth is required by FCC and/or State Commission rule to provide Unbundled Local Switching or Switch Ports													
>The UNE-P Switching Port Rates Reflected in the Cost Based Section Apply to Embedded Base UNE-P as of March 10, 2005 and Consist of the TELRIC Cost Based Rates Plus \$1.00 in Accordance with the TFRRO													
>Features shall apply to the Unbundled Port/Loop Combination - Cost Based Rate section in the same manner as they are applied to the Stand-Alone Unbundled Port section of this Rate Exhibit.													
>End Office and Tandem Switching Usage and Common Transport Usage rates in the Port section of this rate exhibit shall apply to all combinations of loop/port network elements except for UNE Com Port/Loop Combinations													
>The first and additional Port nonrecurring charges apply to Not Currently Combined Combox. For Currently Combined Combox the nonrecurring charges shall be those identified in the Nonrecurring - Currently Combined sections													
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)													
	UNE Port/Loop Combination Rates												
	2-Wire VG Loop/Port Combo - Zone 1				11.46								
	2-Wire VG Loop/Port Combo - Zone 2				16.76								
	2-Wire VG Loop/Port Combo - Zone 3				33.56								
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPRX		9.56								
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPLX		14.86								
	2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPLX		31.66								

[illegible]

UNBUNDLED NETWORK ELEMENTS - Georgia													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Attachment 2 Exh. A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect Add'l	SOMELEC	SOMAN	SOMAN	SOMAN	SOMAN
	All Features Offered		UEPVF		0.775	0.00	0.00						
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED	2 Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		UEPBX										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX			0.10	0.10						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX			0.10	0.10						
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change		UEPBX										
ADDITIONAL NRCS	2-Wire Voice Grade Loop / Line Port Combination - Subsequent Activity		UEPBX			0.00	0.00						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPBX			8.33	0.83						
	2-Wire Analog Voice Grade Extension Loop - Non-Design	1	UEPBX		10.51	40.02	9.99	5.61	1.72				
	2-Wire Analog Voice Grade Extension Loop - Non-Design	2	UEPBX		15.85	40.02	9.99	5.61	1.72				
OFFON PREMISES EXTENSION CHANNELS	2 Wire Analog Voice Grade Extension Loop - Non-Design	3	UEPBX		31.97	40.02	9.99	5.61	1.72				
	2-Wire Analog Voice Grade Extension Loop - Design	1	UEPBX		11.57	79.85	24.65	18.92	7.87				
	2-Wire Analog Voice Grade Extension Loop - Design	2	UEPBX		16.95	79.85	24.65	18.92	7.87				
	2-Wire Analog Voice Grade Extension Loop - Design	3	UEPBX		33.08	79.85	24.65	18.92	7.87				
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPBX		12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPBX		0.0057	0.00	0.00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		UEPBX										
	UNE Port/Loop Combination Rates												
UNE Loop Rates	2-Wire VG Loop/Port Combo - Zone 1				11.46								
	2-Wire VG Loop/Port Combo - Zone 2				16.76								
	2-Wire VG Loop/Port Combo - Zone 3				33.56								
	2-Wire VG Loop/Port Combo - Zone 3												
2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPRG		9.56								
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPRG		14.88								
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPRG		31.68								
	2-Wire Voice Grade Loop (SL 1) - Zone 3												
FEATURES	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port - Res		UEPRG		1.9019	10.05	7.36	1.37	1.28				
	All Features Offered		UEPRG		0.775	0.00	0.00						
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPRG			0.10	0.10						
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Conversion - Switch with Change		UEPRG			0.10	0.10						
ADDITIONAL NRCS	2 Wire Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity		UEPRG		0.00	0.00	0.00						
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPRG			6.70	6.70						
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity		UEPRG			8.33	0.83						
	2-Wire Voice Grade Loop / Line Port Combination (PBX) - Subsequent Activity		UEPRG										
OFFON PREMISES EXTENSION CHANNELS	Local Channel Voice grade, per termination	1	UEPRG		11.57	79.85	24.65	18.92	7.87				
	Local Channel Voice grade, per termination	2	UEPRG		16.95	79.85	24.65	18.92	7.87				
	Local Channel Voice grade, per termination	3	UEPRG		33.08	79.85	24.65	18.92	7.87				
	Local Channel Voice grade, per termination												
INTEROFFICE TRANSPORT	Non-Wire Direct Serve Channel Voice Grade	1	UEPRG		12.74	56.92	7.70	4.40	0.02				
	Non-Wire Direct Serve Channel Voice Grade	2	UEPRG		19.76	56.92	7.70	4.40	0.02				
	Non-Wire Direct Serve Channel Voice Grade	3	UEPRG		37.18	56.92	7.70	4.40	0.02				
	Non-Wire Direct Serve Channel Voice Grade												
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPRG		12.87	48.46	19.48	16.58	5.00				
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPRG		0.0057	0.00	0.00						
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		UEPRG										
	UNE Port/Loop Combination Rates												
2-Wire VG Loop/Port Combo - Zone 1	2-Wire VG Loop/Port Combo - Zone 1				11.46								
	2-Wire VG Loop/Port Combo - Zone 2				16.76								
	2-Wire VG Loop/Port Combo - Zone 3				33.56								
	2-Wire VG Loop/Port Combo - Zone 3												

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment 2 Exh A			
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring		Disconnect Add'l					
						First	Add'l						
	2 Wire VG Loop/Port Combo - Zone 2				16.76								
	2 Wire VG Loop/Port Combo - Zone 3				33.56								
UNE Loop Rates													
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEPPX	UEPLX	9.56								
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEPPX	UEPLX	14.86								
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEPPX	UEPLX	31.66								
2-Wire Voice Grade Line Port Rates (BUS - PBX)													
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28				
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPX	UEPPO	1.9019	10.05	7.36	1.37	1.28				
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPX	UEPP1	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled PBX LD Terminal Ports		UEPPX	UEPLD	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPX	UEPXA	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPX	UEPXB	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		UEPPX	UEPXC	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		UEPPX	UEPXD	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port		UEPPX	UEPXE	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPPX	UEPXL	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPPX	UEPXM	1.9019	10.05	7.36	1.37	1.28				
	2 Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPPX	UEPXO	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPPX	UEPXS	1.9019	10.05	7.36	1.37	1.28				
	2 Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk		UEPPX	UEPWS	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPPX	UEPWT	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX Trunk		UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports		UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll Terminal Ports		UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX LD DDD Terminal Port		UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard Port		UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port		UEPPX	UEPPQ	1.9019	10.05	7.36	1.37	1.28				
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way Trunk		UEPPX	UEPPC	1.9019	10.05	7.36	1.37	1.28				
FEATURES													
	All Features Offered		UEPVF	UEPVF	0.775	0.00	0.00						
NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED													
	2 Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is		UEPPX	USAC2		0.10	0.10						
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Charge		UEPPX	USACC		0.10	0.10						
ADDITIONAL NRCS													
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity		UEPPX	USAS2	0.00	0.00	0.00						
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise		UEPPX	URETL		6.70	6.70						
OFF/ON PREMISES EXTENSION CHANNELS													
	Local Channel Voice grade, per termination	1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87				
	Local Channel Voice grade, per termination	2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87				
	Local Channel Voice grade, per termination	3	UEPPX	P2JHX	33.89	79.85	24.65	18.92	7.87				
	Non-Wire Direct Serve Channel Voice Grade	1	UEPPX	SD2X	12.74	56.92	7.70	4.40	0.02				
	Non-Wire Direct Serve Channel Voice Grade	2	UEPPX	SD2X	19.76	56.92	7.70	4.40	0.02				
	Non-Wire Direct Serve Channel Voice Grade	3	UEPPX	SD2X	37.18	56.92	7.70	4.40	0.02				

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l				
					Nonrecurring	First	Add'l	Nonrecurring Disconnect	SOME	SOMAN	SOMAN	SOMAN				
					First			First								
INTEROFFICE TRANSPORT	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPPX	U1TV2		12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPPX	U1TVM		0.0057	0.00	0.00								
	2-WIRE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN PORT															
	UNE Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo - Zone 1					11.46										
	2-Wire VG Coin Port/Loop Combo - Zone 2					16.76										
	2-Wire VG Coin Port/Loop Combo - Zone 3					33.56										
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	1	UEPCO	UEPLX		9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2	2	UEPCO	UEPLX		14.86										
2-Wire Voice Grade Loop (SL1) - Zone 3	3	UEPCO	UEPLX		31.66											
2-Wire Voice Grade Line Ports (COIN)																
2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28							
2-Wire Coin 2-Way with Operator Screening and Blocking 011, 900/976, 1+DDD (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28							
2-Wire Coin 2-Way with Operator Screening and 011 Blocking (GA)			UEPCO	UEPGA	1.9019	10.05	7.36	1.37	1.28							
2-Wire Coin 2-Way with Operator Screening and 900/976 Blocking (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28							
2-Wire Coin 2-Way with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPGC	1.9019	10.05	7.36	1.37	1.28							
2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.9019	10.05	7.36	1.37	1.28							
2-Wire Coin Outward with Operator Screening and Blocking 900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	1.9019	10.05	7.36	1.37	1.28							
2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.9019	10.05	7.36	1.37	1.28							
2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.9019	10.05	7.36	1.37	1.28							
UNE COIN PORT/LOOP (RC)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00							
NONRECURRING CHARGES - CURRENTLY COMBINED																
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2			0.10	0.10								
2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC			0.10	0.10								
ADDITIONAL NRCS																
2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2			0.00	0.00								
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premises			UEPCO	URETL			8.33	0.83								
2-WIRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE LINE PORT (RES)																
UNE Port/Loop Combination Rates																
2-Wire VG Loop/IO Transport/Port Combo - Zone 1					28.53											
2-Wire VG Loop/IO Transport/Port Combo - Zone 2					31.92											
2-Wire VG Loop/IO Transport/Port Combo - Zone 3					48.04											
UNE Loop Rates																
2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFR	UECF2		11.57											
2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFR	UECF2		16.96											
2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFR	UECF2		33.08											
2-Wire Voice Grade Line Port Rates (Res)																
2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.09	166.05	43.66	41.89	15.44							
2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.09	166.05	43.66	41.89	15.44							
2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.09	166.05	43.66	41.89	15.44							
2-Wire voice unbundled res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	2.09	166.05	43.66	41.89	15.44							
2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - res			UEPFR	UEPWC	2.09	166.05	43.66	41.89	15.44							
2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - res			UEPFR	UEPWQ	2.09	166.05	43.66	41.89	15.44							
2-Wire voice unbundled Georgia basic dialing port - outgoing only			UEPFR	UEPWR	2.09	166.05	43.66	41.89	15.44							

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN		
	INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPR	12.87	48.46	19.48	16.58	5.00							
	FEATURES															
	ALL Features Offered			UEPVF	0.775	0.00	0.00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			USAC2		7.85	1.86									
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			USACC		7.85	1.86									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise															
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (BUS)			URETN		11.19	1.10									
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				26.53											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				31.92											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				48.04											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFB	UECF2	11.57											
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFB	UECF2	16.95											
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFB	UECF2	33.08											
	2-Wire Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus		UEPFB	UEPBL	2.09	166.05	43.66	41.89	15.44							
	2-Wire voice unbundled port with Caller + E-64 ID - bus		UEPFB	UEPBC	2.09	166.05	43.66	41.89	15.44							
	2-Wire voice unbundled port outgoing only - bus		UEPFB	UEPBO	2.09	166.05	43.66	41.89	15.44							
	2-Wire voice unbundled incoming only port with Caller ID - Bus		UEPFB	UEPBI	2.09	166.05	43.66	41.89	15.44							
	2-Wire voice unbundled Georgia basic dialing port, without Caller ID capability - bus		UEPFB	UEPBD	2.09	166.05	43.66	41.89	15.44							
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus		UEPFB	UEPWP	2.09	166.05	43.66	41.89	15.44							
	INTEROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			U1TV2	12.87	48.46	19.48	16.58	5.00							
	FEATURES															
	ALL Features Offered			UEPVF	0.775	0.00	0.00									
	NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			USAC2		7.85	1.86									
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			USACC		7.85	1.86									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise															
	2-WIRE VOICE LOOP/2WIRE VOICE GRADE IO TRANSPORT/2-WIRE LINE PORT (PBX)			URETN		11.19	1.10									
	UNE Port/Loop Combination Rates															
	2-Wire VG Loop/IO Transport/Port Combo - Zone 1				26.53											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 2				31.92											
	2-Wire VG Loop/IO Transport/Port Combo - Zone 3				48.04											
	UNE Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	UEPFP	UECF2	11.57											
	2-Wire Voice Grade Loop (SL2) - Zone 2	2	UEPFP	UECF2	16.95											
	2-Wire Voice Grade Loop (SL2) - Zone 3	3	UEPFP	UECF2	33.08											
	2-Wire Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		UEPPP	UEPPC	2.09	166.05	43.66	41.89	15.44							
	Line Side Unbundled Outward PBX Trunk Port - Bus		UEPPP	UEPPO	2.09	166.05	43.66	41.89	15.44							
	Line Side Unbundled Incoming PBX Trunk Port - Bus		UEPPP	UEPPI	2.09	166.05	43.66	41.89	15.44							
	2-Wire Voice Unbundled 2-Way Termination Ports		UEPPP	UEPLD	2.09	166.05	43.66	41.89	15.44							
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		UEPPP	UEPXA	2.09	166.05	43.66	41.89	15.44							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		UEPPP	UEPXB	2.09	166.05	43.66	41.89	15.44							
	2-Wire Voice Unbundled PBX ID DDD Terminal Ports		UEPPP	UEPXC	2.09	166.05	43.66	41.89	15.44							

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)					Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
					Rec	Nonrecurring First	Nonrecurring Add'l	Nonrecurring Disconnect First	Nonrecurring Disconnect Add'l	SOME C	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port Capable Port		UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		UEPFP	UEPXE	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port		UEPFP	UEPXL	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port		UEPFP	UEPXM	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port		UEPFP	UEPXD	2.09	166.05	43.66	41.89	15.44					
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		UEPFP	UEPXS	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled Georgia basic dialing port - 1-Way Outdial Trunk		UEPFP	UEPWS	2.09	166.05	43.66	41.89	15.44					
	2-Wire voice unbundled Georgia basic dialing port - 2-Way Trunk		UEPFP	UEPWT	2.09	166.05	43.66	41.89	15.44					
	INTEROFFICE TRANSPORT													
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination		UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile		UEPFP	U1L5XX	0.0057	0.00	0.00							
	FEATURES													
	All Features Offered		UEPFP	UEPVF	0.775	0.00	0.00							
	NONRECURRING CHARGES (NRCS) - CURRENTLY COMBINED													
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFP	USAC2		7.85	1.86							
	Combination - Conversion - Switch-as-is		UEPFP	USAC2		7.85	1.86							
	2 Wire Loop / Dedicated IO Transport / 2 Wire Line Port		UEPFP	USACC		7.85	1.86							
	Combination - Conversion - Switch with change		UEPFP	USACC		7.85	1.86							
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFP	URETN		11.19	1.10							
	2-WIRE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK PORT													
	UNE Port/Loop Combination Rates													
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1				18.05									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2				23.44									
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3				39.56									
	UNE Loop Rates													
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	1	UEPFX	UECD1	11.57									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	2	UEPFX	UECD1	16.95									
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3	3	UEPFX	UECD1	33.08									
	UNE Port Rate													
	Exchange Ports - 2-Wire DID Port		UEPFX	UEPD1	6.48	174.55	13.64	59.31	4.27					
	NONRECURRING CHARGES - CURRENTLY COMBINED													
	Switch-as-is		UEPFX	USAC1		6.66	1.86							
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with Base/South Allowable Charges		UEPFX	USA1C		6.66	1.86							
	ADDITIONAL NRCS													
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise		UEPFX	URETN		11.19	1.10							
	Telephone Number/Trunk Group Establishment Charges		UEPFX	NDT	0.00	0.00	0.00							
	DID Trunk Termination (One Per Port)		UEPFX	NDT	0.00	0.00	0.00							
	DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers		UEPFX	NDZ	0.00	0.00	0.00							
	Additional DID Numbers for each Group of 20 DID Numbers		UEPFX	ND4	0.00	0.00	0.00							
	DID Numbers, Non- consecutive DID Numbers , Per Number		UEPFX	ND5	0.00	0.00	0.00							
	Reserve Non-Consecutive DID numbers		UEPFX	ND6	0.00	0.00	0.00							
	Reserve DID Numbers		UEPFX	NDV	0.00	0.00	0.00							
	2-WIRE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LINE SIDE PORT													
	UNE Port/Loop Combination Rates													
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1				20.44									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2				25.45									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3				39.09									
	UNE Loop Rates													

UNBUNDLED NETWORK ELEMENTS - Georgia										
CATEGORY	RATE ELEMENTS	Interim	Zone	BCS	USOC	RATES(\$)		Svc Order Submitted Elec per LSR	Attachment 2 Exh A	Incremental Charge - Manual Svc Order vs Electronic- Add'l
						Nonrecurring	Nonrecurring Disconnect		Incremental Charge - Manual Svc Order vs Electronic- Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st
						Rec	First	First	SOME	SOMAN
	2 Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	14 25				
	2 Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPPR	USL2X	19 26				
	2 Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPR	USL2X	32 90				
	UNE Port Rate									
	Exchange Port - 2 Wire ISDN Line Side Port			UEPPR		6 19	161 36	43 68	8 37	
	Exchange Port - 2 Wire ISDN Line Side Port			UEPPB		6 19	161 36	43 68	8 37	
	NONRECURRING CHARGES - CURRENTLY COMBINED									
	2 Wire ISDN Digital Grade Loop / 2 Wire ISDN Line Side Port			UEPPB UEPPR	USACB	0 00	42 52	28 99		
	Combination - Conversion									
	ADDITIONAL NRC's									
	2 Wire ISDN Loop / 2 Wire ISDN Port Combination - Sub Active									
	Non Feature/Add Trunk			UEPPB UEPPR	USASB		0 00			
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at									
	End User Premise			UEPPB UEPPR	URETN		11 19	1 10		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User									
	Premise			UEPPB UEPPR	URETL		8 33	0 83		
	B-CANAL USER PROFILE ACCESS									
	CVS/CSD (QMS/SESS)			UEPPB UEPPR	UIUCA	0 00	0 00	0 00		
	CVS (EWS/D)			UEPPB UEPPR	UIUCB	0 00	0 00	0 00		
	CSD			UEPPB UEPPR	UIUCC	0 00	0 00	0 00		
	B-CANAL AREA PLUS USER PROFILE ACCESS (AL,KY,LAMS SC,MS, & TN)									
	USER TERMINAL PROFILE									
	User Terminal Profile (EWS/D only)			UEPPB UEPPR	UIUMA	0 00	0 00	0 00		
	All Vertical Features - One per Channel/B User Profile									
	INTEROFFICE CHANNEL MILEAGE			UEPPB UEPPR	UEPVF	0 775	0 00	0 00		
	Interoffice Channel mileage each, including first mile and facilities									
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M/GNC	12 8757	49 46	19 48	16 58	5 00
	Interoffice Channel mileage each, additional mile			UEPPB UEPPR	M/IGNM	0 0057	0 00	0 00		
	UNBUNDLED CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES									
	UNE-P CENTREX - TAESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only)									
	2 Wire VG Loop2-Wire Voice Grade Port (Centrex) Combo									
	UNE Port/Loop Combination Rates (Non-Design)									
	2 Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo -									
	Non-Design					11 46				
	2 Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo -									
	Non-Design					16 76				
	2 Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo -									
	Non-Design					33 56				
	UNE Port/Loop Combination Rates (Design)									
	2 Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo -									
	Design					13 47				
	2 Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo -									
	Design					18 85				
	2 Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo -									
	Design					34 98				
	UNE Loop Rate									
	2 Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1					
	2 Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	9 56				
	2 Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	14 86				
	2 Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	31 66				
	2 Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	11 57				
	2 Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	16 95				
	2 Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33 08				
	UNE Ports									
	All States (Except North Carolina and South Carolina)									
	2 Wire Voice Grade Port (Centrex) Basic Local Area			UEP91	UEPYA	1 9019	10 05	7 36	1 37	1 28
	2 Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1 9019	10 05	7 36	1 37	1 28
	2 Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1 9019	10 05	7 36	1 37	1 28
	2 Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP91	UEPYM	1 9019	82 27	26 96	20 29	9 15
	Note 2, 3 Basic Local Area									

UNBUNDLED NETWORK ELEMENTS - Georgia																				
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh A		Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l			
					Rec	Nonrecurring Flat	Add'l	Nonrecurring Disconnect Flat	Add'l	SOME	SOMAN	SOMAN	SOMAN	SOMAN						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area		UEP91		1 9019	82 27	26 96	20 29	9 15											
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area		UEP91		1 9019	10 05	7 36	1 37	1 28											
	2 Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP91		1 9019	10 05	7 36	1 37	1 28											
	Georgia and Florida Only																			
	2-Wire Voice Grade Port (Centrex)		UEP91		1 9019	10 05	7 36	1 37	1 28											
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP91		1 9019	10 05	7 36	1 37	1 28											
	2-Wire Voice Grade Port (Centrex with Caller ID)		UEP91		1 9019	10 05	7 36	1 37	1 28											
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2.3		UEP91		1 9019	82 27	26 96	20 29	9 15											
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term		UEP91		1 9019	82 27	26 96	20 29	9 15											
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		UEP91		1 9019	10 05	7 36	1 37	1 28											
	2-Wire Voice Grade Port Terminated on 800 Service Term		UEP91		1 9019	10 05	7 36	1 37	1 28											
	Local Switching																			
	Centrex Intercom Functionality, per port		UEP91		0 4237															
	Features																			
	All Standard Features Offered, per port		UEP91		0 775															
	All Select Features Offered, per port		UEP91		0 00	0 00														
	All Centrex Control Features Offered, per port		UEP91		0 00															
	MARS																			
	Unbundled Network Access Register - Combination		UEP91		0 00	0 00														
	Unbundled Network Access Register - Initial		UEP91		0 00	0 00														
	Unbundled Network Access Register - Outdial		UEP91		0 00	0 00														
	Miscellaneous Terminations																			
	2-Wire Trunk Side																			
	Trunk Side Terminations, each		UEP91		5 50	122 26	18 65	54 82	3 45											
	Interoffice Channel Message - 2-Wire		UEP91																	
	Interoffice Channel Facilities Termination - Voice Grade		UEP91		12 87	48 46	19 43	16 58	5 00											
	Interoffice Channel message, per mile or fraction of mile		UEP91		0 0057															
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service																			
	D4 Channel Bank Feature Activations		UEP91																	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP91		0 4689															
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		UEP91		0 4689															
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP91		0 4689															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP91		0 4689															
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP91		0 4689															
	Feature Activation on D-4 Channel Bank T1a Line/Trunk Loop Slot		UEP91		0 4689															
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP91		0 4689															
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex																			
	Conversion - Currently Combined Switch-As-Is with allowed charges, per port		UEP91		0 10	0 10														
	New Centrex Standard Common Block		UEP91		0 00	317 90	37 59	48 99	5 92											
	New Centrex Customized Common Block		UEP91		0 00	317 90	37 59	48 99	5 92											
	Secondary Block, per Block		UEP91		0 00	77 10														
	NAR Establishment Charge, Per Occasion		UEP91		0 00															
	Additional Non-Recurring Charges (NRC)																			
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		UEP91			8 33	0 83													
	Premise		UEP91																	
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP91			11 19	1 10													
	UNE-P CENTREX - BESS (Valid in All States)																			
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		UEP91																	
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		UEP91																	
	2 Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		UEP91		11 48															
	Non-Design																			

UNBUNDLED NETWORK ELEMENTS - Georgia										Attachment: 2 Exh A			
CATEGORY	RATE ELEMENTS	Intrm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l	Incremental Charge - Manual Svc Order vs Electronic-Add'l
					Rec	Nonrecuring First	Nonrecuring Add'l	Nonrecuring Disconnect First					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				16.76								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				33.56								
	UNE Port/Loop Combination Rates (Design)												
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				13.47								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				18.85								
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design				34.98								
	UNE Loop Rate												
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP95	UECS1	9.56								
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP95	UECS1	14.66								
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP95	UECS1	31.66								
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP95	UECS2	11.57								
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP95	UECS2	16.85								
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP95	UECS2	33.08								
	UNE Port Rate												
	All States												
	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP95	UEPYA	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port (Centrex 800 Termination)		UEP95	UEPYB	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP95	UEPYH	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center/2.3 Basic Local Area		UEP95	UEPYM	1.9019	82.27	26.96	20.29	9.15				
	2-Wire Voice Grade Port, Diff Serving Wire Center 2.3 - 800 Service Term - Basic Local Area		UEP95	UEPYZ	1.9019	82.27	26.96	20.29	9.15				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area		UEP95	UEPY9	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port Terminated on 800 Service Term - Local Area		UEP95	UEPY2	1.9019	10.05	7.36	1.37	1.28				
	FL & GA Only												
	2-Wire Voice Grade Port (Centrex)		UEP95	UEPHA	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port (Centrex 800 Termination)		UEP95	UEPHB	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port (Centrex with Caller ID) 1		UEP95	UEPHH	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center/2.3		UEP95	UEPHM	1.9019	82.27	26.96	20.29	9.15				
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3		UEP95	UEPHZ	1.9019	82.27	26.96	20.29	9.15				
	2-Wire Voice Grade Port Terminated in on Megalink or equivalent		UEP95	UEPH9	1.9019	10.05	7.36	1.37	1.28				
	2-Wire Voice Grade Port Terminated on 800 Service Term		UEP95	UEPH2	1.9019	10.05	7.36	1.37	1.28				
	Local Switching												
	Centrex Intercom Functionality, per port		UEP95	UEPCS	0.4237								
	Features												
	All Standard Features Offered, per port		UEP95	UEPVF	0.775								
	All Select Features Offered, per port		UEP95	UEPVS	0.00	0.00							
	All Centrex Control Features Offered, per port		UEP95	UEPVC	0.00								
	NARS												
	Unbundled Network Access Register - Combination		UEP95	UARCX	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Initial		UEP95	UARIK	0.00	0.00	0.00	0.00	0.00				
	Unbundled Network Access Register - Outcall		UEP95	UAROY	0.00	0.00	0.00	0.00	0.00				
	Miscellaneous Terminations												
	2-Wire Trunk Side												
	Trunk Side Terminations, each		UEP95	CEND6	5.50	122.26	18.65	54.82	3.45				
	4-Wire Digital (1.544 Megabit)												
	DS1 Circuit Terminations, each		UEP95	MTHD1	41.20	200.96	93.00	65.81	2.33				
	DS0 Channels Activated, each		UEP95	MTHD0	0.00	13.95							
	Interface Channel Mileage - 2-Wire												
	Interface Channel Mileage - Termination		UEP95	MTGBC	12.87	48.48	19.48	16.58	5.00				
	Interface Channel Mileage, per mile or fraction of mile		UEP95	MTGBM	0.0057								
	Feature Activations (DS0) Centrex Loops on Channelized DS1 Service												
	D4 Channel Bank Feature Activations												

UNBUNDLED NETWORK ELEMENTS - Georgia														
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Attachment 2 Exh. A			Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l
					Rec	Nonrecurring First	Add'l	Nonrecurring Disconnect First	SOMECH	SOMAN	OSS Rates(\$)		SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP95	1POWS	0.4689						SOMAN			
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		UEP95	1POW6	0.4689									
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP95	1POW7	0.4689									
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP95	1POWP	0.4689									
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP95	1POWV	0.4689									
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP95	1POWQ	0.4689									
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP95	1POWA	0.4689									
	Non-Recurring Charges (NRC) Associated with UNE-P Centrex													
	NRC Conversion Currency Combined Switch-As-is with allowed changes, per port		UEP95	USAC2	0.10	0.10								
	New Centrex Standard Common Block		UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92					
	New Centrex Customized Common Block		UEP95	M1ACC	0.00	317.90	37.59	48.99	5.92					
	NAR Establishment Charge, Per Occasion		UEP95	URECA	0.00	0.00								
	Additional Non-Recurring Charges (NRC)													
	Unburied Miscellaneous Rate Element, Tag Loop at End Use Premise		UEP95	URETL		8.33	0.83							
	Unburied Miscellaneous Rate Element, Tag Design Loop at End Use Premise		UEP95	URETN		11.19	1.10							
	UNE-P CENTREX - DIS100 (Valid in All States)													
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Combo													
	UNE Port Loop Combination Rates (Non-Design)													
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design				11.46									
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				16.76									
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design				33.56									
	UNE Port Loop Combination Rates (Design)													
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex) Port Combo - Design				13.47									
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Design				18.85									
	2-Wire VG Loop2-Wire Voice Grade Port (Centrex)Port Combo - Design				34.98									
	UNE Loop Rate													
	2-Wire Voice Grade Loop (SL 1) - Zone 1	1	UEP9D	UECS1	9.56									
	2-Wire Voice Grade Loop (SL 1) - Zone 2	2	UEP9D	UECS1	14.86									
	2-Wire Voice Grade Loop (SL 1) - Zone 3	3	UEP9D	UECS1	31.66									
	2-Wire Voice Grade Loop (SL 2) - Zone 1	1	UEP9D	UECS2	11.57									
	2-Wire Voice Grade Loop (SL 2) - Zone 2	2	UEP9D	UECS2	16.95									
	2-Wire Voice Grade Loop (SL 2) - Zone 3	3	UEP9D	UECS2	33.08									
	UNE Port Rate													
	ALL STATES													
	2-Wire Voice Grade Port (Centrex) Basic Local Area		UEP9D	UEPYA	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area		UEP9D	UEPYB	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area		UEP9D	UEPYC	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area		UEP9D	UEPYD	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)3 Basic Local Area		UEP9D	UEPYE	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5112)3 Basic Local Area		UEP9D	UEPYF	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5312)3Basic Local Area		UEP9D	UEPYG	1.9019	10.05	7.36	1.37	1.28					
	2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area		UEP9D	UEPYT	1.9019	10.05	7.36	1.37	1.28					

UNBUNDLED NETWORK ELEMENTS - Georgia																
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Elec per LSR	Attachment: 2 Exh. A			Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic-Disc Add'l	
					Nonrecurring		First	Disconnect		SOME	SOMAN	SOMAN				
					Rec	Add'l		Add'l								
	2-Wire Voice Grade Port (Centrex / EBS-M5208)3 Basic Local Area		UEP9D		UEPYU	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)3 Basic Local Area		UEP9D		UEPYV	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)3 Basic Local Area		UEP9D		UEPY3	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area		UEP9D		UEPYH	1 9019	10 05	7 38	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wlg Lamp Indication)4 Basic Local Area		UEP9D		UEPYW	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Msg Wlg Lamp Indication)4 Basic Local Area		UEP9D		UEPYJ	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area		UEP9D		UEPYM	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area		UEP9D		UEPYO	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area		UEP9D		UEPYP	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area		UEP9D		UEPYQ	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area		UEP9D		UEPYR	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area		UEP9D		UEPYS	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area		UEP9D		UEPY4	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4 Basic Local Area		UEP9D		UEPY5	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area		UEP9D		UEPY6	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area		UEP9D		UEPY7	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3 Basic Local Area		UEP9D		UEPYZ	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 800 Service Term 2,3 Basic Local Area		UEP9D		UEPY9	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center - 800 Service Term 2,3 Basic Local Area		UEP9D		UEPY2	1 9019	10 05	7 36	1 37	1 28						
FL & GA Only	2-Wire Voice Grade Port (Centrex)		UEP9D		UEPHA	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex 800 termination)		UEP9D		UEPHB	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4		UEP9D		UEPHC	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		UEP9D		UEPHD	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEP9D		UEPHE	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		UEP9D		UEPHF	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4		UEP9D		UEPHG	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		UEP9D		UEPHI	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		UEP9D		UEPHJ	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		UEP9D		UEPHK	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		UEP9D		UEPHL	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex with Caller ID) Indication)4		UEP9D		UEPHI	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wlg Lamp Indication)4		UEP9D		UEPHW	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3		UEP9D		UEPHJ	1 9019	10 05	7 36	1 37	1 28						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		UEP9D		UEPHM	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4		UEP9D		UEPHO	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5209)2,3,4		UEP9D		UEPHP	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		UEP9D		UEPHQ	1 9019	82 27	26 96	20 29	9 15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		UEP9D		UEPHR	1 9019	82 27	26 96	20 29	9 15						

UNBUNDLED NETWORK ELEMENTS - Georgia																	
CATEGORY	RATE ELEMENTS	Interm Zone	BCS	USOC	RATES(\$)				Svc Order Submitted Manually per LSR	Svc Order Submitted Manually per LSR	Attachment 2 Exh. A		Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l	Incremental Charge - Manual Svc Order vs Electronic-Disc 1st	Incremental Charge - Manual Svc Order vs Electronic-Disc Add'l		
					Nonrecurring		Nonrecurring Disconnect				SOMECH	SOMAN				SOMAN	SOMAN
					First	Add'l	First	Add'l									
					Rec												
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4		UEP9D	UEPHS	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		UEP9D	UEPH4	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4		UEP9D	UEPH5	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		UEP9D	UEPH6	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		UEP9D	UEPH7	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3		UEP9D	UEPHZ	1 9019	82 27	26 96	20 29	9 15								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		UEP9D	UEPH9	1 9019	10 05	7 38	1 37	1 28								
	Local Switching		UEP9D	UEPH2	1 9019	10 05	7 38	1 37	1 28								
	Centrex Intercom Functionality, per port		UEP9D	URECS	0 4237												
	All Select Features Offered, per port		UEP9D	UEPVS	0 00												
	All Centrex Control Features Offered, per port		UEP9D	UEPVC	0 00												
	NARS																
	Unbundled Network Access Register - Combination		UEP9D	UARCX	0 00	0 00	0 00	0 00	0 00								
	Unbundled Network Access Register - Inward		UEP9D	UARI1	0 00	0 00	0 00	0 00	0 00								
	Unbundled Network Access Register - Outdial		UEP9D	UARO1	0 00	0 00	0 00	0 00	0 00								
	Miscellaneous Terminations																
	2-Wire Trunk Side																
	Trunk Side Terminations, each		UEP9D	CEND6	5 50	122 26	18 65	54 82	3 45								
	4-Wire Digital (1 544 Megabits)																
	DS1 Circuit Terminations, each		UEP9D	M1HD1	41 20	200 96	93 00	65 81	2 33								
	DS0 Channels Activated per Channel		UEP9D	M1HD0	0 00	13 95											
	Interoffice Channel Message - 2-Wire																
	Interoffice Channel Facilities Termination		UEP9D	M1GBC	12 87	48 46	19 48	16 58	5 00								
	Interoffice Channel mileage, per mile or fraction of mile		UEP9D	M1GBM	0 0057												
	Feature Activations (DSO) Centrex Loops on Channelized DS1 Service																
	D4 Channel Bank Feature Activations																
	Feature Activation on D-4 Channel Bank Centrex Loop Slot		UEP9D	1POWS	0 4689												
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot		UEP9D	1POW6	0 4689												
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot		UEP9D	1POW7	0 4689												
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center		UEP9D	1POWP	0 4689												
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		UEP9D	1POWV	0 4689												
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot		UEP9D	1POWQ	0 4689												
	Feature Activation on D-4 Channel Bank WATS Loop Slot		UEP9D	1POWA	0 4689												
	Non-Recalling Charges (NRC) Associated with UNE-P Centrex																
	NRC Conversion Currently Combined Switch-A-to-B with allowed changes, per port		UEP9D	USAC2		0 10	0 10										
	New Centrex Standard Common Block		UEP9D	M1ACS	0 00	317 90	37 59	48 99	5 92								
	New Centrex Customized Common Block		UEP9D	M1ACC	0 00	317 90	37 59	48 99	5 92								
	NAR Establishment Charge, Per Occasion		UEP9D	URECA	0 00	0 00											
	Additional Non-Recalling Charges (NRC)																
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		UEP9D	URETL		8 33	0 83										
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9D	URETN		11 19	1 10										
	Premise																
	Additional Non-Recalling Charges (NRC)																
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		UEP9E	URETL													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise																
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use		UEP9E	URETN													
	Premise							</									

UNBUNDLED NETWORK ELEMENTS - Georgia																			
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR	Svc Order Manually per LSR	Attachment 2 Exh. B							
						Rec	Nonrecurring		Nonrecurring Disconnect First			Add'l	SOMAN	SOMAN	SOMAN	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	
							First	Add'l											
UNBUNDLED EXCHANGE ACCESS LOOP																			
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																			
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	1	1	UHL	UHL2X	9 06													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	10 45													
	2 Wire Unbundled HDSL Loop without manual service inquiry & facility reservation - Zone 3	1	3	UHL	UHL2X	16 65													
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL2W	9 06													
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL2W	10 45													
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL2W	16 65													
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP																			
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4X	11 95													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4X	13 80													
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4X	21 93													
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	11 95													
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	1	2	UHL	UHL4W	13 80													
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3	1	3	UHL	UHL4W	21 93													
4-WIRE DS1 DIGITAL LOOP																			
	4-Wire DS1 Digital Loop - Zone 1	1	1	USL	USLXX	47 17													
	4-Wire DS1 Digital Loop - Zone 2	2	2	USL	USLXX	53 37													
	4-Wire DS1 Digital Loop - Zone 3	3	3	USL	USLXX	71 33													
HIGH CAPACITY UNBUNDLED LOCAL LOOP																			
	High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1LSND	12 62													
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	291 39													
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1LSND	12 62													
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	351 23													
UNBUNDLED DEDICATED TRANSPORT																			
INTEROFFICE CHANNEL - DEDICATED TRANSPORT																			
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1LSXX	0 13													
	Interoffice Channel - Dedicated Transport - DS1 - Facility Termination			U1TD1	U1TF1	39 32													
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1LSXX	2 91													
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	393 32													
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1LSXX	2 92													
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	412 47													
ENHANCED EXTENDED LINK (EELs)																			
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provided as ' Ordinarily Combined' Network Elements.																			
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provided as ' Currently Combined' Network Elements																			
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																			

UNBUNDLED NETWORK ELEMENTS - Georgia										
CATEGORY	RATE ELEMENTS	Inter m	Zone	BCS	USOC	RATES (\$)				Svc Order Submitted Elec per LSR
						Nonrecurring Add'l	First	Nonrecurring Disconnect Add'l	SOME	Svc Order Submitted Manually per LSR
						Rec			SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Add'l
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47 17			SOMAN	Incremental Charge - Manual Svc Order vs Electronic- Disc Add'l
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	53 37				
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	71 33				
	Interface Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0 13				
	Interface Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	39 32				
	DS1 COCI in combination per month			UNC1X	UC1D1	8 45				
	EXTENDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT									
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	14 51				
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	335 10				
	Interface Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2 91				
	Interface Transport - Dedicated - DS3 combination - Facility Termination per month			UNC3X	U1TF3	393 32				
	EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT									
	STS-1 Local Loop in combination - per mile per month			UNC3X	1L5ND	14 51				
	STS-1 Local Loop in combination - Facility Termination per month			UNC3X	UDLS1	403 92				
	Interface Transport - Dedicated - STS-1 combination - per mile per month			UNC3X	1L5XX	2 91				
	Interface Transport - Dedicated - STS-1 combination - Facility Termination per month			UNC3X	U1TF5	412 47				
	ADDITIONAL NETWORK ELEMENTS									
	When used as a part of a currently combined facility, the non-recurring charges do not apply, but a Switch As is charge does apply									
	When used as ordinarily combined network elements in All States, the non-recurring charges apply and the Switch As is Charge does not									
	Nonrecurring Currently Combined Network Elements "Switch As is" Charge (One applies to each combination)									
	Optional Features & Functions									
	Clear Channel Capability Extended Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOEF	0 00	0 00	0 00		
	Clear Channel Capability Super Frame Option - per DS1	I		U1TD1, ULDD1, UNC1X	CCOSF	0 00	0 00	0 00		
	Clear Channel Capability (SP/ESF) Option - Subsequent Activity - per DS1	I		ULDD1, U1TD1, UNC1X, USL	NRCCC	184 62	23 78	2 03		
	C-bit Parity Option - Subsequent Activity - per DS3	I		U1TD3, ULDD3, UE3, UNC3X	NRCC3	219 74	7 66	0 7591		
	MULTIPLERS									
	DS1 to DS0 Channel System per month			UNC1X	MQ1	80 21				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for a Local Loop			UDL	1D1DD	1 15				
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2 4-64kbs) used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUD	1D1DD	1 15				
	2-wire ISDN COCI (BRIE) - DS1 to DS0 Channel System - per month for a Local Loop			UDN	UC1CA	1 91				
	2-wire ISDN COCI (BRIE) - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1 91				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0 54				
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUC	1D1VG	0 54				
	DS3 to DS1 Channel System per month			UNC3X	MQ3	140 18				
	STS-1 to DS1 Channel System per month			UNC3X	MQ3	140 18				
	DS1 COCI used with Loop per month			USL	UC1D1	8 45				
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8 45				
	DS1 COCI used with Interface Channel per month			U1TD1	UC1D1	8 45				

LOCAL INTERCONNECTION - Georgia													
CATEGORY	RATE ELEMENTS	Interim Zone	BCS	USOC	RATES(\$)	Attachment: 3 Exh A							
						Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st	Incremental Charge - Manual Svc Order vs Electronic-1st		
												Nonrecurring First	Nonrecurring Add'l
						Rec							
SIGNALING (CCS7)													
NOTE "ik" beside a rate indicates that the Parties have agreed to bill and keep for that element pursuant to the terms and conditions in Attachment 3													
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS1	UDB		TPP6A	17 05	131 96	131 96	16 91	16 91				
	CCS7 Signaling Connection, Per 56Kbps Facility A-Link DS3	UDB		TPP6A	17 05	131 96	131 96	16 91	16 91				
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS1	UDB		TPP6B	17 05	131 96	131 96	16 91	16 91				
	CCS7 Signaling Connection, Per 56Kbps Facility B-Link DS3	UDB		TPP6B	17 05	131 96	131 96	16 91	16 91				
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling												
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 6 DS1 level path with bit stream signaling	UDB		TPP6X	17 05	34 77	34 77	16 91	16 91				
	CCS7 Signaling Connection, Switched access service, interface groups, transmission paths 9 DS3 level path with bit stream signaling												
	CCS7 Signaling Termination, Per STP Port	UDB		TPP9X	17 05	34 77	34 77	16 91	16 91				
	CCS7 Signaling Usage Surrogate, per link	UDB		PT6SX	133 99								
	CCS7 Signaling Point Code, Establishment or Change, per STP affected	UDB		STU56	340 67								
	CCS7 Signaling Usage, Per TCAP Message			CCAP0		40 00	40 00						
	CCS7 Signaling Usage, Per ISUP Message (same as E 3 3)				0 0000527bK								
Notes: If no rate is identified in the contract, the rates, terms, and conditions for the specific service or function will be as set forth in applicable BellSouth tariff						0 0000132bK							

Owner: zrhfy57
Filename: http://cmag.bst.bls.com:82/Righ.PDF
Date: November 15, 2005 11:12:43 a.m.
Hostname: bell9110

Sets: 1
Images Processed: 117
Total Images: 117

Operator Message.

Print Mode: 1 Sided
Collate: On
Stacking: Straight
Staples: None
Folding: None
Exit: Stapler
Emulation: PostScript

%%[Page: 1]%%
%%[Page: 2]%%
%%[Page: 3]%%
%%[Page: 4]%%
%%[Page: 5]%%
%%[Page: 6]%%
%%[Page: 7]%%
%%[Page: 8]%%
%%[Page: 9]%%
%%[Page: 10]%%
%%[Page: 11]%%
%%[Page: 12]%%
%%[Page: 13]%%
%%[Page: 14]%%
%%[Page: 15]%%
%%[Page: 16]%%
%%[Page: 17]%%
%%[Page: 18]%%
%%[Page: 19]%%
%%[Page: 20]%%
%%[Page: 21]%%
%%[Page: 22]%%
%%[Page: 23]%%
%%[Page: 24]%%
%%[Page: 25]%%
%%[Page: 26]%%
%%[Page: 27]%%
%%[Page: 28]%%
%%[Page: 29]%%
%%[Page: 30]%%
%%[Page: 31]%%
%%[Page: 32]%%
%%[Page: 33]%%

%%[Page: 34]%%
%%[Page: 35]%%
%%[Page: 36]%%
%%[Page: 37]%%
%%[Page: 38]%%
%%[Page: 39]%%
%%[Page: 40]%%
%%[Page: 41]%%
%%[Page: 42]%%
%%[Page: 43]%%
%%[Page: 44]%%
%%[Page: 45]%%
%%[Page: 46]%%
%%[Page: 47]%%
%%[Page: 48]%%
%%[Page: 49]%%
%%[Page: 50]%%
%%[Page: 51]%%
%%[Page: 52]%%
%%[Page: 53]%%
%%[Page: 54]%%
%%[Page: 55]%%
%%[Page: 56]%%
%%[Page: 57]%%
%%[Page: 58]%%
%%[Page: 59]%%
%%[Page: 60]%%
%%[Page: 61]%%
%%[Page: 62]%%
%%[Page: 63]%%
%%[Page: 64]%%
%%[Page: 65]%%
%%[Page: 66]%%
%%[Page: 67]%%
%%[Page: 68]%%
%%[Page: 69]%%
%%[Page: 70]%%
%%[Page: 71]%%
%%[Page: 72]%%
%%[Page: 73]%%
%%[Page: 74]%%
%%[Page: 75]%%
%%[Page: 76]%%
%%[Page: 77]%%
%%[Page: 78]%%
%%[Page: 79]%%
%%[Page: 80]%%
%%[Page: 81]%%
%%[Page: 82]%%
%%[Page: 83]%%
%%[Page: 84]%%
%%[Page: 85]%%
%%[Page: 86]%%
%%[Page: 87]%%
%%[Page: 88]%%
%%[Page: 89]%%
%%[Page: 90]%%
%%[Page: 91]%%
%%[Page: 92]%%
%%[Page: 93]%%
%%[Page: 94]%%
%%[Page: 95]%%
%%[Page: 96]%%
%%[Page: 97]%%

%%[Page: 98]%%
%%[Page: 99]%%
%%[Page: 100]%%
%%[Page: 101]%%
%%[Page: 102]%%
%%[Page: 103]%%
%%[Page: 104]%%
%%[Page: 105]%%
%%[Page: 106]%%
%%[Page: 107]%%
%%[Page: 108]%%
%%[Page: 109]%%
%%[Page: 110]%%
%%[Page: 111]%%
%%[Page: 112]%%
%%[Page: 113]%%
%%[Page: 114]%%
%%[Page: 115]%%
%%[Page: 116]%%
%%[Page: 117]%%
%PS-Adobe-3.0
%KDKJobId S0111660
%KDKSource remove file:/var/spool/kodak_resources/rip_data/hch.11716 81008
%PS-Adobe-3.0
%KDKBody (Letter) on
%KDKPrintMethod: print
%KDKOutputMedia stapler
%%Requirements. numcopies(1) staple(none) fold(none) simplex collate jog(none) trim(off)
%KDKRequirements: numcopies(1) staple(none) fold(none) simplex collate jog(none) trim(off)
%KDKRotation. 0
%KDKError. on (Letter)
%KDKChaptersAreSets off
%KDKActOn.
%%For zrhfy57
%%Emulation postscript
%%DocumentPrinterRequired. () (DS9110)
%%DocumentMedia: (Letter) 612 792 75 (white) (plain)
%KDKMedia: (Letter)
%PS-Adobe-3.0
%%Title: http://cmag bst bls com:82/R1gh PDF
%%Creator AdobePS5 dll Version 5 1 2
%%CreationDate 11/15/2005 11 37 5
%%BoundingBox (atend)
%%DocumentNeededResources. (atend)
%%DocumentSuppliedResources: (atend)
%%DocumentData: Clean7Bit
%%TargetDevice (Digimaster 9110) (2015 105) 9
%%LanguageLevel. 3